PCT WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 :
C07K 19/00, C12N 15/62, 15/70, 1/21

A2

(11) International Publication Number: **WO 00/24782**

(43) International Publication Date: 4 May 2000 (04.05.00)

(21) International Application Number: PCT/US99/25044

(22) International Filing Date: 25 October 1999 (25.10.99)

(30) Priority Data:

60/105,371	23 October 1998 (23.10.98)	US
09/428,082	22 October 1999 (22.10.99)	US

(71) Applicant: AMGEN INC. [US/US]; One Amgen Center Drive, Thousand Oaks, CA 91320–1799 (US).

(72) Inventors: FEIGE, Ulrich; 3117 Deer Valley Avenue, Newbury Park, CA 91320 (US). LIU, Chuan–Fa; 1425 Clover Creek Drive, Longmont, CO 80503 (US). CHEETHAM, Janet; 1695 East Valley Road, Montecito, CA 93108 (US). BOONE, Thomas, Charles; 3010 Deer Valley Avenue, Newbury Park, CA 91320 (US).

(74) Agents: ODRE, Steven, M. et al.; Amgen, Inc., One Amgen Center Drive, Thousand Oaks, CA 91320–1799 (US).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published
Without international search report and to be republished upon receipt of that report.

(54) Title: MODIFIED PEPTIDES AS THERAPEUTIC AGENTS

(57) Abstract

The present invention concerns fusion of Fc domains with biologically active peptides and a process for preparing pharmaceutical agents using biologically active peptides. In this invention, pharmacologically active compounds are prepared by a process comprising: a) selecting at least one peptide that modulates the activity of a protein of interest; and b) preparing a pharmacologic agent comprising an Fc domain covalently linked to at least one amino acid of the selected peptide. Linkage to the vehicle increases the half–life of the peptide, which otherwise would be quickly degraded *in vivo*. The preferred vehicle is an Fc domain. The peptide is preferably selected by phage display, *E. coli* display, ribosome display, RNA–peptide screening, or chemical–peptide screening.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	**ES**	Spain	**LS**	Lesotho	**SI**	Slovenia
AM	Armenia	**FI**	Finland	**LT**	Lithuania	**SK**	Slovakia
AT	Austria	**FR**	France	**LU**	Luxembourg	**SN**	Senegal
AU	Australia	**GA**	Gabon	**LV**	Latvia	**SZ**	Swaziland
AZ	Azerbaijan	**GB**	United Kingdom	**MC**	Monaco	**TD**	Chad
BA	Bosnia and Herzegovina	**GE**	Georgia	**MD**	Republic of Moldova	**TG**	Togo
BB	Barbados	**GH**	Ghana	**MG**	Madagascar	**TJ**	Tajikistan
BE	Belgium	**GN**	Guinea	**MK**	The former Yugoslav Republic of Macedonia	**TM**	Turkmenistan
BF	Burkina Faso	**GR**	Greece			**TR**	Turkey
BG	Bulgaria	**HU**	Hungary	**ML**	Mali	**TT**	Trinidad and Tobago
BJ	Benin	**IE**	Ireland	**MN**	Mongolia	**UA**	Ukraine
BR	Brazil	**IL**	Israel	**MR**	Mauritania	**UG**	Uganda
BY	Belarus	**IS**	Iceland	**MW**	Malawi	**US**	United States of America
CA	Canada	**IT**	Italy	**MX**	Mexico	**UZ**	Uzbekistan
CF	Central African Republic	**JP**	Japan	**NE**	Niger	**VN**	Viet Nam
CG	Congo	**KE**	Kenya	**NL**	Netherlands	**YU**	Yugoslavia
CH	Switzerland	**KG**	Kyrgyzstan	**NO**	Norway	**ZW**	Zimbabwe
CI	Côte d'Ivoire	**KP**	Democratic People's Republic of Korea	**NZ**	New Zealand		
CM	Cameroon			**PL**	Poland		
CN	China	**KR**	Republic of Korea	**PT**	Portugal		
CU	Cuba	**KZ**	Kazakstan	**RO**	Romania		
CZ	Czech Republic	**LC**	Saint Lucia	**RU**	Russian Federation		
DE	Germany	**LI**	Liechtenstein	**SD**	Sudan		
DK	Denmark	**LK**	Sri Lanka	**SE**	Sweden		
EE	Estonia	**LR**	Liberia	**SG**	Singapore		

Modified Peptides as Therapeutic Agents

Background of the Invention

Recombinant proteins are an emerging class of therapeutic agents. Such recombinant therapeutics have engendered advances in protein formulation and chemical modification. Such modifications can protect therapeutic proteins, primarily by blocking their exposure to proteolytic enzymes. Protein modifications may also increase the therapeutic protein's stability, circulation time, and biological activity. A review article describing protein modification and fusion proteins is Francis (1992), Focus on Growth Factors 3:4-10 (Mediscript, London), which is hereby incorporated by reference.

One useful modification is combination with the "Fc" domain of an antibody. Antibodies comprise two functionally independent parts, a variable domain known as "Fab", which binds antigen, and a constant domain known as "Fc", which links to such effector functions as complement activation and attack by phagocytic cells. An Fc has a long serum half-life, whereas an Fab is short-lived. Capon et al. (1989), Nature 337: 525-31. When constructed together with a therapeutic protein, an Fc domain can provide longer half-life or incorporate such functions as Fc receptor binding, protein A binding, complement fixation and perhaps even placental transfer. Id. Table 1 summarizes use of Fc fusions known in the art.

Table 1—Fc fusion with therapeutic proteins

Form of Fc	Fusion partner	Therapeutic implications	Reference
IgG1	N-terminus of CD30-L	Hodgkin's disease; anaplastic lymphoma; T-cell leukemia	U.S. Patent No. 5,480,981
Murine Fcγ2a	IL-10	anti-inflammatory; transplant rejection	Zheng et al. (1995), J. Immunol. 154: 5590-600
IgG1	TNF receptor	septic shock	Fisher et al. (1996), N. Engl. J. Med. 334: 1697-1702; Van Zee, K. et al. (1996), J. Immunol. 156: 2221-30
IgG, IgA, IgM, or IgE (excluding the first domain)	TNF receptor	inflammation, autoimmune disorders	U.S. Pat. No. 5,808,029, issued September 15, 1998
IgG1	CD4 receptor	AIDS	Capon et al. (1989), Nature 337: 525-31
IgG1, IgG3	N-terminus of IL-2	anti-cancer, antiviral	Harvill et al. (1995), Immunotech. 1: 95-105
IgG1	C-terminus of OPG	osteoarthritis; bone density	WO 97/23614, published July 3, 1997
IgG1	N-terminus of leptin	anti-obesity	PCT/US 97/23183, filed December 11, 1997
Human Ig Cγ1	CTLA-4	autoimmune disorders	Linsley (1991), J. Exp. Med. 174:561-9

A much different approach to development of therapeutic agents is peptide library screening. The interaction of a protein ligand with its receptor often takes place at a relatively large interface. However, as demonstrated for human growth hormone and its receptor, only a few key residues at the interface contribute to most of the binding energy. Clackson et al. (1995), Science 267: 383-6. The bulk of the protein ligand merely displays the binding epitopes in the right topology or serves functions unrelated to binding. Thus, molecules of only "peptide" length (2 to 40 amino acids) can bind to the receptor protein of a given large protein ligand. Such peptides may mimic the bioactivity of the large protein ligand ("peptide agonists") or, through competitive binding, inhibit the bioactivity of the large protein ligand ("peptide antagonists").

Phage display peptide libraries have emerged as a powerful method in identifying such peptide agonists and antagonists. See, for example, Scott et al. (1990), Science 249: 386; Devlin et al. (1990), Science 249: 404; U.S. Pat. No. 5,223,409, issued June 29, 1993; U.S. Pat. No. 5,733,731, issued March 31, 1998; U.S. Pat. No. 5,498,530, issued March 12, 1996; U.S. Pat. No. 5,432,018, issued July 11, 1995; U.S. Pat. No. 5,338,665, issued August 16, 1994; U.S. Pat. No. 5,922,545, issued July 13, 1999; WO 96/40987, published December 19, 1996; and WO 98/15833, published April 16, 1998 (each of which is incorporated by reference). In such libraries, random peptide sequences are displayed by fusion with coat proteins of filamentous phage. Typically, the displayed peptides are affinity-eluted against an antibody-immobilized extracellular domain of a receptor. The retained phages may be enriched by successive rounds of affinity purification and repropagation. The best binding peptides may be sequenced to identify key residues within one or more structurally related families of peptides. See, e.g., Cwirla et al. (1997), Science 276: 1696-9, in which two distinct families were identified. The peptide sequences may also suggest which residues may be safely replaced by alanine scanning or by mutagenesis at the DNA level. Mutagenesis libraries may be created and screened to further optimize the sequence of the best binders. Lowman (1997), Ann. Rev. Biophys. Biomol. Struct. 26: 401-24.

Structural analysis of protein-protein interaction may also be used to suggest peptides that mimic the binding activity of large protein ligands. In such an analysis, the crystal structure may suggest the identity and relative orientation of critical residues of the large protein ligand, from which a peptide may be designed. See, e.g., Takasaki et al. (1997), Nature Biotech. 15: 1266-70. These analytical methods may also be used to investigate the interaction between a receptor protein and peptides

selected by phage display, which may suggest further modification of the peptides to increase binding affinity.

Other methods compete with phage display in peptide research. A peptide library can be fused to the carboxyl terminus of the lac repressor and expressed in E. coli. Another E. coli-based method allows display on the cell's outer membrane by fusion with a peptidoglycan-associated lipoprotein (PAL). Hereinafter, these and related methods are collectively referred to as "E. coli display." In another method, translation of random RNA is halted prior to ribosome release, resulting in a library of polypeptides with their associated RNA still attached. Hereinafter, this and related methods are collectively referred to as "ribosome display." Other methods employ chemical linkage of peptides to RNA; see, for example, Roberts & Szostak (1997), Proc. Natl. Acad. Sci. USA, 94: 12297-303. Hereinafter, this and related methods are collectively referred to as "RNA-peptide screening." Chemically derived peptide libraries have been developed in which peptides are immobilized on stable, non-biological materials, such as polyethylene rods or solvent-permeable resins. Another chemically derived peptide library uses photolithography to scan peptides immobilized on glass slides. Hereinafter, these and related methods are collectively referred to as "chemical-peptide screening." Chemical-peptide screening may be advantageous in that it allows use of D-amino acids and other unnatural analogues, as well as non-peptide elements. Both biological and chemical methods are reviewed in Wells & Lowman (1992), Curr. Opin. Biotechnol. 3: 355-62.

Conceptually, one may discover peptide mimetics of any protein using phage display and the other methods mentioned above. These methods have been used for epitope mapping, for identification of critical amino acids in protein-protein interactions, and as leads for the discovery of new therapeutic agents. E.g., Cortese et al. (1996), Curr. Opin. Biotech. 7:

616-21. Peptide libraries are now being used most often in immunological studies, such as epitope mapping. Kreeger (1996), The Scientist 10(13): 19-20.

Of particular interest here is use of peptide libraries and other techniques in the discovery of pharmacologically active peptides. A number of such peptides identified in the art are summarized in Table 2. The peptides are described in the listed publications, each of which is hereby incorporated by reference. The pharmacologic activity of the peptides is described, and in many instances is followed by a shorthand term therefor in parentheses. Some of these peptides have been modified (e.g., to form C-terminally cross-linked dimers). Typically, peptide libraries were screened for binding to a receptor for a pharmacologically active protein (e.g., EPO receptor). In at least one instance (CTLA4), the peptide library was screened for binding to a monclonal antibody.

Table 2—Pharmacologically active peptides

Form of peptide	Binding partner/ protein of interest[a]	Pharmacologic activity	Reference
intrapeptide disulfide-bonded	EPO receptor	EPO-mimetic	Wrighton et al. (1996), Science 273: 458-63; U.S. Pat. No. 5,773,569, issued June 30, 1998 to Wrighton et al.
C-terminally cross-linked dimer	EPO receptor	EPO-mimetic	Livnah et al. (1996), Science 273: 464-71; Wrighton et al. (1997), Nature Biotechnology 15: 1261-5; International patent application WO 96/40772, published Dec. 19, 1996
linear	EPO receptor	EPO-mimetic	Naranda et al. (1999), Proc. Natl. Acad. Sci. USA, 96: 7569-74
linear	c-Mpl	TPO-mimetic	Cwirla et al.(1997) Science 276: 1696-9; U.S. Pat. No. 5,869,451, issued Feb. 9, 1999; U.S. Pat. No. 5,932,946, issued Aug. 3, 1999
C-terminally cross-linked dimer	c-Mpl	TPO-mimetic	Cwirla et al. (1997), Science 276: 1696-9
disulfide-linked dimer		stimulation of hematopoiesis ("G-CSF-mimetic")	Paukovits et al. (1984), Hoppe-Seylers Z. Physiol. Chem. 365: 303-11; Laerum et al. (1988), Exp. Hemat. 16: 274-80
alkylene-linked dimer		G-CSF-mimetic	Bhatnagar et al. (1996), J. Med. Chem. 39: 3814-9; Cuthbertson et al. (1997), J. Med. Chem. 40: 2876-82; King et al. (1991), Exp. Hematol. 19:481; King et al. (1995), Blood 86 (Suppl. 1): 309a
linear ...	IL-1 receptor	inflammatory and autoimmune diseases ("IL-1 antagonist" or "IL-1ra-mimetic")	U.S. Pat. No. 5,608,035; U.S. Pat. No. 5,786,331; U.S. Pat. No. 5,880,096; Yanofsky et al. (1996),

[a] The protein listed in this column may be bound by the associated peptide (e.g., EPO receptor, IL-1 receptor) or mimicked by the associated peptide. The references listed for each clarify whether the molecule is bound by or mimicked by the peptides.

			Proc. Natl. Acad. Sci. 93: 7381-6; Akeson et al. (1996), J. Biol. Chem. 271: 30517-23; Wiekzorek et al. (1997), Pol. J. Pharmacol. 49: 107-17; Yanofsky (1996), PNAs, 93:7381-7386.
linear	Facteur thymique serique (FTS)	stimulation of lymphocytes ("FTS-mimetic")	Inagaki-Ohara et al. (1996), Cellular Immunol. 171: 30-40; Yoshida (1984), Int. J. Immunopharmacol, 6:141-6.
intrapeptide disulfide bonded	CTLA4 MAb	CTLA4-mimetic	Fukumoto et al. (1998), Nature Biotech. 16: 267-70
exocyclic	TNF-α receptor	TNF-α antagonist	Takasaki et al. (1997), Nature Biotech. 15:1266-70; WO 98/53842, published December 3, 1998
linear	TNF-α receptor	TNF-α antagonist	Chirinos-Rojas ( ), J. Imm., 5621-5626.
intrapeptide disulfide bonded	C3b	inhibition of complement activation; autoimmune diseases ("C3b-antagonist")	Sahu et al. (1996), J. Immunol. 157: 884-91; Morikis et al. (1998), Protein Sci. 7: 619-27
linear	vinculin	cell adhesion processes—cell growth, differentiation, wound healing, tumor metastasis ("vinculin binding")	Adey et al. (1997), Biochem. J. 324: 523-8
linear	C4 binding protein (C4BP)	anti-thrombotic	Linse et al. (1997), J. Biol. Chem. 272: 14658-65
linear	urokinase receptor	processes associated with urokinase interaction with its receptor (e.g., angiogenesis, tumor cell invasion and metastasis); ("UKR antagonist")	Goodson et al. (1994), Proc. Natl. Acad. Sci. 91: 7129-33; International application WO 97/35969, published October 2, 1997
linear	Mdm2, Hdm2	Inhibition of inactivation of p53 mediated by Mdm2 or hdm2; anti-tumor ("Mdm/hdm antagonist")	Picksley et al. (1994), Oncogene 9: 2523-9; Bottger et al. (1997) J. Mol. Biol. 269: 744-56; Bottger et al. (1996), Oncogene 13: 2141-7
linear	$p21^{WAF1}$	anti-tumor by mimicking the activity of $p21^{WAF1}$	Ball et al. (1997), Curr. Biol. 7: 71-80
linear	farnesyl	anti-cancer by preventing	Gibbs et al. (1994), Cell

[b] FTS is a thymic hormone mimicked by the molecule of this invention rather than a receptor bound by the molecule of this invention.

	transferase	activation of ras oncogene	77:175-178
linear	Ras effector domain	anti-cancer by inhibiting biological function of the ras oncogene	Moodie et al. (1994), Trends Genet 10: 44-48 Rodriguez et al. (1994), Nature 370:527-532
linear	SH2/SH3 domains	anti-cancer by inhibiting tumor growth with activated tyrosine kinases	Pawson et al (1993), Curr. Biol. 3:434-432 Yu et al. (1994), Cell 76:933-945
linear	$p16^{INK4}$	anti-cancer by mimicking activity of p16; e.g., inhibiting cyclin D-Cdk complex ("p16-mimetic")	Fåhraeus et al. (1996), Curr. Biol. 6:84-91
linear	Src, Lyn	inhibition of Mast cell activation, IgE-related conditions, type I hypersensitivity ("Mast cell antagonist")	Stauffer et al. (1997), Biochem. 36: 9388-94
linear	Mast cell protease	treatment of inflammatory disorders mediated by release of tryptase-6 ("Mast cell protease inhibitors")	International application WO 98/33812, published August 6, 1998
linear	SH3 domains	treatment of SH3-mediated disease states ("SH3 antagonist")	Rickles et al. (1994), EMBO J. 13: 5598-5604; Sparks et al. (1994), J. Biol. Chem. 269: 23853-6; Sparks et al. (1996), Proc. Natl. Acad. Sci. 93: 1540-4
linear	HBV core antigen (HBcAg)	treatment of HBV viral infections ("anti-HBV")	Dyson & Muray (1995), Proc. Natl. Acad. Sci. 92: 2194-8
linear	selectins	neutrophil adhesion; inflammatory diseases ("selectin antagonist")	Martens et al. (1995), J. Biol. Chem. 270: 21129-36; European patent application EP 0 714 912, published June 5, 1996
linear, cyclized	calmodulin	calmodulin antagonist	Pierce et al. (1995), Molec. Diversity 1: 259-65; Dedman et al. (1993), J. Biol. Chem. 268: 23025-30; Adey & Kay (1996), Gene 169: 133-4
linear, cyclized-	integrins	tumor-homing; treatment for conditions related to integrin-mediated cellular events, including platelet aggregation, thrombosis, wound healing, osteoporosis, tissue repair, angiogenesis (e.g.,	International applications WO 95/14714, published June 1, 1995; WO 97/08203, published March 6, 1997; WO 98/10795, published March 19, 1998; WO 99/24462, published May

		for treatment of cancer), and tumor invasion ("integrin-binding")	20, 1999; Kraft et al. (1999), J. Biol. Chem. 274: 1979-1985
cyclic, linear	fibronectin and extracellular matrix components of T cells and macrophages	treatment of inflammatory and autoimmune conditions	WO 98/09985, published March 12, 1998
linear	somatostatin and cortistatin	treatment or prevention of hormone-producing tumors, acromegaly, giantism, dementia, gastric ulcer, tumor growth, inhibition of hormone secretion, modulation of sleep or neural activity	European patent application 0 911 393, published April 28, 1999
linear	bacterial lipopolysac-charide	antibiotic; septic shock; disorders modulatable by CAP37	U.S. Pat. No. 5,877,151, issued March 2, 1999
linear or cyclic, including D-amino acids	pardaxin, mellitin	antipathogenic	WO 97/31019, published 28 August 1997
linear, cyclic	VIP	impotence, neurodegenerative disorders	WO 97/40070, published October 30, 1997
linear	CTLs	cancer	EP 0 770 624, published May 2, 1997
linear	THF-gamma2		Burnstein (1988), Biochem., 27:4066-71.
linear	Amylin		Cooper (1987), Proc. Natl. Acad. Sci., 84:8628-32.
linear	Adrenomedullin		Kitamura (1993), BBRC, 192:553-60.
cyclic, linear	VEGF	anti-angiogenic; cancer, rheumatoid arthritis, diabetic retinopathy, psoriasis ("VEGF antagonist")	Fairbrother (1998), Biochem., 37:17754-17764.
cyclic	MMP	inflammation and autoimmune disorders; tumor growth ("MMP inhibitor")	Koivunen (1999), Nature Biotech., 17:768-774.
	HGH fragment		U.S. Pat. No. 5,869,452
	Echistatin	inhibition of platelet aggregation	Gan (1988), J. Biol. Chem., 263:19827-32.
linear	SLE autoantibody	SLE	WO 96/30057, published October 3, 1996
	GD1alpha	suppression of tumor metastasis	Ishikawa et al. (1998), FEBS Lett. 441 (1): 20-4
	antiphospholipid	endothelial cell activation ,	Blank et al. (1999), Proc.

	beta-2-glycoprotein-I (β2GPI) antibodies	antiphospholipid syndrome (APS), thromboembolic phenomena, thrombocytopenia, and recurrent fetal loss	Natl. Acad. Sci. USA 96: 5164-8
linear	T Cell Receptor beta chain	diabetes	WO 96/11214, published April 18, 1996

Peptides identified by peptide library screening have been regarded as "leads" in development of therapeutic agents rather than as therapeutic agents themselves. Like other proteins and peptides, they would be rapidly removed in vivo either by renal filtration, cellular clearance mechanisms in the reticuloendothelial system, or proteolytic degradation. Francis (1992), Focus on Growth Factors 3: 4-11. As a result, the art presently uses the identified peptides to validate drug targets or as scaffolds for design of organic compounds that might not have been as easily or as quickly identified through chemical library screening. Lowman (1997), Ann. Rev. Biophys. Biomol. Struct. 26: 401-24; Kay et al. (1998), Drug Disc. Today 3: 370-8. The art would benefit from a process by which such peptides could more readily yield therapeutic agents.

Summary of the Invention

The present invention concerns a process by which the in vivo half-life of one or more biologically active peptides is increased by fusion with a vehicle. In this invention, pharmacologically active compounds are prepared by a process comprising:

a) selecting at least one peptide that modulates the activity of a protein of interest; and

b) preparing a pharmacologic agent comprising at least one vehicle covalently linked to at least one amino acid sequence of the selected peptide.

The preferred vehicle is an Fc domain. The peptides screened in step (a) are preferably expressed in a phage display library. The vehicle and the

peptide may be linked through the N- or C-terminus of the peptide or the vehicle, as described further below. Derivatives of the above compounds (described below) are also encompassed by this invention.

The compounds of this invention may be prepared by standard synthetic methods, recombinant DNA techniques, or any other methods of preparing peptides and fusion proteins. Compounds of this invention that encompass non-peptide portions may be synthesized by standard organic chemistry reactions, in addition to standard peptide chemistry reactions when applicable.

The primary use contemplated is as therapeutic or prophylactic agents. The vehicle-linked peptide may have activity comparable to—or even greater than—the natural ligand mimicked by the peptide. In addition, certain natural ligand-based therapeutic agents might induce antibodies against the patient's own endogenous ligand; the vehicle-linked peptide avoids this pitfall by having little or typically no sequence identity with the natural ligand.

Although mostly contemplated as therapeutic agents, compounds of this invention may also be useful in screening for such agents. For example, one could use an Fc-peptide (e.g., Fc-SH2 domain peptide) in an assay employing anti-Fc coated plates. The vehicle, especially Fc, may make insoluble peptides soluble and thus useful in a number of assays.

The compounds of this invention may be used for therapeutic or prophylactic purposes by formulating them with appropriate pharmaceutical carrier materials and administering an effective amount to a patient, such as a human (or other mammal) in need thereof. Other related aspects are also included in the instant invention.

Numerous additional aspects and advantages of the present invention will become apparent upon consideration of the figures and detailed description of the invention.

Brief Description of the Figures

Figure 1 shows a schematic representation of an exemplary process of the invention. In this preferred process, the vehicle is an Fc domain, which is linked to the peptide covalently by expression from a DNA construct encoding both the Fc domain and the peptide. As noted in Figure 1, the Fc domains spontaneously form a dimer in this process.

Figure 2 shows exemplary Fc dimers that may be derived from an IgG1 antibody. "Fc" in the figure represents any of the Fc variants within the meaning of "Fc domain" herein. "X^1" and "X^2" represent peptides or linker-peptide combinations as defined hereinafter. The specific dimers are as follows:

A, D: Single disulfide-bonded dimers. IgG1 antibodies typically have two disulfide bonds at the hinge region between the constant and variable domains. The Fc domain in Figures 2A and 2 D may be formed by truncation between the two disulfide bond sites or by substitution of a cysteinyl residue with an unreactive residue (e.g., alanyl). In Figure 2A, the Fc domain is linked at the amino terminus of the peptides; in 2D, at the carboxyl terminus.

B, E: Doubly disulfide-bonded dimers. This Fc domain may be formed by truncation of the parent antibody to retain both cysteinyl residues in the Fc domain chains or by expression from a construct including a sequence encoding such an Fc domain. In Figure 2B, the Fc domain is linked at the amino terminus of the peptides; in 2E, at the carboxyl terminus.

C, F: Noncovalent dimers. This Fc domain may be formed by elimination of the cysteinyl residues by either truncation or substitution. One may desire to eliminate the cysteinyl residues to avoid impurities formed by reaction of the cysteinyl residue with cysteinyl residues of other

proteins present in the host cell. The noncovalent bonding of the Fc domains is sufficient to hold together the dimer.

Other dimers may be formed by using Fc domains derived from different types of antibodies (e.g., IgG2, IgM).

Figure 3 shows the structure of preferred compounds of the invention that feature tandem repeats of the pharmacologically active peptide. Figure 3A shows a single chain molecule and may also represent the DNA construct for the molecule. Figure 3B shows a dimer in which the linker-peptide portion is present on only one chain of the dimer. Figure 3C shows a dimer having the peptide portion on both chains. The dimer of Figure 3C will form spontaneously in certain host cells upon expression of a DNA construct encoding the single chain shown in Figure 3A. In other host cells, the cells could be placed in conditions favoring formation of dimers or the dimers can be formed in vitro.

Figure 4 shows exemplary nucleic acid and amino acid sequences (SEQ ID NOS: 1 and 2, respectively) of human IgG1 Fc that may be used in this invention.

Figure 5 shows a synthetic scheme for the preparation of PEGylated peptide 19 (SEQ ID NO: 3).

Figure 6 shows a synthetic scheme for the preparation of PEGylated peptide 20 (SEQ ID NO: 4).

Figure 7 shows the nucleotide and amino acid sequences (SEQ ID NOS: 5 and 6, respectively) of the molecule identified as "Fc-TMP" in Example 2 hereinafter.

Figure 8 shows the nucleotide and amino acid sequences (SEQ. ID. NOS: 7 and 8, respectively) of the molecule identified as "Fc-TMP-TMP" in Example 2 hereinafter.

Figure 9 shows the nucleotide and amino acid sequences (SEQ. ID. NOS: 9 and 10, respectively) of the molecule identified as "TMP-TMP-Fc" in Example 2 hereinafter.

Figure 10 shows the nucleotide and amino acid sequences (SEQ. ID. NOS: 11 and 12, respectively) of the molecule identified as "TMP-Fc" in Example 2 hereinafter.

Figure 11 shows the number of platelets generated in vivo in normal female BDF1 mice treated with one 100 μg/kg bolus injection of various compounds, with the terms defined as follows.

PEG-MGDF: 20 kD average molecular weight PEG attached by reductive amination to the N-terminal amino group of amino acids 1-163 of native human TPO, which is expressed in E. coli (so that it is not glycosylated);

TMP: the TPO-mimetic peptide having the amino acid sequence IEGPTLRQWLAARA (SEQ ID NO: 13);

TMP-TMP: the TPO-mimetic peptide having the amino acid sequence IEGPTLRQWLAARA-GGGGGGGG-IEGPTLRQWLAARA (SEQ ID NO: 14);

PEG-TMP-TMP: the peptide of SEQ ID NO: 14, wherein the PEG group is a 5 kD average molecular weight PEG attached as shown in Figure 6;

Fc-TMP-TMP: the compound of SEQ ID NO: 8 (Figure 8) dimerized with an identical second monomer (i.e., Cys residues 7 and 10 are bound to the corresponding Cys residues in the second monomer to form a dimer, as shown in Figure 2); and

TMP-TMP-Fc is the compound of SEQ ID NO: 10 (Figure 9) dimerized in the same way as TMP-TMP-Fc except that the Fc domain is attached at the C-terminal end rather than the N-terminal end of the TMP-TMP peptide.

Figure 12 shows the number of platelets generated in vivo in normal BDF1 mice treated with various compounds delivered via implanted osmotic pumps over a 7-day period. The compounds are as defined for Figure 7.

Figure 13 shows the nucleotide and amino acid sequences (SEQ. ID. NOS: 15 and 16, respectively) of the molecule identified as "Fc-EMP" in Example 3 hereinafter.

Figure 14 shows the nucleotide and amino acid sequences (SEQ ID NOS: 17 and 18, respectively) of the molecule identified as "EMP-Fc" in Example 3 hereinafter.

Figure 15 shows the nucleotide and amino acid sequences (SEQ ID NOS:19 and 20, respectively) of the molecule identified as "EMP-EMP-Fc" in Example 3 hereinafter.

Figure 16 shows the nucleotide and amino acid sequences (SEQ ID NOS: 21 and 22, respectively) of the molecule identified as "Fc-EMP-EMP" in Example 3 hereinafter.

Figures 17A and 17B show the DNA sequence (SEQ ID NO: 23) inserted into pCFM1656 between the unique AatII (position #4364 in pCFM1656) and SacII (position #4585 in pCFM1656) restriction sites to form expression plasmid pAMG21 (ATCC accession no. 98113).

Figure 18A shows the hemoglobin, red blood cells, and hematocrit generated in vivo in normal female BDF1 mice treated with one 100 μg/kg bolus injection of various compounds. Figure 18B shows the same results with mice treated with 100 μg/kg per day delivered ~~the same dose~~ by 7-day micro-osmotic pump with the EMPs delivered at 100 μg/kg, rhEPO at 30U/mouse. (In both experiments, neutrophils, lymphocytes, and platelets were unaffected.) In these figures, the terms are defined as follows.

Fc-EMP: the compound of SEQ ID NO: 16 (Figure 13) dimerized with an identical second monomer (i.e., Cys residues 7 and 10 are

bound to the corresponding Cys residues in the second monomer to form a dimer, as shown in Figure 2);

EMP-Fc: the compound of SEQ ID NO: 18 (Figure 14) dimerized in the same way as Fc-EMP except that the Fc domain is attached at the C-terminal end rather than the N-terminal end of the EMP peptide.

"EMP-EMP-Fc" refers to a tandem repeat of the same peptide (SEQ ID NO: 20) attached to the same Fc domain by the carboxyl terminus of the peptides. "Fc-EMP-EMP" refers to the same tandem repeat of the peptide but with the same Fc domain attached at the amino terminus of the tandem repeat. All molecules are expressed in E. coli and so are not glycosylated.

Figures 19A and 19B show the nucleotide and amino acid sequences (SEQ ID NOS: 1055 and 1056) of the Fc-TNF-α inhibitor fusion molecule described in Example 4 hereinafter.

Figures 20A and 20B show the nucleotide and amino acid sequences (SEQ ID NOS: 1057 and 1058) of the TNF-α inhibitor-Fc fusion molecule described in Example 4 hereinafter.

Figures 21A and 21B show the nucleotide and amino acid sequences (SEQ ID NOS: 1059 and 1060) of the Fc-IL-1 antagonist fusion molecule described in Example 5 hereinafter.

Figures 22A and 22B show the nucleotide and amino acid sequences (SEQ ID NOS: 1061 and 1062) of the IL-1 antagonist-Fc fusion molecule described in Example 5 hereinafter.

Figures 23A, 23B, and 23C show the nucleotide and amino acid sequences (SEQ ID NOS: 1063 and 1064) of the Fc-VEGF antagonist fusion molecule described in Example 6 hereinafter.

Figures 24A and 24B show the nucleotide and amino acid sequences (SEQ ID NOS: 1065 and 1066) of the VEGF antagonist-Fc fusion molecule described in Example 6 hereinafter.

Figures 25A and 25B show the nucleotide and amino acid sequences (SEQ ID NOS: 1067 and 1068) of the Fc-MMP inhibitor fusion molecule described in Example 7 hereinafter.

Figures 26A and 26B show the nucleotide and amino acid sequences (SEQ ID NOS: 1069 and 1070) of the MMP inhibitor-Fc fusion molecule described in Example 7 hereinafter.

Detailed Description of the Invention

Definition of Terms

The terms used throughout this specification are defined as follows, unless otherwise limited in specific instances.

The term "comprising" means that a compound may include additional amino acids on either or both of the N- or C- termini of the given sequence. Of course, these additional amino acids should not significantly interfere with the activity of the compound.

The term "vehicle" refers to a molecule that prevents degradation and/or increases half-life, reduces toxicity, reduces immunogenicity, or increases biological activity of a therapeutic protein. Exemplary vehicles include an Fc domain (which is preferred) as well as a linear polymer (e.g., polyethylene glycol (PEG), polylysine, dextran, etc.); a branched-chain polymer (see, for example, U.S. Patent No. 4,289,872 to Denkenwalter et al., issued September 15, 1981; 5,229,490 to Tam, issued July 20, 1993; WO 93/21259 by Frechet et al., published 28 October 1993); a lipid; a cholesterol group (such as a steroid); a carbohydrate or oligosaccharide; or any natural or synthetic protein, polypeptide or peptide that binds to a salvage receptor. Vehicles are further described hereinafter.

The term "native Fc" refers to molecule or sequence comprising the sequence of a non-antigen-binding fragment resulting from digestion of whole antibody, whether in monomeric or multimeric form. The original immunoglobulin source of the native Fc is preferably of human origin and may be any of the immunoglobulins, although IgG1 and IgG2 are preferred. Native Fc's are made up of monomeric polypeptides that may be linked into dimeric or multimeric forms by covalent (i.e., disulfide bonds) and non-covalent association. The number of intermolecular disulfide bonds between monomeric subunits of native Fc molecules ranges from 1 to 4 depending on class (e.g., IgG, IgA, IgE) or subclass (e.g., IgG1, IgG2, IgG3, IgA1, IgGA2). One example of a native Fc is a disulfide-bonded dimer resulting from papain digestion of an IgG (see Ellison et al. (1982), Nucleic Acids Res. 10: 4071-9). The term "native Fc" as used herein is generic to the monomeric, dimeric, and multimeric forms.

The term "Fc variant" refers to a molecule or sequence that is modified from a native Fc but still comprises a binding site for the salvage receptor, FcRn. International applications WO 97/34631 (published 25 September 1997) and WO 96/32478 describe exemplary Fc variants, as well as interaction with the salvage receptor, and are hereby incorporated by reference. Thus, the term "Fc variant" comprises a molecule or sequence that is humanized from a non-human native Fc. Furthermore, a native Fc comprises sites that may be removed because they provide structural features or biological activity that are not required for the fusion molecules of the present invention. Thus, the term "Fc variant" comprises a molecule or sequence that lacks one or more native Fc sites or residues that affect or are involved in (1) disulfide bond formation, (2) incompatibility with a selected host cell (3) N-terminal heterogeneity upon expression in a selected host cell, (4) glycosylation, (5) interaction with complement, (6) binding to an Fc receptor other than a salvage receptor, or

(7) antibody-dependent cellular cytotoxicity (ADCC). Fc variants are described in further detail hereinafter.

The term "Fc domain" encompasses native Fc and Fc variant molecules and sequences as defined above. As with Fc variants and native Fc's, the term "Fc domain" includes molecules in monomeric or multimeric form, whether digested from whole antibody or produced by other means.

The term "multimer" as applied to Fc domains or molecules comprising Fc domains refers to molecules having two or more polypeptide chains associated covalently, noncovalently, or by both covalent and non-covalent interactions. IgG molecules typically form dimers; IgM, pentamers; IgD, dimers; and IgA, monomers, dimers, trimers, or tetramers. Multimers may be formed by exploiting the sequence and resulting activity of the native Ig source of the Fc or by derivatizing (as defined below) such a native Fc.

The term "dimer" as applied to Fc domains or molecules comprising Fc domains refers to molecules having two polypeptide chains associated covalently or non-covalently. Thus, exemplary dimers within the scope of this invention are as shown in Figure 2.

The terms "derivatizing" and "derivative" or "derivatized" comprise processes and resulting compounds respectively in which (1) the compound has a cyclic portion; for example, cross-linking between cysteinyl residues within the compound; (2) the compound is cross-linked or has a cross-linking site; for example, the compound has a cysteinyl residue and thus forms cross-linked dimers in culture or <u>in vivo</u>; (3) one or more peptidyl linkage is replaced by a non-peptidyl linkage; (4) the N-terminus is replaced by $-NRR^1$, $NRC(O)R^1$, $-NRC(O)OR^1$, $-NRS(O)_2R^1$, -NHC(O)NHR, a succinimide group, or substituted or unsubstituted benzyloxycarbonyl-NH-, wherein R and R^1 and the ring substituents are

as defined hereinafter; (5) the C-terminus is replaced by $-C(O)R^2$ or $-NR^3R^4$ wherein R^2, R^3 and R^4 are as defined hereinafter; and (6) compounds in which individual amino acid moieties are modified through treatment with agents capable of reacting with selected side chains or terminal residues. Derivatives are further described hereinafter.

The term "peptide" refers to molecules of 2 to 40 amino acids, with molecules of 3 to 20 amino acids preferred and those of 6 to 15 amino acids most preferred. Exemplary peptides may be randomly generated by any of the methods cited above, carried in a peptide library (e.g., a phage display library), or derived by digestion of proteins.

The term "randomized" as used to refer to peptide sequences refers to fully random sequences (e.g., selected by phage display methods) and sequences in which one or more residues of a naturally occurring molecule is replaced by an amino acid residue not appearing in that position in the naturally occurring molecule. Exemplary methods for identifying peptide sequences include phage display, E. coli display, ribosome display, RNA-peptide screening, chemical screening, and the like.

The term "pharmacologically active" means that a substance so described is determined to have activity that affects a medical parameter (e.g., blood pressure, blood cell count, cholesterol level) or disease state (e.g., cancer, autoimmune disorders). Thus, pharmacologically active peptides comprise agonistic or mimetic and antagonistic peptides as defined below.

The terms "-mimetic peptide" and "-agonist peptide" refer to a peptide having biological activity comparable to a protein (e.g., EPO, TPO, G-CSF) that interacts with a protein of interest. These terms further include peptides that indirectly mimic the activity of a protein of interest, such as by potentiating the effects of the natural ligand of the protein of interest; see, for example, the G-CSF-mimetic peptides listed in Tables 2

and 7. Thus, the term "EPO-mimetic peptide" comprises any peptides that can be identified or derived as described in Wrighton et al. (1996), Science 273: 458-63, Naranda et al. (1999), Proc. Natl. Acad. Sci. USA 96: 7569-74, or any other reference in Table 2 identified as having EPO-mimetic subject matter. Those of ordinary skill in the art appreciate that each of these references enables one to select different peptides than actually disclosed therein by following the disclosed procedures with different peptide libraries.

The term "TPO-mimetic peptide" comprises peptides that can be identified or derived as described in Cwirla et al. (1997), Science 276: 1696-9 , U.S. Pat. Nos. 5,869,451 and 5,932,946 and any other reference in Table 2 identifed as having TPO-mimetic subject matter, as well as the U.S. patent application, "Thrombopoietic Compounds," filed on even date herewith and hereby incorporated by reference. Those of ordinary skill in the art appreciate that each of these references enables one to select different peptides than actually disclosed therein by following the disclosed procedures with different peptide libraries.

The term "G-CSF-mimetic peptide" comprises any peptides that can be identified or described in Paukovits et al. (1984), Hoppe-Seylers Z. Physiol. Chem. 365: 303-11 or any of the references in Table 2 identified as having G-CSF-mimetic subject matter. Those of ordinary skill in the art appreciate that each of these references enables one to select different peptides than actually disclosed therein by following the disclosed procedures with different peptide libraries.

The term "CTLA4-mimetic peptide" comprises any peptides that can be identified or derived as described in Fukumoto et al. (1998), Nature Biotech. 16: 267-70. Those of ordinary skill in the art appreciate that each of these references enables one to select different peptides than actually

disclosed therein by following the disclosed procedures with different peptide libraries.

The term "-antagonist peptide" or "inhibitor peptide" refers to a peptide that blocks or in some way interferes with the biological activity of the associated protein of interest, or has biological activity comparable to a known antagonist or inhibitor of the associated protein of interest. Thus, the term "TNF-antagonist peptide" comprises peptides that can be identified or derived as described in Takasaki et al. (1997), Nature Biotech. 15: 1266-70 or any of the references in Table 2 identified as having TNF-antagonistic subject matter. Those of ordinary skill in the art appreciate that each of these references enables one to select different peptides than actually disclosed therein by following the disclosed procedures with different peptide libraries.

The terms "IL-1 antagonist" and "IL-1ra-mimetic peptide" comprises peptides that inhibit or down-regulate activation of the IL-1 receptor by IL-1. IL-1 receptor activation results from formation of a complex among IL-1, IL-1 receptor, and IL-1 receptor accessory protein. IL-1 antagonist or IL-1ra-mimetic peptides bind to IL-1, IL-1 receptor, or IL-1 receptor accessory protein and obstruct complex formation among any two or three components of the complex. Exemplary IL-1 antagonist or IL-1ra-mimetic peptides can be identified or derived as described in U.S. Pat. Nos. 5,608,035, 5,786,331, 5,880,096, or any of the references in Table 2 identified as having IL-1ra-mimetic or IL-1 antagonistic subject matter. Those of ordinary skill in the art appreciate that each of these references enables one to select different peptides than actually disclosed therein by following the disclosed procedures with different peptide libraries.

The term "VEGF-antagonist peptide" comprises peptides that can be identified or derived as described in Fairbrother (1998), Biochem. 37:

17754-64, and in any of the references in Table 2 identified as having VEGF-antagonistic subject matter. Those of ordinary skill in the art appreciate that each of these references enables one to select different peptides than actually disclosed therein by following the disclosed procedures with different peptide libraries.

The term "MMP inhibitor peptide" comprises peptides that can be identified or derived as described in Koivunen (1999), Nature Biotech. 17: 768-74 and in any of the references in Table 2 identified as having MMP inhibitory subject matter. Those of ordinary skill in the art appreciate that each of these references enables one to select different peptides than actually disclosed therein by following the disclosed procedures with different peptide libraries.

Additionally, physiologically acceptable salts of the compounds of this invention are also encompassed herein. By "physiologically acceptable salts" is meant any salts that are known or later discovered to be pharmaceutically acceptable. Some specific examples are: acetate; trifluoroacetate; hydrohalides, such as hydrochloride and hydrobromide; sulfate; citrate; tartrate; glycolate; and oxalate.

Structure of compounds

In General. In the compositions of matter prepared in accordance with this invention, the peptide may be attached to the vehicle through the peptide's N-terminus or C-terminus. Thus, the vehicle-peptide molecules of this invention may be described by the following formula I:

I

$$(X^1)_a\text{-}F^1\text{-}(X^2)_b$$

wherein:

F^1 is a vehicle (preferably an Fc domain);

X^1 and X^2 are each independently selected from $-(L^1)_c\text{-}P^1$, $-(L^1)_c\text{-}P^1\text{-}(L^2)_d\text{-}P^2$, $-(L^1)_c\text{-}P^1\text{-}(L^2)_d\text{-}P^2\text{-}(L^3)_e\text{-}P^3$, and $-(L^1)_c\text{-}P^1\text{-}(L^2)_d\text{-}P^2\text{-}(L^3)_e\text{-}P^3\text{-}(L^4)_f\text{-}P^4$

P^1, P^2, P^3, and P^4 are each independently sequences of pharmacologically active peptides;

L^1, L^2, L^3, and L^4 are each independently linkers; and

a, b, c, d, e, and f are each independently 0 or 1, provided that at least one of a and b is 1.

Thus, compound I comprises preferred compounds of the formulae

II

$$X^1\text{-}F^1$$

and multimers thereof wherein F^1 is an Fc domain and is attached at the C-terminus of X^1;

III

$$F^1\text{-}X^2$$

and multimers thereof wherein F^1 is an Fc domain and is attached at the N-terminus of X^2;

IV

$$F^1\text{-}(L^1)_c\text{-}P^1$$

and multimers thereof wherein F^1 is an Fc domain and is attached at the N-terminus of $-(L^1)_c\text{-}P^1$; and

V

$$F^1\text{-}(L^1)_c\text{-}P^1\text{-}(L^2)_d\text{-}P^2$$

and multimers thereof wherein F^1 is an Fc domain and is attached at the N-terminus of $-L^1\text{-}P^1\text{-}L^2\text{-}P^2$.

Peptides. Any number of peptides may be used in conjunction with the present invention. Of particular interest are peptides that mimic the activity of EPO, TPO, growth hormone, G-CSF, GM-CSF, IL-1ra, leptin, CTLA4, TRAIL, TGF-α, and TGF-β. Peptide antagonists are also of interest, particularly those antagonistic to the activity of TNF, leptin, any of the interleukins (IL-1, 2, 3, ...), and proteins involved in complement activation (e.g., C3b). Targeting peptides are also of interest, including

tumor-homing peptides, membrane-transporting peptides, and the like. All of these classes of peptides may be discovered by methods described in the references cited in this specification and other references.

Phage display, in particular, is useful in generating peptides for use in the present invention. It has been stated that affinity selection from libraries of random peptides can be used to identify peptide ligands for any site of any gene product. Dedman et al. (1993), J. Biol. Chem. 268: 23025-30. Phage display is particularly well suited for identifying peptides that bind to such proteins of interest as cell surface receptors or any proteins having linear epitopes. Wilson et al. (1998), Can. J. Microbiol. 44: 313-29; Kay et al. (1998), Drug Disc. Today 3: 370-8. Such proteins are extensively reviewed in Herz et al. (1997), J. Receptor & Signal Transduction Res. 17(5): 671-776, which is hereby incorporated by reference. Such proteins of interest are preferred for use in this invention.

A particularly preferred group of peptides are those that bind to cytokine receptors. Cytokines have recently been classified according to their receptor code. See Inglot (1997), Archivum Immunologiae et Therapiae Experimentalis 45: 353-7, which is hereby incorporated by reference. Among these receptors, most preferred are the CKRs (family I in Table 3). The receptor classification appears in Table 3.

Table 3—Cytokine Receptors Classified by Receptor Code

Cytokines (ligands)		Receptor Type	
family	subfamily	family	subfamily
I. Hematopoietic cytokines	1. IL-2, IL-4, IL-7, IL-9, IL-13, IL-15 2. IL-3, IL-5, GM-CSF 3. IL-6, IL-11, IL-12, LIF, OSM, CNTF, leptin (OB) 4. G-CSF, EPO, TPO, PRL, GH 5. IL-17, HVS-IL-17	I. Cytokine R (CKR)	1. shared γCr 2. shared GP 140 βR 3. 3.shared RP 130 4. "single chain" R 5. other R[c]
II. IL-10 ligands	IL-10, BCRF-1, HSV-IL-10	II. IL-10 R	
III. Interferons	1. IFN-αl, α2, α4, m, t, IFN-β[d] 2. IFN-γ	III. Interferon R	1. IFNAR 2. IFNGR
IV. IL-1 ligands	1. IL-1α, IL-1β, IL-1Ra	IV. IL-1R	
V. TNF ligands	1. TNF-α, TNF-β (LT), FAS1, CD40 L, CD30L, CD27 L	V. NGF/TNF R[e]	
VI. Chemokines	1. α chemokines: IL-8, GRO α, β, γ, IF-10, PF-4, SDF-1 2. β chemokines: MIP1α, MIP1β, MCP-1,2,3,4, RANTES, eotaxin 3. γ chemokines: lymphotactin	VI. Chemokine R	1. CXCR 2. CCR 3. CR 4. DARC[f]

[c] IL-17R belongs to the CKR family but is not assigned to any of the 4 indicated subjamilies.
[d] Other IFN type I subtypes remain unassigned. Hematopoietic cytokines, IL-10 ligands and interferons do not possess functional intrinsic protein kinases. The signaling molecules for the cytokines are JAK's, STATs and related non-receptor molecules. IL-14, IL-16 and IL-18 have been cloned but according to the receptor code they remain unassigned.
[e] TNF receptors use multiple, distinct intracellular molecules for signal transduction including "death domain" of FAS R and 55 kDa TNF-αR that participates in their cytotoxic effects. NGF/TNF R can bind both NGF and related factors as well as TNF ligands. Chemokine receptors are G protein-coupled, seven transmembrane (7TM, serpentine) domain receptors.
[f] The Duffy blood group antigen (DARC) is an erythrocyte receptor that can bind several different chemokines. It belongs to the immunoglobulin superfamily but characteristics of its signal transduction events remain unclear.

VII. Growth factors	1.1 SCF, M-CSF, PDGF-AA, AB, BB, FLT-3L, VEGF, SSV-PDGF 1.2 FGFα, FGFβ 1.3 EGF, TGF-α, VV-F19 (EGF-like) 1.4 IGF-I, IGF-II, Insulin 1.5 NGF, BDNF, NT-3, NT-4[g] 2. TGF-β1,β2,β3	VII. RKF	1. TK sub-family 1.1 IgTK III R 1.2 IgTK IV R 1.3 Cysteine-rich TK-I 1.4 Cysteine rich TK-II 1.5 Cysteine knot TK V 2. STK subfamily[h]

Exemplary peptides for this invention appear in Tables 4 through 20 below. These peptides may be prepared by methods disclosed in the art. Single letter amino acid abbreviations are used. The X in these sequences (and throughout this specification, unless specified otherwise in a particular instance) means that any of the 20 naturally occurring amino acid residues may be present. Any of these peptides may be linked in tandem (i.e., sequentially), with or without linkers, and a few tandem-linked examples are provided in the table. Linkers are listed as "Λ" and may be any of the linkers described herein. Tandem repeats and linkers are shown separated by dashes for clarity. Any peptide containing a cysteinyl residue may be cross-linked with another Cys-containing peptide, either or both of which may be linked to a vehicle. A few cross-linked examples are provided in the table. Any peptide having more than one Cys residue may form an intrapeptide disulfide bond, as well; see, for example, EPO-mimetic peptides in Table 5. A few examples of intrapeptide disulfide-bonded peptides are specified in the table. Any of these peptides may be derivatized as described herein, and a few derivatized examples are provided in the table. Derivatized peptides in

[g] The neurotrophic cytokines can associate with NGF/TNF receptors also.

the tables are exemplary rather than limiting, as the associated underivatized peptides may be employed in this invention, as well. For derivatives in which the carboxyl terminus may be capped with an amino group, the capping amino group is shown as -NH_2. For derivatives in which amino acid residues are substituted by moieties other than amino acid residues, the substitutions are denoted by σ, which signifies any of the moieties described in Bhatnagar et al. (1996), J. Med. Chem. 39: 3814-9 and Cuthbertson et al. (1997), J. Med. Chem. 40: 2876-82, which are incorporated by reference. The J substituent and the Z substituents (Z_5, Z_6, ...Z_{40}) are as defined in U.S. Pat. Nos. 5,608,035 ,5,786,331, and 5,880,096, which are incorporated by reference. For the EPO-mimetic sequences (Table 5), the substituents X_2 through X_{11} and the integer "n" are as defined in WO 96/40772, which is incorporated by reference. The substituents "Ψ," "Θ," and "+" are as defined in Sparks et al. (1996), Proc. Natl. Acad. Sci. 93: 1540-4, which is hereby incorporated by reference. X_4, X_5, X_6, and X_7 are as defined in U.S. Pat. No. 5,773,569, which is hereby incorporated by reference, except that: for integrin-binding peptides, X_1, X_2, X_3, X_4, X_5, X_6, X_7, and X_8 are as defined in International applications WO 95/14714, published June 1, 1995 and WO 97/08203, published March 6, 1997, which are also incorporated by reference; and for VIP-mimetic peptides, X_1, X_1', X_1'', X_2, X_3, X_4, X_5, X_6 and Z and the integers m and n are as defined in WO 97/40070, published October 30, 1997, which is also incorporated by reference. Xaa and Yaa below are as defined in WO 98/09985, published March 12, 1998, which is incorporated by reference. AA_1, AA_2, AB_1, AB_2, and AC are as defined in International application WO 98/53842, published December 3, 1998, which is incorporated by reference. X^1, X^2, X^3, and X^4 in Table 17 only are as defined in European application EP 0 911

---

[h] STKS may encompass many other TGF-β-related factors that remain unassigned. The protein kinases are intrinsic part of the intracellular domain of receptor kinase family (RKF). The enzymes participate in the signals transmission via the receptors.

393, published April 28, 1999. Residues appearing in boldface are D-amino acids. All peptides are linked through peptide bonds unless otherwise noted. Abbreviations are listed at the end of this specification. In the "SEQ ID NO." column, "NR" means that no sequence listing is required for the given sequence.

Table 4—IL-1 antagonist peptide sequences

Sequence/structure	SEQ ID NO:
$Z_{11}Z_7Z_8QZ_5YZ_6Z_9Z_{10}$	212
XXQZ$_5$YZ$_6$XX	907
Z$_7$XQZ$_5$YZ$_6$XX	908
Z$_7$Z$_8$QZ$_5$YZ$_6$Z$_9$Z$_{10}$	909
Z$_{11}$Z$_7$Z$_8$QZ$_5$YZ$_6$Z$_9$Z$_{10}$	910
$Z_{12}Z_{13}Z_{14}Z_{15}Z_{16}Z_{17}Z_{18}Z_{19}Z_{20}Z_{21}Z_{22}Z_{11}Z_7Z_8QZ_5YZ_6Z_9Z_{10}L$	917
$Z_{23}NZ_{24}Z_{39}Z_{25}Z_{26}Z_{27}Z_{28}Z_{29}Z_{30}Z_{40}$	979
TANVSSFEWTPYYWQPYALPL	213
SWTDYGYWQPYALPISGL	214
ETPFTWEESNAYYWQPYALPL	215
ENTYSPNWADSMYWQPYALPL	216
SVGEDHNFWTSEYWQPYALPL	217
DGYDRWRQSGERYWQPYALPL	218
FEWTPGYWQPY	219
FEWTPGYWQHY	220
FEWTPGWYQJY	221
AcFEWTPGWYQJY	222
FEWTPGWpYQJY	223
FAWTPGYWQJY	224
FEWAPGYWQJY	225
FEWVPGYWQJY	226
FEWTPGYWQJY	227
AcFEWTPGYWQJY	228
FEWTPaWYQJY	229
FEWTPSarWYQJY	230
FEWTPGYYQPY	231
FEWTPGWWQPY	232
FEWTPNYWQPY	233
FEWTPvYWQJY	234
FEWTPecGYWQJY	235
FEWTPAibYWQJY	236
FEWTSarGYWQJY	237
FEWTPGYWQPY	238
FEWTPGYWQHY	239
FEWTPGWYQJY	240

AcFEWTPGWYQJY	241
FEWTPGW-pY-QJY	242
FAWTPGYWQJY	243
FEWAPGYWQJY	244
FEWVPGYWQJY	245
FEWTPGYWQJY	246
AcFEWTPGYWQJY	247
FEWTPAWYQJY	248
FEWTPSarWYQJY	249
FEWTPGYYQPY	250
FEWTPGWWQPY	251
FEWTPNYWQPY	252
FEWTPVYWQJY	253
FEWTPecGYWQJY	254
FEWTPAibYWQJY	255
FEWTSarGYWQJY	256
FEWTPGYWQPYALPL	257
1NapEWTPGYYQJY	258
YEWTPGYYQJY	259
FEWVPGYYQJY	260
FEWTPSYYQJY	261
FEWTPNYYQJY	262
TKPR	263
RKSSK	264
RKQDK	265
NRKQDK	266
RKQDKR	267
ENRKQDKRF	268
VTKFYF	269
VTKFY	270
VTDFY	271
SHLYWQPYSVQ	671
TLVYWQPYSLQT	672
RGDYWQPYSVQS	673
VHVYWQPYSVQT	674
RLVYWQPYSVQT	675
SRVWFQPYSLQS	676
NMVYWQPYSIQT	677
SVVFWQPYSVQT	678
TFVYWQPYALPL	679
TLVYWQPYSIQR	680
RLVYWQPYSVQR	681
SPVFWQPYSIQI	682
WIEWWQPYSVQS	683
SLIYWQPYSLQM	684
TRLYWQPYSVQR	685
RCDYWQPYSVQT	686
MRVFWQPYSVQN	687
KIVYWQPYSVQT	688
RHLYWQPYSVQR	689

ALVWWQPYSEQI	690
SRVWFQPYSLQS	691
WEQPYALPLE	692
QLVWWQPYSVQR	693
DLRYWQPYSVQV	694
ELVWWQPYSLQL	695
DLVWWQPYSVQW	696
NGNYWQPYSFQV	697
ELVYWQPYSIQR	698
ELMYWQPYSVQE	699
NLLYWQPYSMQD	700
GYEWYQPYSVQR	701
SRVWYQPYSVQR	702
LSEQYQPYSVQR	703
GGGWWQPYSVQR	704
VGRWYQPYSVQR	705
VHVYWQPYSVQR	706
QARWYQPYSVQR	707
VHVYWQPYSVQT	708
RSVYWQPYSVQR	709
TRVWFQPYSVQR	710
GRIWFQPYSVQR	711
GRVWFQPYSVQR	712
ARTWYQPYSVQR	713
ARVWWQPYSVQM	714
RLMFYQPYSVQR	715
ESMWYQPYSVQR	716
HFGWWQPYSVHM	717
ARFWWQPYSVQR	718
RLVYWQ PYAPIY	719
RLVYWQ PYSYQT	720
RLVYWQ PYSLPI	721
RLVYWQ PYSVQA	722
SRVWYQ PYAKGL	723
SRVWYQ PYAQGL	724
SRVWYQ PYAMPL	725
SRVWYQ PYSVQA	726
SRVWYQ PYSLGL	727
SRVWYQ PYAREL	728
SRVWYQ PYSRQP	729
SRVWYQ PYFVQP	730
EYEWYQ PYALPL	731
IPEYWQ PYALPL	732
SRIWWQ PYALPL	733
DPLFWQ PYALPL	734
SRQWVQ PYALPL	735
IRSWWQ PYALPL	736
RGYWQ PYALPL	737
RLLWVQ PYALPL	738
EYRWFQ PYALPL	739

DAYWVQ PYALPL	740
WSGYFQ PYALPL	741
NIEFWQ PYALPL	742
TRDWVQ PYALPL	743
DSSWYQ PYALPL	744
IGNWYQ PYALPL	745
NLRWDQ PYALPL	746
LPEFWQ PYALPL	747
DSYWWQ PYALPL	748
RSQYYQ PYALPL	749
ARFWLQ PYALPL	750
NSYFWQ PYALPL	751
RFMYWQPYSVQR	752
AHLFWQPYSVQR	753
WWQPYALPL	754
YYQPYALPL	755
YFQPYALGL	756
YWYQPYALPL	757
RWWQPYATPL	758
GWYQPYALGF	759
YWYQPYALGL	760
IWYQPYAMPL	761
SNMQPYQRLS	762
TFVYWQPY AVGLPAAETACN	763
TFVYWQPY SVQMTITGKVTM	764
TFVYWQPY SSHXXVPXGFPL	765
TFVYWQPY YGNPQWAIHVRH	766
TFVYWQPY VLLELPEGAVRA	767
TFVYWQPY VDYVWPIPIAQV	768
GWYQPYVDGWR	769
RWEQPYVKDGWS	770
EWYQPYALGWAR	771
GWWQPYARGL	772
LFEQPYAKALGL	773
GWEQPYARGLAG	774
AWVQPYATPLDE	775
MWYQPYSSQPAE	776
GWTQPYSQQGEV	777
DWFQPYSIQSDE	778
PWIQPYARGFG	779
RPLYWQPYSVQV	780
TLIYWQPYSVQI	781
RFDYWQPYSDQT	782
WHQFVQPYALPL	783
EWDS VYWQPYSVQ TLLR	784
WEQN VYWQPYSVQ SFAD	785
SDV VYWQPYSVQ SLEM	786
YYDG VYWQPYSVQ VMPA	787
SDIWYQ PYALPL	788
QRIWWQ PYALPL	789

SRIWWQ PYALPL	790
RSLYWQ PYALPL	791
TIIWEQ PYALPL	792
WETWYQ PYALPL	793
SYDWEQ PYALPL	794
SRIWCQ PYALPL	795
EIMFWQ PYALPL	796
DYVWQQ PYALPL	797
MDLLVQ WYQPYALPL	798
GSKVIL WYQPYALPL	799
RQGANI WYQPYALPL	800
GGGDEP WYQPYALPL	801
SQLERT WYQPYALPL	802
ETWVRE WYQPYALPL	803
KKGSTQ WYQPYALPL	804
LQARMN WYQPYALPL	805
EPRSQK WYQPYALPL	806
VKQKWR WYQPYALPL	807
LRRHDV WYQPYALPL	808
RSTASI WYQPYALPL	809
ESKEDQ WYQPYALPL	810
EGLTMK WYQPYALPL	811
EGSREG WYQPYALPL	812
VIEWWQ PYALPL	813
VWYWEQ PYALPL	814
ASEWWQ PYALPL	815
FYEWWQ PYALPL	816
EGWWVQ PYALPL	817
WGEWLQ PYALPL	818
DYVWEQ PYALPL	819
AHTWWQ PYALPL	820
FIEWFQ PYALPL	821
WLAWEQ PYALPL	822
VMEWWQ PYALPL	823
ERMWQ PYALPL	824
NXXWXX PYALPL	825
WGNWYQ PYALPL	826
TLYWEQ PYALPL	827
VWRWEQ PYALPL	828
LLWTQ PYALPL	829
SRIWXX PYALPL	830
SDIWYQ PYALPL	831
WGYYXX PYALPL	832
TSGWYQ PYALPL	833
VHPYXX PYALPL	834
EHSYFQ PYALPL	835
XXIWYQ PYALPL	836
AQLHSQ PYALPL	837
WANWFQ PYALPL	838
SRLYSQ PYALPL	839

GVTFSQ PYALPL	840
SIVWSQ PYALPL	841
SRDLVQ PYALPL	842
HWGH VYWQPYSVQ DDLG	843
SWHS VYWQPYSVQ SVPE	844
WRDS VYWQPYSVQ PESA	845
TWDA VYWQPYSVQ KWLD	846
TPPW VYWQPYSVQ SLDP	847
YWSS VYWQPYSVQ SVHS	848
YWY QPY ALGL	849
YWY QPY ALPL	850
EWI QPY ATGL	851
NWE QPY AKPL	852
AFY QPY ALPL	853
FLY QPY ALPL	854
VCK QPY LEWC	855
ETPFTWEESNAYYWQPYALPL	856
QGWLTWQDSVDMYWQPYALPL	857
FSEAGYTWPENTYWQPYALPL	858
TESPGGLDWAKIYWQPYALPL	859
DGYDRWRQSGERYWQPYALPL	860
TANVSSFEWTPGYWQPYALPL	861
SVGEDHNFWTSE YWQPYALPL	862
MNDQTSEVSTFP YWQPYALPL	863
SWSEAFEQPRNL YWQPYALPL	864
QYAEPSALNDWG YWQPYALPL	865
NGDWATADWSNY YWQPYALPL	866
THDEHI YWQPYALPL	867
MLEKTYTTWTPG YWQPYALPL	868
WSDPLTRDADL YWQPYALPL	869
SDAFTTQDSQAM YWQPYALPL	870
GDDAAWRTDSLT YWQPYALPL	871
AIIRQLYRWSEM YWQPYALPL	872
ENTYSPNWADSM YWQPYALPL	873
MNDQTSEVSTFP YWQPYALPL	874
SVGEDHNFWTSE YWQPYALPL	875
QTPFTWEESNAY YWQPYALPL	876
ENPFTWQESNAY YWQPYALPL	877
VTPFTWEDSNVF YWQPYALPL	878
QIPFTWEQSNAY YWQPYALPL	879
QAPLTWQESAAY YWQPYALPL	880
EPTFTWEESKAT YWQPYALPL	881
TTTLTWEESNAY YWQPYALPL	882
ESPLTWEESSAL YWQPYALPL	883
ETPLTWEESNAY YWQPYALPL	884
EATFTWAESNAY YWQPYALPL	885
EALFTWKESTAY YWQPYALPL	886
STP-TWEESNAY YWQPYALPL	887
ETPFTWEESNAY YWQPYALPL	888
KAPFTWEESQAY YWQPYALPL	889

STSFTWEESNAY YWQPYALPL	890
DSTFTWEESNAY YWQPYALPL	891
YIPFTWEESNAY YWQPYALPL	892
QTAFTWEESNAY YWQPYALPL	893
ETLFTWEESNAT YWQPYALPL	894
VSSFTWEESNAY YWQPYALPL	895
QPYALPL	896
Py-1-NapPYQJYALPL	897
TANVSSFEWTPG YWQPYALPL	898
FEWTPGYWQPYALPL	899
FEWTPGYWQJYALPL	900
FEWTPGYYQJYALPL	901
ETPFTWEESNAYYWQPYALPL	902
FTWEESNAYYWQJYALPL	903
ADVL YWQPYA PVTLWV	904
GDVAE YWQPYA LPLTSL	905
SWTDYG YWQPYA LPISGL	906
FEWTPGYWQPYALPL	911
FEWTPGYWQJYALPL	912
FEWTPGWYQPYALPL	913
FEWTPGWYQJYALPL	914
FEWTPGYYQPYALPL	915
FEWTPGYYQJYALPL	916
TANVSSFEWTPGYWQPYALPL	918
SWTDYGYWQPYALPISGL	919
ETPFTWEESNAYYWQPYALPL	920
ENTYSPNWADSMYWQPYALPL	921
SVGEDHNFWTSEYWQPYALPL	922
DGYDRWRQSGERYWQPYALPL	923
FEWTPGYWQPYALPL	924
FEWTPGYWQPY	925
FEWTPGYWQJY	926
EWTPGYWQPY	927
FEWTPGWYQJY	928
AEWTPGYWQJY	929
FAWTPGYWQJY	930
FEATPGYWQJY	931
FEWAPGYWQJY	932
FEWTAGYWQJY	933
FEWTPAYWQJY	934
FEWTPGAWQJY	935
FEWTPGYAQJY	936
FEWTPGYWQJA	937
FEWTGGYWQJY	938
FEWTPGYWQJY	939
FEWTJGYWQJY	940
FEWTPecGYWQJY	941
FEWTPAibYWQJY	942
FEWTPSarWYQJY	943
FEWTSarGYWQJY	944

FEWTPNYWQJY	945
FEWTPVYWQJY	946
FEWTVPYWQJY	947
AcFEWTPGWYQJY	948
AcFEWTPGYWQJY	949
lNap-EWTPGYYQJY	950
YEWTPGYYQJY	951
FEWVPGYYQJY	952
FEWTPGYYQJY	953
FEWTPsYYQJY	954
FEWTPnYYQJY	955
SHLY-Nap-QPYSVQM	956
TLVY-Nap-QPYSLQT	957
RGDY-Nap-QPYSVQS	958
NMVY-Nap-QPYSIQT	959
VYWQPYSVQ	960
VY-Nap-QPYSVQ	961
TFVYWQJYALPL	962
FEWTPGYYQJ-Bpa	963
XaaFEWTPGYYQJ-Bpa	964
FEWTPGY-Bpa-QJY	965
AcFEWTPGY-Bpa-QJY	966
FEWTPG-Bpa-YQJY	967
AcFEWTPG-Bpa-YQJY	968
AcFE-Bpa-TPGYYQJY	969
AcFE-Bpa-TPGYYQJY	970
Bpa-EWTPGYYQJY	971
AcBpa-EWTPGYYQJY	972
VYWQPYSVQ	973
RLVYWQPYSVQR	974
RLVY-Nap-QPYSVQR	975
RLDYWQPYSVQR	976
RLVWFQPYSVQR	977
RLVYWQPYSIQR	978
DNSSWYDSFLL	980
DNTAWYESFLA	981
DNTAWYENFLL	982
PARE DNTAWYDSFLI WC	983
TSEY DNTTWYEKFLA SQ	984
SQIP DNTAWYQSFLL HG	985
SPFI DNTAWYENFLL TY	986
EQIY DNTAWYDHFLL SY	987
TPFI DNTAWYENFLL TY	988
TYTY DNTAWYERFLM SY	989
TMTQ DNTAWYENFLL SY	990
TI DNTAWYANLVQ TYPQ	991
TI DNTAWYERFLA QYPD	992
HI DNTAWYENFLL TYTP	993
SQ DNTAWYENFLL SYKA	994
QI DNTAWYERFLL QYNA	995

NQ DNTAWYESFLL QYNT	996
TI DNTAWYENFLL NHNL	997
HY DNTAWYERFLQ QGWH	998
ETPFTWEESNAYYWQPYALPL	999
YIPFTWEESNAYYWQPYALPL	1000
DGYDRWRQSGERYWQPYALPL	1001
pY-lNap-pY-QJYALPL	1002
TANVSSFEWTPGYWQPYALPL	1003
FEWTPGYWQJYALPL	1004
FEWTPGYWQPYALPLSD	1005
FEWTPGYYQJYALPL	1006
FEWTPGYWQJY	1007
AcFEWTPGYWQJY	1008
AcFEWTPGWYQJY	1009
AcFEWTPGYYQJY	1010
AcFEWTPaYWQJY	1011
AcFEWTPaWYQJY	1012
AcFEWTPaYYQJY	1013
FEWTPGYYQJYALPL	1014
FEWTPGYWQJYALPL	1015
FEWTPGWYQJYALPL	1016
TANVSSFEWTPGYWQPYALPL	1017
AcFEWTPGYWQJY	1018
AcFEWTPGWYQJY	1019
AcFEWTPGYYQJY	1020
AcFEWTPAYWQJY	1021
AcFEWTPAWYQJY	1022
AcFEWTPAYYQJY	1023

Table 5—EPO-mimetic peptide sequences

Sequence/structure	SEQ ID NO:
YXCXXGPXTWXCXP	83
YXCXXGPXTWXCXP-YXCXXGPXTWXCXP	84
YXCXXGPXTWXCXP-Λ-YXCXXGPXTWXCXP	85
YXCXXGPXTWXCXP-Λ-(ε-amine)K-βA-(α-amine) YXCXXGPXTWXCXP-Λ-	86 86
GGTYSCHFGPLTWVCKPQGG	87
GGDYHCRMGPLTWVCKPLGG	88
GGVYACRMGPITWVCSPLGG	89
VGNYMCHFGPITWVCRPGGG	90
GGLYLCRFGPVTWDCGYKGG	91
GGTYSCHFGPLTWVCKPQGG-GGTYSCHFGPLTWVCKPQGG	92
GGTYSCHFGPLTWVCKPQGG -Λ-GGTYSCHFGPLTWVCKPQGG	93
GGTYSCHFGPLTWVCKPQGGSSK	94
GGTYSCHFGPLTWVCKPQGGSSK-GGTYSCHFGPLTWVCKPQGGSSK	95
GGTYSCHFGPLTWVCKPQGGSSK-Λ-GGTYSCHFGPLTWVCKPQGGSSK	96
GGTYSCHFGPLTWVCKPQGGSS-(ε-amine)K-βA-(α-amine) GGTYSCHFGPLTWVCKPQGGSS	97 97
GGTYSCHFGPLTWVCKPQGGSSK(–Λ-biotin)	98
$CX_4X_5GPX_6TWX_7C$	421
GGTYSCHGPLTWVCKPQGG	422
VGNYMAHMGPITWVCRPGG	423
GGPHHVYACRMGPLTWIC	424
GGTYSCHFGPLTWVCKPQ	425
GGLYACHMGPMTWVCQPLRG	426
TIAQYICYMGPETWECRPSPKA	427
YSCHFGPLTWVCK	428
YCHFGPLTWVC	429
$X_3X_4X_5GPX_6TWX_7X_8$	124
$YX_2X_3X_4X_5GPX_6TWX_7X_8$	461

$X_1YX_2X_3X_4X_5GPX_6TWX_7X_8X_9X_{10}X_{11}$	419
$X_1YX_2CX_4X_5GPX_6TWX_7CX_9X_{10}X_{11}$	420
GGLYLCRFGPVTWDCGYKGG	1024
GGTYSCHFGPLTWVCKPQGG	1025
GGDYHCRMGPLTWVCKPLGG	1026
VGNYMCHFGPITWVCRPGGG	1029
GGVYACRMGPITWVCSPLGG	1030
VGNYMAHMGPITWVCRPGG	1035
GGTYSCHFGPLTWVCKPQ	1036
GGLYACHMGPMTWVCQPLRG	1037
TIAQYICYMGPETWECRPSPKA	1038
YSCHFGPLTWVCK	1039
YCHFGPLTWVC	1040
SCHFGPLTWVCK	1041
$(AX_2)_nX_3X_4X_5GPX_6TWX_7X_8$	1042

Table 6—TPO-mimetic peptide sequences

Sequence/structure	SEQ ID NO:
IEGPTLRQWLAARA	13
IEGPTLRQWLAAKA	24
IEGPTLREWLAARA	25
IEGPTLRQWLAARA-Λ-IEGPTLRQWLAARA	26
IEGPTLRQWLAAKA-Λ-IEGPTLRQWLAAKA	27
IEGPTLRQCLAARA-Λ-IEGPTLRQCLAARA | |	28
IEGPTLRQWLAARA-Λ-K(BrAc)-Λ-IEGPTLRQWLAARA	29
IEGPTLRQWLAARA-Λ-K(PEG)-Λ-IEGPTLRQWLAARA	30
IEGPTLRQCLAARA-Λ-IEGPTLRQWLAARA | IEGPTLRQCLAARA-Λ-IEGPTLRQWLAARA	31 31
IEGPTLRQWLAARA-Λ-IEGPTLRQCLAARA | IEGPTLRQWLAARA-Λ-IEGPTLRQCLAARA	32 32
VRDQIXXXL	33
TLREWL	34
GRVRDQVAGW	35
GRVKDQIAQL	36
GVRDQVSWAL	37
ESVREQVMKY	38
SVRSQISASL	39
GVRETVYRHM	40
GVREVIVMHML	41
GRVRDQIWAAL	42
AGVRDQILIWL	43
GRVRDQIMLSL	44
GRVRDQI$(X)_3$L	45
CTLRQWLQGC	46
CTLQEFLEGC	47
CTRTEWLHGC	48
CTLREWLHGGFC	49
CTLREWVFAGLC	50
CTLRQWLILLGMC	51
CTLAEFLASGVEQC	52
CSLQEFLSHGGYVC	53
CTLREFLDPTTAVC	54
CTLKEWLVSHEVWC	55
CTLREWL$(X)_{2-6}$C	56-60
REGPTLRQWM	61
EGPTLRQWLA	62
ERGPFWAKAC	63
REGPRCVMWM	64
CGTEGPTLSTWLDC	65

CEQDGPTLLEWLKC	66
CELVGPSLMSWLTC	67
CLTGPFVTQWLYEC	68
CRAGPTLLEWLTLC	69
CADGPTLREWISFC	70
$C(X)_{1-2}EGPTLREWL(X)_{1-2}C$	71-74
GGCTLREWLHGGFCGG	75
GGCADGPTLREWISFCGG	76
GNADGPTLRQWLEGRRPKN	77
LAIEGPTLRQWLHGNGRDT	78
HGRVGPTLREWKTQVATKK	79
TIKGPTLRQWLKSREHTS	80
ISDGPTLKEWLSVTRGAS	81
SIEGPTLREWLTSRTPHS	82

Table 7—G-CSF-mimetic peptide sequences

Sequence/structure	SEQ ID NO:
EEDCK	99
EEDCK | EEDCK	99 99
EEDσK	100
EEDσK | EEDσK	100 100
pGluEDσK	101
pGluEDσK | pGluEDσK	101 101
PicSDσK	102
PicSDσK | PicSDσK	102 102
EEDCK-Λ-EEDCK	103
EEDXK-Λ–EEDXK	104

Table 8—TNF-antagonist peptide sequences

Sequence/structure	SEQ ID NO:
YCFTASENHCY	106
YCFTNSENHCY	107
YCFTRSENHCY	108
FCASENHCY	109
YCASENHCY	110
FCNSENHCY	111
FCNSENRCY	112
FCNSVENRCY	113
YCSQSVSNDCF	114
FCVSNDRCY	115
YCRKELGQVCY	116
YCKEPGQCY	117
YCRKEMGCY	118
FCRKEMGCY	119
YCWSQNLCY	120
YCELSQYLCY	121
YCWSQNYCY	122
YCWSQYLCY	123
DFLPHYKNTSLGHRP	1085
AA_1-AB_1 \ AC / AA_2-AB_2	NR

Table 9—Integrin-binding peptide sequences

Sequence/structure	SEQ ID NO:
$RX_1ETX_2WX_3$	441
$RX_1ETX_2WX_3$	442
RGDGX	443
CRGDGXC	444
$CX_1X_2RLDX_3X_4C$	445
CARRLDAPC	446
CPSRLDSPC	447
$X_1X_2X_3RGDX_4X_5X_6$	448
$CX_2CRGDCX_5C$	449
CDCRGDCFC	450
CDCRGDCLC	451
CLCRGDCIC	452
$X_1X_2DDX_4X_5X_7X_8$	453
$X_1X_2X_3DDX_4X_5X_6X_7X_8$	454
CWDDGWLC	455
CWDDLWWLC	456
CWDDGLMC	457
CWDDGWMC	458
CSWDDGWLC	459
CPDDLWWLC	460
NGR	NR
GSL	NR
RGD	NR
CGRECPRLCQSSC	1071
CNGRCVSGCAGRC	1072
CLSGSLSC	1073
RGD	NR
NGR	NR
GSL	NR
NGRAHA	1074
CNGRC	1075
CDCRGDCFC	1076
CGSLVRC	1077
DLXXL	1043
RTDLDSLRTYTL	1044
RTDLDSLRTY	1053
RTDLDSLRT	1054
RTDLDSLR	1078
GDLDLLKLRLTL	1079
GDLHSLRQLLSR	1080
RDDLHMLRLQLW	1081
SSDLHALKKRYG	1082
RGDLKQLSELTW	1083
RGDLAALSAPPV	1084

Table 10—Selectin antagonist peptide sequences

Sequence/structure	SEQ ID NO:
DITWDQLWDLMK	147
DITWDELWKIMN	148
DYTWFELWDMMQ	149
QITWAQLWNMMK	150
DMTWHDLWTLMS	151
DYSWHDLWEMMS	152
EITWDQLWEVMN	153
HVSWEQLWDIMN	154
HITWDQLWRIMT	155
RNMSWLELWEHMK	156
AEWTWDQLWHVMNPAESQ	157
HRAEWLALWEQMSP	158
KKEDWLALWRIMSV	159
ITWDQLWDLMK	160
DITWDQLWDLMK	161
DITWDQLWDLMK	162
DITWDQLWDLMK	163
CQNRYTDLVAIQNKNE	462
AENWADNEPNNKRNNED	463
RKNNKTWTWVGTKKALTNE	464
KKALTNEAENWAD	465
CQXRYTDLVAIQNKXE	466
RKXNXXWTWVGTXKXLTEE	467
AENWADGEPNNKXNXED	468
CXXXYTXLVAIQNKXE	469
RKXXXXWXWVGTXKXLTXE	470
AXNWXXXEPNNXXXED	471
XKXKTXEAXNWXX	472

Table 11—Antipathogenic peptide sequences

Sequence/structure	SEQ ID NO:
GFFALIPKIISSPLFKTLLSAVGSALSSSGGQQ	503
GFFALIPKIISSPLFKTLLSAVGSALSSSGGQE	504
GFFALIPKIISSPLFKTLLSAV	505
GFFALIPKIISSPLFKTLLSAV	506
KGFFALIPKIISSPLFKTLLSAV	507
KKGFFALIPKIISSPLFKTLLSAV	508
KKGFFALIPKIISSPLFKTLLSAV	509
GFFALIPKIIS	510
GIGAVLKVLTTGLPALISWIKRKRQQ	511
GIGAVLKVLTTGLPALISWIKRKRQQ	512
GIGAVLKVLTTGLPALISWIKRKRQQ	513
GIGAVLKVLTTGLPALISWIKR	514
AVLKVLTTGLPALISWIKR	515
KLLLLLKLLLLK	516
KLLLKLLLKLLK	517
KLLLKLKLKLLK	518
KKLLKLKLKLKK	519
KLLLKLLLKLLK	520
KLLLKLKLKLLK	521
KLLLLK	522
KLLLKLLK	523
KLLLKLKLKLLK	524
KLLLKLKLKLLK	525
KLLLKLKLKLLK	526
KAAAKAAAKAAK	527
KVVVKVVVKVVK	528
KVVVKVKVKVVK	529
KVVVKVKVKVK	530
KVVVKVKVKVVK	531
KLILKL	532
KVLHLL	533
LKLRLL	534
KPLHLL	535
KLILKLVR	536
KVFHLLHL	537
HKFRILKL	538
KPFHILHL	539
KIIIKIKIKIIK	540
KIIIKIKIKIIK	541
KIIIKIKIKIIK	542
KIPIKIKIKIPK	543
KIPIKIKIKIVK	544
RIIIRIRIRIIR	545
RIIIRIRIRIIR	546
RIIIRIRIRIIR	547
RIVIRIRIRLIR	548

RIIVRIRLRIIR	549
RIGIRLRVRIIR	550
KIVIRIRIRLIR	551
RIAVKWRLRFIK	552
KIGWKLRVRIIR	553
KKIGWLIIRVRR	554
RIVIRIRIRLIRIR	555
RIIVRIRLRIIRVR	556
RIGIRLRVRIIRRV	557
KIVIRIRARLIRIRIR	558
RIIVKIRLRIIKKIRL	559
KIGIKARVRIIRVKII	560
RIIVHIRLRIIHHIRL	561
HIGIKAHVRIIRVHII	562
RIYVKIHLRYIKKIRL	563
KIGHKARVHIIRYKII	564
RIYVKPHPRYIKKIRL	565
KPGHKARPHIIRYKII	566
KIVIRIRIRLIRIRIRKIV	567
RIIVKIRLRIIKKIRLIKK	568
KIGWKLRVRIIRVKIGRLR	569
KIVIRIRIRLIRIRIRKIVKVKRIR	570
RFAVKIRLRIIKKIRLIKKIRKRVIK	571
KAGWKLRVRIIRVKIGRLRKIGWKKRVRIK	572
RIYVKPHPRYIKKIRL	573
KPGHKARPHIIRYKII	574
KIVIRIRIRLIRIRIRKIV	575
RIIVKIRLRIIKKIRLIKK	576
RIYVSKISIYIKKIRL	577
KIVIFTRIRLTSIRIRSIV	578
KPIHKARPTIIRYKMI	579
cyclicCKGFFALIPKIISSPLFKTLLSAVC	580
CKKGFFALIPKIISSPLFKTLLSAVC	581
CKKKGFFALIPKIISSPLFKTLLSAVC	582
CyclicCRIVIRIRIRLIRIRC	583
CyclicCKPGHKARPHIIRYKIIC	584
CyclicCRFAVKIRLRIIKKIRLIKKIRKRVIKC	585
KLLLKLLL KLLKC	586
KLLLKLLLKLLK	587
KLLLKLKLKLLKC	588
KLLLKLLLKLLK	589

Table 12—VIP-mimetic peptide sequences

Sequence/structure	SEQ ID NO:
HSDAVFYDNYTR LRKQMAVKKYLN SILN	590
Nle HSDAVFYDNYTR LRKQMAVKKYLN SILN	591
$X_1 X_1' X_1'' X_2$	592
X_3 S X_4 LN	593
NH CH CO KKYX5 NH CH CO X6 | | (CH2)m Z (CH2)n	594
KKYL	595
NSILN	596
KKYL	597
KKYA	598
AVKKYL	599
NSILN	600
KKYV	601
SILauN	602
KKYLNle	603
NSYLN	604
NSIYN	605
KKYLPPNSILN	606
LauKKYL	607
CapKKYL	608
KYL	NR
KKYNle	609
VKKYL	610
LNSILN	611
YLNSILN	612
KKYLN	613
KKYLNS	614
KKYLNSI	615
KKYLNSIL	616
KKYL	617
KKYDA	618
AVKKYL	619
NSILN	620
KKYV	621
SILauN	622
NSYLN	623
NSIYN	624
KKYLNle	625
KKYLPPNSILN	626
KKYL	627
KKYDA	628
AVKKYL	629
NSILN	630
KKYV	631
SILauN	632

LauKKYL	633
CapKKYL	634
KYL	NR
KYL	NR
KKYNle	635
VKKYL	636
LNSILN	637
YLNSILN	638
KKYLNle	639
KKYLN	640
KKYLNS	641
KKYLNSI	642
KKYLNSIL	643
KKKYLD	644
cyclicCKKYLC	645
CKKYLK | | S-CH_2-CO	646
KKYA	647
WWTDTGLW	648
WWTDDGLW	649
WWDTRGLWVWTI	650
FWGNDGIWLESG	651
DWDQFGLWRGAA	652
RWDDNGLWVVVL	653
SGMWSHYGIWMG	654
GGRWDQAGLWVA	655
KLWSEQGIWMGE	656
CWSMHGLWLC	657
GCWDNTGIWVPC	658
DWDTRGLWVY	659
SLWDENGAWI	660
KWDDRGLWMH	661
QAWNERGLWT	662
QWDTRGLWVA	663
WNVHGIWQE	664
SWDTRGLWVE	665
DWDTRGLWVA	666
SWGRDGLWIE	667
EWTDNGLWAL	668
SWDEKGLWSA	669
SWDSSGLWMD	670

Table 13—Mdm/hdm antagonist peptide sequences

Sequence/structure	SEQ ID NO:
TFSDLW	130
QETFSDLWKLLP	131
QPTFSDLWKLLP	132
QETFSDYWKLLP	133
QPTFSDYWKLLP	134
MPRFMDYWEGLN	135
VQNFIDYWTQQF	136
TGPAFTHYWATF	137
IDRAPTFRDHWFALV	138
PRPALVFADYWETLY	139
PAFSRFWSDLSAGAH	140
PAFSRFWSKLSAGAH	141
PXFXDYWXXL	142
QETFSDLWKLLP	143
QPTFSDLWKLLP	144
QETFSDYWKLLP	145
QPTFSDYWKLLP	146

Table 14—Calmodulin antagonist peptide sequences

Sequence/structure	SEQ ID NO:
SCVKWGKKEFCGS	164
SCWKYWGKECGS	165
SCYEWGKLRWCGS	166
SCLRWGKWSNCGS	167
SCWRWGKYQICGS	168
SCVSWGALKLCGS	169
SCIRWGQNTFCGS	170
SCWQWGNLKICGS	171
SCVRWGQLSICGS	172
LKKFNARRKLKGAILTTMLAK	173
RRWKKNFIAVSAANRFKK	174
RKWQKTGHAVRAIGRLSS	175
INLKALAALAKKIL	176
KIWSILAPLGTTLVKLVA	177
LKKLLKLLKKLLKL	178
LKWKKLLKLLKKLLKKLL	179
AEWPSLTEIKTLSHFSV	180
AEWPSPTRVISTTYFGS	181
AELAHWPPVKTVLRSFT	182
AEGSWLQLLNLMKQMNN	183
AEWPSLTEIK	184

Table 15—Mast cell antagonists/Mast cell protease inhibitor peptide sequences

Sequence/structure	SEQ ID NO:
SGSGVLKRPLPILPVTR	272
RWLSSRPLPPLPLPPRT	273
GSGSYDTLALPSLPLHPMSS	274
GSGSYDTRALPSLPLHPMSS	275
GSGSSGVTMYPKLPPHWSMA	276
GSGSSGVRMYPKLPPHWSMA	277
GSGSSSMRMVPTIPGSAKHG	278
RNR	NR
QT	NR
RQK	NR
NRQ	NR
RQK	NR
RNRQKT	436
RNRQ	437
RNRQK	438
NRQKT	439
RQKT	440

Table 16—SH3 antagonist peptide sequences

Sequence/structure	SEQ ID NO:
RPLPPLP	282
RELPPLP	283
SPLPPLP	284
GPLPPLP	285
RPLPIPP	286
RPLPIPP	287
RRLPPTP	288
RQLPPTP	289
RPLPSRP	290
RPLPTRP	291
SRLPPLP	292
RALPSPP	293
RRLPRTP	294
RPVPPIT	295
ILAPPVP	296
RPLPMLP	297
RPLPILP	298
RPLPSLP	299
RPLPSLP	300
RPLPMIP	301
RPLPLIP	302
RPLPPTP	303
RSLPPLP	304
RPQPPPP	305
RQLPIPP	306
XXXRPLPPLPXP	307
XXXRPLPPIPXX	308
XXXRPLPPLPXX	309
RXXRPLPPLPXP	310
RXXRPLPPLPPP	311
PPPYPPPPIPXX	312
PPPYPPPPVPXX	313
LXXRPLPXΨP	314
ΨXXRPLPXLP	315
PPXΘXPPPΨP	316
+PPΨPXKPXWL	317
RPXΨPΨR+SXP	318
PPVPPRPXXTL	319
ΨPΨLPΨK	.320
+ΘDXPLPXLP	321

Table 17—Somatostatin or cortistatin mimetic peptide sequences

Sequence/structure	SEQ ID NO:
X^1-X^2-Asn-Phe-Phe-Trp-Lys-Thr-Phe-X^3-Ser-X^4	473
Asp Arg Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys	474
Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys	475
Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys	476
Asp Arg Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys	477
Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys	478
Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys	479
Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys	480
Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys	481
Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys	482
Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys	483
Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys	484
Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys	485
Asp Arg Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys	486
Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys	487
Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys	488
Asp Arg Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys	489
Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys	490
Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys	491
Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys	492
Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys	493
Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys	494
Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys	495
Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys	496
Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys	497

Table 18—UKR antagonist peptide sequences

Sequence/structure	SEQ ID NO:
AEPMPHSLNFSQYLWYT	196
AEHTYSSLWDTYSPLAF	197
AELDLWMRHYPLSFSNR	198
AESSLWTRYAWPSMPSY	199
AEWHPGLSFGSYLWSKT	200
AEPALLNWSFFFNPGLH	201
AEWSFYNLHLPEPQTIF	202
AEPLDLWSLYSLPPLAM	203
AEPTLWQLYQFPLRLSG	204
AEISFSELMWLRSTPAF	205
AELSEADLWTTWFGMGS	206
AESSLWRIFSPSALMMS	207
AESLPTLTSILWGKESV	208
AETLFMDLWHDKHILLT	209
AEILNFPLWHEPLWSTE	210
AESQTGTLNTLFWNTLR	211
AEPVYQYELDSYLRSYY	430
AELDLSTFYDIQYLLRT	431
AEFFKLGPNGYVYLHSA	432
FKLXXXGYVYL	433
AESTYHHLSLGYMYTLN	434
YHXLXXGYMYT	435

Table 19—Macrophage and/or T-cell inhibiting peptide sequences

Sequence/structure	SEQ ID NO:
Xaa-Yaa-Arg	NR
Arg-Yaa-Xaa	NR
Xaa-Arg-Yaa	NR
Yaa-Arg-Xaa	NR
Ala-Arg	NR
Arg-Arg	NR
Asn-Arg	NR
Asp-Arg	NR
Cys-Arg	NR
Gln-Arg	NR
Glu-Arg	NR
Gly-Arg	NR
His-arg	NR
Ile-Arg	NR
Leu-Arg	NR
Lys-Arg	NR
Met-Arg	NR
Phe-Arg	NR
Ser-Arg	NR
Thr-Arg	NR
Trp-Arg	NR
Tyr-Arg	NR
Val-Arg	NR
Ala-Glu-Arg	NR
Arg-Glu-Arg	NR
Asn-Glu-Arg	NR
Asp-Glu-Arg	NR
Cys-Glu-Arg	NR
Gln-Glu-Arg	NR
Glu-Glu-Arg	NR
Gly-Glu-Arg	NR
His-Glu-Arg	NR
Ile-Glu-Arg	NR
Leu-Glu-Arg	NR
Lys-Glu-Arg	NR
Met-Glu-Arg	NR
Phe-Glu-Arg	NR
Pro-Glu-Arg	NR
Ser-Glu-Arg	NR
Thr-Glu-Arg	NR
Trp-Glu-Arg	NR
Tyr-Glu-Arg	NR
Val-Glu-Arg	NR

Arg-Ala	NR
Arg-Asp	NR
Arg-Cys	NR
Arg-Gln	NR
Arg-Glu	NR
Arg-Gly	NR
Arg-His	NR
Arg-Ile	NR
Arg-Leu	NR
Arg-Lys	NR
Arg-Met	NR
Arg-Phe	NR
Arg-Pro	NR
Arg-Ser	NR
Arg-Thr	NR
Arg-Trp	NR
Arg-Tyr	NR
Arg-Val	NR
Arg-Glu-Ala	NR
Arg-Glu-Asn	NR
Arg-Glu-Asp	NR
Arg-Glu-Cys	NR
Arg-Glu-Gln	NR
Arg-Glu-Glu	NR
Arg-Glu-Gly	NR
Arg-Glu-His	NR
Arg-Glu-Ile	NR
Arg-Glu-Leu	NR
Arg-Glu-Lys	NR
Arg-Glu-Met	NR
Arg-Glu-Phe	NR
Arg-Glu-Pro	NR
Arg-Glu-Ser	NR
Arg-Glu-Thr	NR
Arg-Glu-Trp	NR
Arg-Glu-Tyr	NR
Arg-Glu-Val	NR
Ala-Arg-Glu	NR
Arg-Arg-Glu	NR
Asn-Arg-Glu	NR
Asp-Arg-Glu	NR
Cys-Arg-Glu	NR
Gln-Arg-Glu	NR
Glu-Arg-Glu	NR
Gly-Arg-Glu	NR
His-Arg-Glu	NR
Ile-Arg-Glu	NR
Leu-Arg-Glu	NR
Lys-Arg-Glu	NR
Met-Arg-Glu	NR

Phe-Arg-Glu	NR
Pro-Arg-Glu	NR
Ser-Arg-Glu	NR
Thr-Arg-Glu	NR
Trp-Arg-Glu	NR
Tyr-Arg-Glu	NR
Val-Arg-Glu	NR
Glu-Arg-Ala,	NR
Glu-Arg-Arg	NR
Glu-Arg-Asn	NR
Glu-Arg-Asp	NR
Glu-Arg-Cys	NR
Glu-Arg-Gln	NR
Glu-Arg-Gly	NR
Glu-Arg-His	NR
Glu-Arg-Ile	NR
Glu-Arg-Leu	NR
Glu-Arg-Lys	NR
Glu-Arg-Met	NR
Glu-Arg-Phe	NR
Glu-Arg-Pro	NR
Glu-Arg-Ser	NR
Glu-Arg-Thr	NR
Glu-Arg-Trp	NR
Glu-Arg-Tyr	NR
Glu-Arg-Val	NR

Table 20—Additional Exemplary Pharmacologically Active Peptides

Sequence/structure	SEQ ID NO:	Activity
VEPNCDIHVMWEWECFERL	1027	VEGF-antagonist
GERWCFDGPLTWVCGEES	1084	VEGF-antagonist
RGWVEICVADDNGMCVTEAQ	1085	VEGF-antagonist
GWDECDVARMWEWECFAGV	1086	VEGF- antagonist
GERWCFDGPRAWVCGWEI	501	VEGF- antagonist
EELWCFDGPRAWVCGYVK	502	VEGF- antagonist
RGWVEICAADDYGRCLTEAQ	1031	VEGF- antagonist
RGWVEICESDVWGRCL	1087	VEGF- antagonist
RGWVEICESDVWGRCL	1088	VEGF- antagonist
GGNECDIARMWEWECFERL	1089	VEGF- antagonist
RGWVEICAADDYGRCL	1090	VEGF-antagonist
CTTHWGFTLC	1028	MMP inhibitor
CLRSGXGC	1091	MMP inhibitor
CXXHWGFXXC	1092	MMP inhibitor
CXPXC	1093	MMP inhibitor
CRRHWGFEFC	1094	MMP inhibitor
STTHWGFTLS	1095	MMP inhibitor
CSLHWGFWWC	1096	CTLA4-mimetic
GFVCSGIFAVGVGRC	125	CTLA4-mimetic
APGVRLGCAVLGRYC	126	CTLA4-mimetic
LLGRMK	105	Antiviral (HBV)
ICVVQDWGHHRCTAGHMANLTSHASAI	127	C3b antagonist
ICVVQDWGHHRCT	128	C3b antagonist
CVVQDWGHHAC	129	C3b antagonist
STGGFDDVYDWARGVSSALTTTLVATR	185	Vinculin-binding
STGGFDDVYDWARRVSSALTTTLVATR	186	Vinculin-binding
SRGVNFSEWLYDMSAAMKEASNVFPSRRSR	187	Vinculin-binding
SSQNWDMEAGVEDLTAAMLGLLSTIHSSSR	188	Vinculin-binding
SSPSLYTQFLVNYESAATRIQDLLIASRPSR	189	Vinculin-binding
SSTGWVDLLGALQRAADATRTSIPPSLQNSR	190	Vinculin-binding
DVYTKKELIECARRVSEK	191	Vinculin-binding
EKGSYYPGSGIAQFHIDYNNVS	192	C4BP-binding
SGIAQFHIDYNNVSSAEGWHVN	193	C4BP-binding
LVTVEKGSYYPGSGIAQFHIDYNNVSSAEGWHVN	194	C4BP-binding
SGIAQFHIDYNNVS	195	C4BP-binding
LLGRMK	279	anti-HBV
ALLGRMKG	280	anti-HBV
LDPAFR	281	anti-HBV
CXXRGDC	322	Inhibition of platelet aggregation
RPLPPLP	323	Src antagonist
PPVPPR	324	Src antagonist
XFXDXWXXLXX	325	Anti-cancer (particularly for

		sarcomas)
KACRRLFGPVDSEQLSRDCD	326	p16-mimetic
RERWNFDFVTETPLEGDFAW	327	p16-mimetic
KRRQTSMTDFYHSKRRLIFS	328	p16-mimetic
TSMTDFYHSKRRLIFSKRKP	329	p16-mimetic
RRLIF	330	p16-mimetic
KRRQTSATDFYHSKRRLIFSRQIKIWFQNRRMKWKK	331	p16-mimetic
KRRLIFSKRQIKIWFQNRRMKWKK	332	p16-mimetic
Asn Gln Gly Arg His Phe Cys Gly Gly Ala Leu Ile His Ala Arg Phe Val Met Thr Ala Ala Ser Cys Phe Gln	498	CAP37 mimetic/LPS binding
Arg His Phe Cys Gly Gly Ala Leu Ile His Ala Arg Phe Val Met Thr Ala Ala Ser Cys	499	CAP37 mimetic/LPS binding
Gly Thr Arg Cys Gln Val Ala Gly Trp Gly Ser Gln Arg Ser Gly Gly Arg Leu Ser Arg Phe Pro Arg Phe Val Asn Val	500	CAP37 mimetic/LPS binding
WHWRHRIPLQLAAGR	1097	carbohydrate (GD1 alpha) mimetic
LKTPRV	1098	β2GPI Ab binding
NTLKTPRV	1099	β2GPI Ab binding
NTLKTPRVGGC	1100	β2GPI Ab binding
KDKATF	1101	β2GPI Ab binding
KDKATFGCHD	1102	β2GPI Ab binding
KDKATFGCHDGC	1103	β2GPI Ab binding
TLRVYK	1104	β2GPI Ab binding
ATLRVYKGG	1105	β2GPI Ab binding
CATLRVYKGG	1106	β2GPI Ab binding
INLKALAALAKKIL	1107	Membrane-transporting
GWT	NR	Membrane-transporting
GWTLNSAGYLLG	1108	Membrane-transporting
GWTLNSAGYLLGKINLKALAALAKKIL	1109	Membrane-transporting

The present invention is also particularly useful with peptides having activity in treatment of:

- cancer, wherein the peptide is a VEGF-mimetic or a VEGF receptor antagonist, a HER2 agonist or antagonist, a CD20 antagonist and the like;
- asthma, wherein the protein of interest is a CKR3 antagonist, an IL-5 receptor antagonist, and the like;
- thrombosis, wherein the protein of interest is a GPIIb antagonist, a GPIIIa antagonist, and the like;

- autoimmune diseases and other conditions involving immune modulation, wherein the protein of interest is an IL-2 receptor antagonist, a CD40 agonist or antagonist, a CD40L agonist or antagonist, a thymopoietin mimetic and the like.

Vehicles. This invention requires the presence of at least one vehicle (F^1, F^2) attached to a peptide through the N-terminus, C-terminus or a sidechain of one of the amino acid residues. Multiple vehicles may also be used; e.g., Fc's at each terminus or an Fc at a terminus and a PEG group at the other terminus or a sidechain.

An Fc domain is the preferred vehicle. The Fc domain may be fused to the N or C termini of the peptides or at both the N and C termini. For the TPO-mimetic peptides, molecules having the Fc domain fused to the N terminus of the peptide portion of the molecule are more bioactive than other such fusions, so fusion to the N terminus is preferred.

As noted above, Fc variants are suitable vehicles within the scope of this invention. A native Fc may be extensively modified to form an Fc variant in accordance with this invention, provided binding to the salvage receptor is maintained; see, for example WO 97/34631 and WO 96/32478. In such Fc variants, one may remove one or more sites of a native Fc that provide structural features or functional activity not required by the fusion molecules of this invention. One may remove these sites by, for example, substituting or deleting residues, inserting residues into the site, or truncating portions containing the site. The inserted or substituted residues may also be altered amino acids, such as peptidomimetics or D-amino acids. Fc variants may be desirable for a number of reasons, several of which are described below. Exemplary Fc variants include molecules and sequences in which:

1. Sites involved in disulfide bond formation are removed. Such removal may avoid reaction with other cysteine-containing proteins present in

the host cell used to produce the molecules of the invention. For this purpose, the cysteine-containing segment at the N-terminus may be truncated or cysteine residues may be deleted or substituted with other amino acids (e.g., alanyl, seryl). In particular, one may truncate the N-terminal 20-amino acid segment of SEQ ID NO: 2 or delete or substitute the cysteine residues at positions 7 and 10 of SEQ ID NO: 2. Even when cysteine residues are removed, the single chain Fc domains can still form a dimeric Fc domain that is held together non-covalently.

2. A native Fc is modified to make it more compatible with a selected host cell. For example, one may remove the PA sequence near the N-terminus of a typical native Fc, which may be recognized by a digestive enzyme in E. coli such as proline iminopeptidase. One may also add an N-terminal methionine residue, especially when the molecule is expressed recombinantly in a bacterial cell such as E. coli. The Fc domain of SEQ ID NO: 2 (Figure 4) is one such Fc variant.
3. A portion of the N-terminus of a native Fc is removed to prevent N-terminal heterogeneity when expressed in a selected host cell. For this purpose, one may delete any of the first 20 amino acid residues at the N-terminus, particularly those at positions 1, 2, 3, 4 and 5.
4. One or more glycosylation sites are removed. Residues that are typically glycosylated (e.g., asparagine) may confer cytolytic response. Such residues may be deleted or substituted with unglycosylated residues (e.g., alanine).
5. Sites involved in interaction with complement, such as the C1q binding site, are removed. For example, one may delete or substitute the EKK sequence of human IgG1. Complement recruitment may not be advantageous for the molecules of this invention and so may be avoided with such an Fc variant.

6. Sites are removed that affect binding to Fc receptors other than a salvage receptor. A native Fc may have sites for interaction with certain white blood cells that are not required for the fusion molecules of the present invention and so may be removed.
7. The ADCC site is removed. ADCC sites are known in the art; see, for example, Molec. Immunol. 29 (5): 633-9 (1992) with regard to ADCC sites in IgG1. These sites, as well, are not required for the fusion molecules of the present invention and so may be removed.
8. When the native Fc is derived from a non-human antibody, the native Fc may be humanized. Typically, to humanize a native Fc, one will substitute selected residues in the non-human native Fc with residues that are normally found in human native Fc. Techniques for antibody humanization are well known in the art.

Preferred Fc variants include the following. In SEQ ID NO: 2 (Figure 4) the leucine at position 15 may be substituted with glutamate; the glutamate at position 99, with alanine; and the lysines at positions 101 and 103, with alanines. In addition, one or more tyrosine residues can be replaced by phenyalanine residues.

An alternative vehicle would be a protein, polypeptide, peptide, antibody, antibody fragment, , or small molecule (e.g., a peptidomimetic compound) capable of binding to a salvage receptor. For example, one could use as a vehicle a polypeptide as described in U.S. Pat. No. 5,739,277, issued April 14, 1998 to Presta et al. Peptides could also be selected by phage display for binding to the FcRn salvage receptor. Such salvage receptor-binding compounds are also included within the meaning of "vehicle" and are within the scope of this invention. Such vehicles should be selected for increased half-life (e.g., by avoiding sequences recognized by proteases) and decreased immunogenicity (e.g., by favoring non-immunogenic sequences, as discovered in antibody humanization).

As noted above, polymer vehicles may also be used for F^1 and F^2. Various means for attaching chemical moieties useful as vehicles are currently available, see, e.g., Patent Cooperation Treaty ("PCT") International Publication No. WO 96/11953, entitled "N-Terminally Chemically Modified Protein Compositions and Methods," herein incorporated by reference in its entirety. This PCT publication discloses, among other things, the selective attachment of water soluble polymers to the N-terminus of proteins.

A preferred polymer vehicle is polyethylene glycol (PEG). The PEG group may be of any convenient molecular weight and may be linear or branched. The average molecular weight of the PEG will preferably range from about 2 kiloDalton ("kD") to about 100 kDa, more preferably from about 5 kDa to about 50 kDa, most preferably from about 5 kDa to about 10 kDa. The PEG groups will generally be attached to the compounds of the invention via acylation or reductive alkylation through a reactive group on the PEG moiety (e.g., an aldehyde, amino, thiol, or ester group) to a reactive group on the inventive compound (e.g., an aldehyde, amino, or ester group).

A useful strategy for the PEGylation of synthetic peptides consists of combining, through forming a conjugate linkage in solution, a peptide and a PEG moiety, each bearing a special functionality that is mutually reactive toward the other. The peptides can be easily prepared with conventional solid phase synthesis (see, for example, Figures 5 and 6 and the accompanying text herein). The peptides are "preactivated" with an appropriate functional group at a specific site. The precursors are purified and fully characterized prior to reacting with the PEG moiety. Ligation of the peptide with PEG usually takes place in aqueous phase and can be easily monitored by reverse phase analytical HPLC. The PEGylated peptides can be easily purified by preparative HPLC and characterized by

analytical HPLC, amino acid analysis and laser desorption mass spectrometry.

Polysaccharide polymers are another type of water soluble polymer which may be used for protein modification. Dextrans are polysaccharide polymers comprised of individual subunits of glucose predominantly linked by α1-6 linkages. The dextran itself is available in many molecular weight ranges, and is readily available in molecular weights from about 1 kD to about 70 kD. Dextran is a suitable water soluble polymer for use in the present invention as a vehicle by itself or in combination with another vehicle (e.g., Fc). See, for example, WO 96/11953 and WO 96/05309. The use of dextran conjugated to therapeutic or diagnostic immunoglobulins has been reported; see, for example, European Patent Publication No. 0 315 456, which is hereby incorporated by reference. Dextran of about 1 kD to about 20 kD is preferred when dextran is used as a vehicle in accordance with the present invention.

Linkers. Any "linker" group is optional. When present, its chemical structure is not critical, since it serves primarily as a spacer. The linker is preferably made up of amino acids linked together by peptide bonds. Thus, in preferred embodiments, the linker is made up of from 1 to 20 amino acids linked by peptide bonds, wherein the amino acids are selected from the 20 naturally occurring amino acids. Some of these amino acids may be glycosylated, as is well understood by those in the art. In a more preferred embodiment, the 1 to 20 amino acids are selected from glycine, alanine, proline, asparagine, glutamine, and lysine. Even more preferably, a linker is made up of a majority of amino acids that are sterically unhindered, such as glycine and alanine. Thus, preferred linkers are polyglycines (particularly $(Gly)_4$, $(Gly)_5$), poly(Gly-Ala), and polyalanines. Other specific examples of linkers are:

$(Gly)_3Lys(Gly)_4$ (SEQ ID NO: 333);

$(Gly)_3AsnGlySer(Gly)_2$ (SEQ ID NO: 334);


$(Gly)_3Cys(Gly)_4$ (SEQ ID NO: 335); and

GlyProAsnGlyGly (SEQ ID NO: 336).

To explain the above nomenclature, for example, $(Gly)_3Lys(Gly)_4$ means Gly-Gly-Gly-Lys-Gly-Gly-Gly-Gly. Combinations of Gly and Ala are also preferred. The linkers shown here are exemplary; linkers within the scope of this invention may be much longer and may include other residues.

Non-peptide linkers are also possible. For example, alkyl linkers such as $-NH-(CH_2)_s-C(O)-$, wherein s = 2-20 could be used. These alkyl linkers may further be substituted by any non-sterically hindering group such as lower alkyl (e.g., C_1-C_6) lower acyl, halogen (e.g., Cl, Br), CN, NH_2, phenyl, etc. An exemplary non-peptide linker is a PEG linker,

VI



wherein n is such that the linker has a molecular weight of 100 to 5000 kD, preferably 100 to 500 kD. The peptide linkers may be altered to form derivatives in the same manner as described above.


Derivatives. The inventors also contemplate derivatizing the peptide and/or vehicle portion of the compounds. Such derivatives may improve the solubility, absorption, biological half life, and the like of the compounds. The moieties may alternatively eliminate or attenuate any undesirable side-effect of the compounds and the like. Exemplary derivatives include compounds in which:

1. The compound or some portion thereof is cyclic. For example, the peptide portion may be modified to contain two or more Cys residues (e.g., in the linker), which could cyclize by disulfide bond formation.

For citations to references on preparation of cyclized derivatives, see Table 2.

2. The compound is cross-linked or is rendered capable of cross-linking between molecules. For example, the peptide portion may be modified to contain one Cys residue and thereby be able to form an intermolecular disulfide bond with a like molecule. The compound may also be cross-linked through its C-terminus, as in the molecule shown below.

VII



3.

4. One or more peptidyl [-C(O)NR-] linkages (bonds) is replaced by a non-peptidyl linkage. Exemplary non-peptidyl linkages are -CH_2-carbamate [-CH_2-OC(O)NR-], phosphonate , -CH_2-sulfonamide [-CH_2-$S(O)_2$NR-], urea [-NHC(O)NH-], -CH_2-secondary amine, and alkylated peptide [-C(O)NR^6- wherein R^6 is lower alkyl].

5. The N-terminus is derivatized. Typically, the N-terminus may be acylated or modified to a substituted amine. Exemplary N-terminal derivative groups include -NRR^1 (other than -NH_2), -$NRC(O)R^1$, -$NRC(O)OR^1$, -$NRS(O)_2R^1$, -$NHC(O)NHR^1$, succinimide, or benzyloxycarbonyl-NH- (CBZ-NH-), wherein R and R^1 are each independently hydrogen or lower alkyl and wherein the phenyl ring may be substituted with 1 to 3 substituents selected from the group consisting of C_1-C_4 alkyl, C_1-C_4 alkoxy, chloro, and bromo.

6. The free C-terminus is derivatized. Typically, the C-terminus is esterified or amidated. For example, one may use methods described in the art to add $(NH\text{-}CH_2\text{-}CH_2\text{-}NH_2)_2$ to compounds of this invention

having any of SEQ ID NOS: 504 to 508 at the C-terminus. Likewise, one may use methods described in the art to add -NH_2 to compounds of this invention having any of SEQ ID NOS: 924 to 955, 963 to 972, 1005 to 1013, or 1018 to 1023 at the C-terminus. Exemplary C-terminal derivative groups include, for example, -$C(O)R^2$ wherein R^2 is lower alkoxy or -NR^3R^4 wherein R^3 and R^4 are independently hydrogen or C_1-C_8 alkyl (preferably C_1-C_4 alkyl).

7. A disulfide bond is replaced with another, preferably more stable, cross-linking moiety (e.g., an alkylene). See, e.g., Bhatnagar et al. (1996), J. Med. Chem. 39: 3814-9; Alberts et al. (1993) Thirteenth Am. Pep. Symp., 357-9.

8. One or more individual amino acid residues is modified. Various derivatizing agents are known to react specifically with selected sidechains or terminal residues, as described in detail below.

Lysinyl residues and amino terminal residues may be reacted with succinic or other carboxylic acid anhydrides, which reverse the charge of the lysinyl residues. Other suitable reagents for derivatizing alpha-amino-containing residues include imidoesters such as methyl picolinimidate; pyridoxal phosphate; pyridoxal; chloroborohydride; trinitrobenzenesulfonic acid; O-methylisourea; 2,4 pentanedione; and transaminase-catalyzed reaction with glyoxylate.

Arginyl residues may be modified by reaction with any one or combination of several conventional reagents, including phenylglyoxal, 2,3-butanedione, 1,2-cyclohexanedione, and ninhydrin. Derivatization of arginyl residues requires that the reaction be performed in alkaline conditions because of the high pKa of the guanidine functional group. Furthermore, these reagents may react with the groups of lysine as well as the arginine epsilon-amino group.

Specific modification of tyrosyl residues has been studied extensively, with particular interest in introducing spectral labels into tyrosyl residues by reaction with aromatic diazonium compounds or tetranitromethane. Most commonly, N-acetylimidizole and tetranitromethane are used to form O-acetyl tyrosyl species and 3-nitro derivatives, respectively.

Carboxyl sidechain groups (aspartyl or glutamyl) may be selectively modified by reaction with carbodiimides (R'-N=C=N-R') such as 1-cyclohexyl-3-(2-morpholinyl-(4-ethyl) carbodiimide or 1-ethyl-3-(4-azonia-4,4-dimethylpentyl) carbodiimide. Furthermore, aspartyl and glutamyl residues may be converted to asparaginyl and glutaminyl residues by reaction with ammonium ions.

Glutaminyl and asparaginyl residues may be deamidated to the corresponding glutamyl and aspartyl residues. Alternatively, these residues are deamidated under mildly acidic conditions. Either form of these residues falls within the scope of this invention.

Cysteinyl residues can be replaced by amino acid residues or other moieties either to eliminate disulfide bonding or, conversely, to stabilize cross-linking. See, e.g., Bhatnagar et al. (1996), J. Med. Chem. 39: 3814-9.

Derivatization with bifunctional agents is useful for cross-linking the peptides or their functional derivatives to a water-insoluble support matrix or to other macromolecular vehicles. Commonly used cross-linking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, for example, esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), and bifunctional maleimides such as bis-N-maleimido-1,8-octane. Derivatizing agents such as methyl-3-[(p-azidophenyl)dithio]propioimidate yield photoactivatable intermediates that are capable of forming crosslinks in the presence of light. Alternatively, reactive water-insoluble matrices such as cyanogen bromide-activated carbohydrates

and the reactive substrates described in U.S. Pat. Nos. 3,969,287; 3,691,016; 4,195,128; 4,247,642; 4,229,537; and 4,330,440 are employed for protein immobilization.

Carbohydrate (oligosaccharide) groups may conveniently be attached to sites that are known to be glycosylation sites in proteins. Generally, O-linked oligosaccharides are attached to serine (Ser) or threonine (Thr) residues while N-linked oligosaccharides are attached to asparagine (Asn) residues when they are part of the sequence Asn-X-Ser/Thr, where X can be any amino acid except proline. X is preferably one of the 19 naturally occurring amino acids other than proline. The structures of N-linked and O-linked oligosaccharides and the sugar residues found in each type are different. One type of sugar that is commonly found on both is N-acetylneuraminic acid (referred to as sialic acid). Sialic acid is usually the terminal residue of both N-linked and O-linked oligosaccharides and, by virtue of its negative charge, may confer acidic properties to the glycosylated compound. Such site(s) may be incorporated in the linker of the compounds of this invention and are preferably glycosylated by a cell during recombinant production of the polypeptide compounds (e.g., in mammalian cells such as CHO, BHK, COS). However, such sites may further be glycosylated by synthetic or semi-synthetic procedures known in the art.

Other possible modifications include hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl or threonyl residues, oxidation of the sulfur atom in Cys, methylation of the alpha-amino groups of lysine, arginine, and histidine side chains. Creighton, Proteins: Structure and Molecule Properties (W. H. Freeman & Co., San Francisco), pp. 79-86 (1983).

Compounds of the present invention may be changed at the DNA level, as well. The DNA sequence of any portion of the compound may be

changed to codons more compatible with the chosen host cell. For E. coli, which is the preferred host cell, optimized codons are known in the art. Codons may be substituted to eliminate restriction sites or to include silent restriction sites, which may aid in processing of the DNA in the selected host cell. The vehicle, linker and peptide DNA sequences may be modified to include any of the foregoing sequence changes.

Methods of Making

The compounds of this invention largely may be made in transformed host cells using recombinant DNA techniques. To do so, a recombinant DNA molecule coding for the peptide is prepared. Methods of preparing such DNA molecules are well known in the art. For instance, sequences coding for the peptides could be excised from DNA using suitable restriction enzymes. Alternatively, the DNA molecule could be synthesized using chemical synthesis techniques, such as the phosphoramidate method. Also, a combination of these techniques could be used.

The invention also includes a vector capable of expressing the peptides in an appropriate host. The vector comprises the DNA molecule that codes for the peptides operatively linked to appropriate expression control sequences. Methods of effecting this operative linking, either before or after the DNA molecule is inserted into the vector, are well known. Expression control sequences include promoters, activators, enhancers, operators, ribosomal binding sites, start signals, stop signals, cap signals, polyadenylation signals, and other signals involved with the control of transcription or translation.

The resulting vector having the DNA molecule thereon is used to transform an appropriate host. This transformation may be performed using methods well known in the art.

Any of a large number of available and well-known host cells may be used in the practice of this invention. The selection of a particular host is dependent upon a number of factors recognized by the art. These include, for example, compatibility with the chosen expression vector, toxicity of the peptides encoded by the DNA molecule, rate of transformation, ease of recovery of the peptides, expression characteristics, bio-safety and costs. A balance of these factors must be struck with the understanding that not all hosts may be equally effective for the expression of a particular DNA sequence. Within these general guidelines, useful microbial hosts include bacteria (such as E. coli sp.), yeast (such as Saccharomyces sp.) and other fungi, insects, plants, mammalian (including human) cells in culture, or other hosts known in the art.

Next, the transformed host is cultured and purified. Host cells may be cultured under conventional fermentation conditions so that the desired compounds are expressed. Such fermentation conditions are well known in the art. Finally, the peptides are purified from culture by methods well known in the art.

The compounds may also be made by synthetic methods. For example, solid phase synthesis techniques may be used. Suitable techniques are well known in the art, and include those described in Merrifield (1973), Chem. Polypeptides, pp. 335-61 (Katsoyannis and Panayotis eds.); Merrifield (1963), J. Am. Chem. Soc. 85: 2149; Davis et al. (1985), Biochem. Intl. 10: 394-414; Stewart and Young (1969), Solid Phase Peptide Synthesis; U.S. Pat. No. 3,941,763; Finn et al. (1976), The Proteins (3rd ed.) 2: 105-253; and Erickson et al. (1976), The Proteins (3rd ed.) 2: 257-527. Solid phase synthesis is the preferred technique of making individual peptides since it is the most cost-effective method of making small peptides.

Compounds that contain derivatized peptides or which contain non-peptide groups may be synthesized by well-known organic chemistry techniques.

Uses of the Compounds

In general. The compounds of this invention have pharmacologic activity resulting from their ability to bind to proteins of interest as agonists, mimetics or antagonists of the native ligands of such proteins of interest. The utility of specific compounds is shown in Table 2. The activity of these compounds can be measured by assays known in the art. For the TPO-mimetic and EPO-mimetic compounds, in vivo assays are further described in the Examples section herein.

In addition to therapeutic uses, the compounds of the present invention are useful in diagnosing diseases characterized by dysfunction of their associated protein of interest. In one embodiment, a method of detecting in a biological sample a protein of interest (e.g., a receptor) that is capable of being activated comprising the steps of: (a) contacting the sample with a compound of this invention; and (b) detecting activation of the protein of interest by the compound. The biological samples include tissue specimens, intact cells, or extracts thereof. The compounds of this invention may be used as part of a diagnostic kit to detect the presence of their associated proteins of interest in a biological sample. Such kits employ the compounds of the invention having an attached label to allow for detection. The compounds are useful for identifying normal or abnormal proteins of interest. For the EPO-mimetic compounds, for example, presence of abnormal protein of interest in a biological sample may be indicative of such disorders as Diamond Blackfan anemia, where it is believed that the EPO receptor is dysfunctional.

Therapeutic uses of EPO-mimetic compounds. The EPO-mimetic compounds of the invention are useful for treating disorders characterized by low red blood cell levels. Included in the invention are methods of modulating the endogenous activity of an EPO receptor in a mammal, preferably methods of increasing the activity of an EPO receptor. In

general, any condition treatable by erythropoietin, such as anemia, may also be treated by the EPO-mimetic compounds of the invention. These compounds are administered by an amount and route of delivery that is appropriate for the nature and severity of the condition being treated and may be ascertained by one skilled in the art. Preferably, administration is by injection, either subcutaneous, intramuscular, or intravenous.

Therapeutic uses of TPO-mimetic compounds. For the TPO-mimetic compounds, one can utilize such standard assays as those described in WO95/26746 entitled "Compositions and Methods for Stimulating Megakaryocyte Growth and Differentiation". In vivo assays also appear in the Examples hereinafter.

The conditions to be treated are generally those that involve an existing megakaryocyte/platelet deficiency or an expected megakaryocyte/platelet deficiency (e.g., because of planned surgery or platelet donation). Such conditions will usually be the result of a deficiency (temporary or permanent) of active Mpl ligand in vivo. The generic term for platelet deficiency is thrombocytopenia, and hence the methods and compositions of the present invention are generally available for treating thrombocytopenia in patients in need thereof.

Thrombocytopenia (platelet deficiencies) may be present for various reasons, including chemotherapy and other therapy with a variety of drugs, radiation therapy, surgery, accidental blood loss, and other specific disease conditions. Exemplary specific disease conditions that involve thrombocytopenia and may be treated in accordance with this invention are: aplastic anemia, idiopathic thrombocytopenia, metastatic tumors which result in thrombocytopenia, systemic lupus erythematosus, splenomegaly, Fanconi's syndrome, vitamin B12 deficiency, folic acid deficiency, May-Hegglin anomaly, Wiskott-Aldrich syndrome, and paroxysmal nocturnal hemoglobinuria. Also, certain treatments for AIDS

result in thrombocytopenia (e.g., AZT). Certain wound healing disorders might also benefit from an increase in platelet numbers.

With regard to anticipated platelet deficiencies, e.g., due to future surgery, a compound of the present invention could be administered several days to several hours prior to the need for platelets. With regard to acute situations, e.g., accidental and massive blood loss, a compound of this invention could be administered along with blood or purified platelets.

The TPO-mimetic compounds of this invention may also be useful in stimulating certain cell types other than megakaryocytes if such cells are found to express Mpl receptor. Conditions associated with such cells that express the Mpl receptor, which are responsive to stimulation by the Mpl ligand, are also within the scope of this invention.

The TPO-mimetic compounds of this invention may be used in any situation in which production of platelets or platelet precursor cells is desired, or in which stimulation of the c-Mpl receptor is desired. Thus, for example, the compounds of this invention may be used to treat any condition in a mammal wherein there is a need of platelets, megakaryocytes, and the like. Such conditions are described in detail in the following exemplary sources: WO95/26746; WO95/21919; WO95/18858; WO95/21920 and are incorporated herein.

The TPO-mimetic compounds of this invention may also be useful in maintaining the viability or storage life of platelets and/or megakaryocytes and related cells. Accordingly, it could be useful to include an effective amount of one or more such compounds in a composition containing such cells.

The therapeutic methods, compositions and compounds of the present invention may also be employed, alone or in combination with other cytokines, soluble Mpl receptor, hematopoietic factors, interleukins, growth factors or antibodies in the treatment of disease states

characterized by other symptoms as well as platelet deficiencies. It is anticipated that the inventive compound will prove useful in treating some forms of thrombocytopenia in combination with general stimulators of hematopoiesis, such as IL-3 or GM-CSF. Other megakaryocytic stimulatory factors, i.e., meg-CSF, stem cell factor (SCF), leukemia inhibitory factor (LIF), oncostatin M (OSM), or other molecules with megakaryocyte stimulating activity may also be employed with Mpl ligand. Additional exemplary cytokines or hematopoietic factors for such co-administration include IL-1 alpha, IL-1 beta, IL-2, IL-3, IL-4, IL-5, IL-6, IL-11, colony stimulating factor-1 (CSF-1), SCF, GM-CSF, granulocyte colony stimulating factor (G-CSF), EPO, interferon-alpha (IFN-alpha), consensus interferon, IFN-beta, or IFN-gamma. It may further be useful to administer, either simultaneously or sequentially, an effective amount of a soluble mammalian Mpl receptor, which appears to have an effect of causing megakaryocytes to fragment into platelets once the megakaryocytes have reached mature form. Thus, administration of an inventive compound (to enhance the number of mature megakaryocytes) followed by administration of the soluble Mpl receptor (to inactivate the ligand and allow the mature megakaryocytes to produce platelets) is expected to be a particularly effective means of stimulating platelet production. The dosage recited above would be adjusted to compensate for such additional components in the therapeutic composition. Progress of the treated patient can be monitored by conventional methods.

In cases where the inventive compounds are added to compositions of platelets and/or megakaryocytes and related cells, the amount to be included will generally be ascertained experimentally by techniques and assays known in the art. An exemplary range of amounts is 0.1 μg—1 mg inventive compound per 10^6 cells.

Pharmaceutical Compositions

In General. The present invention also provides methods of using pharmaceutical compositions of the inventive compounds. Such pharmaceutical compositions may be for administration for injection, or for oral, pulmonary, nasal, transdermal or other forms of administration. In general, the invention encompasses pharmaceutical compositions comprising effective amounts of a compound of the invention together with pharmaceutically acceptable diluents, preservatives, solubilizers, emulsifiers, adjuvants and/or carriers. Such compositions include diluents of various buffer content (*e.g.*, Tris-HCl, acetate, phosphate), pH and ionic strength; additives such as detergents and solubilizing agents (*e.g.*, Tween 80, Polysorbate 80), anti-oxidants (*e.g.*, ascorbic acid, sodium metabisulfite), preservatives (*e.g.*, Thimersol, benzyl alcohol) and bulking substances (*e.g.*, lactose, mannitol); incorporation of the material into particulate preparations of polymeric compounds such as polylactic acid, polyglycolic acid, etc. or into liposomes. Hyaluronic acid may also be used, and this may have the effect of promoting sustained duration in the circulation. Such compositions may influence the physical state, stability, rate of in vivo release, and rate of in vivo clearance of the present proteins and derivatives. See, e.g., Remington's Pharmaceutical Sciences, 18th Ed. (1990, Mack Publishing Co., Easton, PA 18042) pages 1435-1712 which are herein incorporated by reference. The compositions may be prepared in liquid form, or may be in dried powder, such as lyophilized form. Implantable sustained release formulations are also contemplated, as are transdermal formulations.

Oral dosage forms. Contemplated for use herein are oral solid dosage forms, which are described generally in Chapter 89 of Remington's Pharmaceutical Sciences (1990), 18th Ed., Mack Publishing Co. Easton PA 18042, which is herein incorporated by reference. Solid dosage forms include tablets, capsules, pills, troches or lozenges, cachets or pellets. Also,

liposomal or proteinoid encapsulation may be used to formulate the present compositions (as, for example, proteinoid microspheres reported in U.S. Patent No. 4,925,673). Liposomal encapsulation may be used and the liposomes may be derivatized with various polymers (e.g., U.S. Patent No. 5,013,556). A description of possible solid dosage forms for the therapeutic is given in Chapter 10 of Marshall, K., Modern Pharmaceutics (1979), edited by G. S. Banker and C. T. Rhodes, herein incorporated by reference. In general, the formulation will include the inventive compound, and inert ingredients which allow for protection against the stomach environment, and release of the biologically active material in the intestine.

Also specifically contemplated are oral dosage forms of the above inventive compounds. If necessary, the compounds may be chemically modified so that oral delivery is efficacious. Generally, the chemical modification contemplated is the attachment of at least one moiety to the compound molecule itself, where said moiety permits (a) inhibition of proteolysis; and (b) uptake into the blood stream from the stomach or intestine. Also desired is the increase in overall stability of the compound and increase in circulation time in the body. Moieties useful as covalently attached vehicles in this invention may also be used for this purpose. Examples of such moieties include: PEG, copolymers of ethylene glycol and propylene glycol, carboxymethyl cellulose, dextran, polyvinyl alcohol, polyvinyl pyrrolidone and polyproline. See, for example, Abuchowski and Davis, Soluble Polymer-Enzyme Adducts, Enzymes as Drugs (1981), Hocenberg and Roberts, eds., Wiley-Interscience, New York, NY, , pp 367-83; Newmark, et al. (1982), J. Appl. Biochem. 4:185-9. Other polymers that could be used are poly-1,3-dioxolane and poly-1,3,6-tioxocane. Preferred for pharmaceutical usage, as indicated above, are PEG moieties.

For oral delivery dosage forms, it is also possible to use a salt of a modified aliphatic amino acid, such as sodium N-(8-[2-hydroxybenzoyl] amino) caprylate (SNAC), as a carrier to enhance absorption of the therapeutic compounds of this invention. The clinical efficacy of a heparin formulation using SNAC has been demonstrated in a Phase II trial conducted by Emisphere Technologies. See US Patent No. 5,792,451, "Oral drug delivery composition and methods".

The compounds of this invention can be included in the formulation as fine multiparticulates in the form of granules or pellets of particle size about 1 mm. The formulation of the material for capsule administration could also be as a powder, lightly compressed plugs or even as tablets. The therapeutic could be prepared by compression.

Colorants and flavoring agents may all be included. For example, the protein (or derivative) may be formulated (such as by liposome or microsphere encapsulation) and then further contained within an edible product, such as a refrigerated beverage containing colorants and flavoring agents.

One may dilute or increase the volume of the compound of the invention with an inert material. These diluents could include carbohydrates, especially mannitol, α-lactose, anhydrous lactose, cellulose, sucrose, modified dextrans and starch. Certain inorganic salts may also be used as fillers including calcium triphosphate, magnesium carbonate and sodium chloride. Some commercially available diluents are Fast-Flo, Emdex, STA-Rx 1500, Emcompress and Avicell.

Disintegrants may be included in the formulation of the therapeutic into a solid dosage form. Materials used as disintegrants include but are not limited to starch including the commercial disintegrant based on starch, Explotab. Sodium starch glycolate, Amberlite, sodium carboxymethylcellulose, ultramylopectin, sodium alginate, gelatin, orange

peel, acid carboxymethyl cellulose, natural sponge and bentonite may all be used. Another form of the disintegrants are the insoluble cationic exchange resins. Powdered gums may be used as disintegrants and as binders and these can include powdered gums such as agar, Karaya or tragacanth. Alginic acid and its sodium salt are also useful as disintegrants.

Binders may be used to hold the therapeutic agent together to form a hard tablet and include materials from natural products such as acacia, tragacanth, starch and gelatin. Others include methyl cellulose (MC), ethyl cellulose (EC) and carboxymethyl cellulose (CMC). Polyvinyl pyrrolidone (PVP) and hydroxypropylmethyl cellulose (HPMC) could both be used in alcoholic solutions to granulate the therapeutic.

An antifrictional agent may be included in the formulation of the therapeutic to prevent sticking during the formulation process. Lubricants may be used as a layer between the therapeutic and the die wall, and these can include but are not limited to; stearic acid including its magnesium and calcium salts, polytetrafluoroethylene (PTFE), liquid paraffin, vegetable oils and waxes. Soluble lubricants may also be used such as sodium lauryl sulfate, magnesium lauryl sulfate, polyethylene glycol of various molecular weights, Carbowax 4000 and 6000.

Glidants that might improve the flow properties of the drug during formulation and to aid rearrangement during compression might be added. The glidants may include starch, talc, pyrogenic silica and hydrated silicoaluminate.

To aid dissolution of the compound of this invention into the aqueous environment a surfactant might be added as a wetting agent. Surfactants may include anionic detergents such as sodium lauryl sulfate, dioctyl sodium sulfosuccinate and dioctyl sodium sulfonate. Cationic detergents might be used and could include benzalkonium chloride or

benzethonium chloride. The list of potential nonionic detergents that could be included in the formulation as surfactants are lauromacrogol 400, polyoxyl 40 stearate, polyoxyethylene hydrogenated castor oil 10, 50 and 60, glycerol monostearate, polysorbate 40, 60, 65 and 80, sucrose fatty acid ester, methyl cellulose and carboxymethyl cellulose. These surfactants could be present in the formulation of the protein or derivative either alone or as a mixture in different ratios.

Additives may also be included in the formulation to enhance uptake of the compound. Additives potentially having this property are for instance the fatty acids oleic acid, linoleic acid and linolenic acid.

Controlled release formulation may be desirable. The compound of this invention could be incorporated into an inert matrix which permits release by either diffusion or leaching mechanisms e.g., gums. Slowly degenerating matrices may also be incorporated into the formulation, e.g., alginates, polysaccharides. Another form of a controlled release of the compounds of this invention is by a method based on the Oros therapeutic system (Alza Corp.), i.e., the drug is enclosed in a semipermeable membrane which allows water to enter and push drug out through a single small opening due to osmotic effects. Some enteric coatings also have a delayed release effect.

Other coatings may be used for the formulation. These include a variety of sugars which could be applied in a coating pan. The therapeutic agent could also be given in a film coated tablet and the materials used in this instance are divided into 2 groups. The first are the nonenteric materials and include methyl cellulose, ethyl cellulose, hydroxyethyl cellulose, methylhydroxy-ethyl cellulose, hydroxypropyl cellulose, hydroxypropyl-methyl cellulose, sodium carboxy-methyl cellulose, providone and the polyethylene glycols. The second group consists of the enteric materials that are commonly esters of phthalic acid.

A mix of materials might be used to provide the optimum film coating. Film coating may be carried out in a pan coater or in a fluidized bed or by compression coating.

Pulmonary delivery forms. Also contemplated herein is pulmonary delivery of the present protein (or derivatives thereof). The protein (or derivative) is delivered to the lungs of a mammal while inhaling and traverses across the lung epithelial lining to the blood stream. (Other reports of this include Adjei et al., Pharma. Res. (1990) 7: 565-9; Adjei et al. (1990), Internatl. J. Pharmaceutics 63: 135-44 (leuprolide acetate); Braquet et al. (1989), J. Cardiovasc. Pharmacol. 13 (suppl.5): s.143-146 (endothelin-1); Hubbard et al. (1989), Annals Int. Med. 3: 206-12 (α1-antitrypsin); Smith et al. (1989), J. Clin. Invest. 84: 1145-6 (α1-proteinase); Oswein et al. (March 1990), "Aerosolization of Proteins", Proc. Symp. Resp. Drug Delivery II, Keystone, Colorado (recombinant human growth hormone); Debs et al. (1988), J. Immunol. 140: 3482-8 (interferon-γ and tumor necrosis factor α) and Platz et al., U.S. Patent No. 5,284,656 (granulocyte colony stimulating factor).

Contemplated for use in the practice of this invention are a wide range of mechanical devices designed for pulmonary delivery of therapeutic products, including but not limited to nebulizers, metered dose inhalers, and powder inhalers, all of which are familiar to those skilled in the art. Some specific examples of commercially available devices suitable for the practice of this invention are the Ultravent nebulizer, manufactured by Mallinckrodt, Inc., St. Louis, Missouri; the Acorn II nebulizer, manufactured by Marquest Medical Products, Englewood, Colorado; the Ventolin metered dose inhaler, manufactured by Glaxo Inc., Research Triangle Park, North Carolina; and the Spinhaler powder inhaler, manufactured by Fisons Corp., Bedford, Massachusetts.

All such devices require the use of formulations suitable for the dispensing of the inventive compound. Typically, each formulation is specific to the type of device employed and may involve the use of an appropriate propellant material, in addition to diluents, adjuvants and/or carriers useful in therapy.

The inventive compound should most advantageously be prepared in particulate form with an average particle size of less than 10 μm (or microns), most preferably 0.5 to 5 μm, for most effective delivery to the distal lung.

Pharmaceutically acceptable carriers include carbohydrates such as trehalose, mannitol, xylitol, sucrose, lactose, and sorbitol. Other ingredients for use in formulations may include DPPC, DOPE, DSPC and DOPC. Natural or synthetic surfactants may be used. PEG may be used (even apart from its use in derivatizing the protein or analog). Dextrans, such as cyclodextran, may be used. Bile salts and other related enhancers may be used. Cellulose and cellulose derivatives may be used. Amino acids may be used, such as use in a buffer formulation.

Also, the use of liposomes, microcapsules or microspheres, inclusion complexes, or other types of carriers is contemplated.

Formulations suitable for use with a nebulizer, either jet or ultrasonic, will typically comprise the inventive compound dissolved in water at a concentration of about 0.1 to 25 mg of biologically active protein per mL of solution. The formulation may also include a buffer and a simple sugar (e.g., for protein stabilization and regulation of osmotic pressure). The nebulizer formulation may also contain a surfactant, to reduce or prevent surface induced aggregation of the protein caused by atomization of the solution in forming the aerosol.

Formulations for use with a metered-dose inhaler device will generally comprise a finely divided powder containing the inventive

compound suspended in a propellant with the aid of a surfactant. The propellant may be any conventional material employed for this purpose, such as a chlorofluorocarbon, a hydrochlorofluorocarbon, a hydrofluorocarbon, or a hydrocarbon, including trichlorofluoromethane, dichlorodifluoromethane, dichlorotetrafluoroethanol, and 1,1,1,2-tetrafluoroethane, or combinations thereof. Suitable surfactants include sorbitan trioleate and soya lecithin. Oleic acid may also be useful as a surfactant.

Formulations for dispensing from a powder inhaler device will comprise a finely divided dry powder containing the inventive compound and may also include a bulking agent, such as lactose, sorbitol, sucrose, mannitol, trehalose, or xylitol in amounts which facilitate dispersal of the powder from the device, e.g., 50 to 90% by weight of the formulation.

Nasal delivery forms. Nasal delivery of the inventive compound is also contemplated. Nasal delivery allows the passage of the protein to the blood stream directly after administering the therapeutic product to the nose, without the necessity for deposition of the product in the lung. Formulations for nasal delivery include those with dextran or cyclodextran. Delivery via transport across other mucous membranes is also contemplated.

Dosages. The dosage regimen involved in a method for treating the above-described conditions will be determined by the attending physician, considering various factors which modify the action of drugs, e.g. the age, condition, body weight, sex and diet of the patient, the severity of any infection, time of administration and other clinical factors. Generally, the daily regimen should be in the range of 0.1-1000 micrograms of the inventive compound per kilogram of body weight, preferably 0.1-150 micrograms per kilogram.

Specific preferred embodiments

The inventors have determined preferred peptide sequences for molecules having many different kinds of activity. The inventors have further determined preferred structures of these preferred peptides combined with preferred linkers and vehicles. Preferred structures for these preferred peptides listed in Table 21 below.

Table 21—Preferred embodiments

Sequence/structure	SEQ ID NO:	Activity
F^1-$(G)_5$-IEGPTLRQWLAARA-$(G)_8$-IEGPTLRQWLAARA	337	TPO-mimetic
IEGPTLRQWLAARA-$(G)_8$-IEGPTLRQWLAARA-$(G)_5$- F^1	338	TPO-mimetic
F^1-$(G)_5$-IEGPTLRQWLAARA	1032	TPO-mimetic
IEGPTLRQWLAARA -$(G)_5$- F^1	1033	TPO-mimetic
F^1-$(G)_5$-GGTYSCHFGPLTWVCKPQGG-$(G)_4$-GGTYSCHFGPLTWVCKPQGG	339	EPO-mimetic
GGTYSCHFGPLTWVCKPQGG-$(G)_4$-GGTYSCHFGPLTWVCKPQGG-$(G)_5$-F^1	340	EPO-mimetic
GGTYSCHFGPLTWVCKPQGG-$(G)_5$-F^1	1034	EPO-mimetic
F^1-$(G)_5$-DFLPHYKNTSLGHRP	1045	TNF-α inhibitor
DFLPHYKNTSLGHRP-$(G)_5$-F^1	1046	TNF-α inhibitor
F^1-$(G)_5$- FEWTPGYWQPYALPL	1047	IL-1 R antagonist
FEWTPGYWQPYALPL-$(G)_5$-F^1	1048	IL-1 R antagonist
F^1-$(G)_5$-VEPNCDIHVMWEWECFERL	1049	VEGF-antagonist
VEPNCDIHVMWEWECFERL-$(G)_5$-F^1	1050	VEGF-antagonist
F^1-$(G)_5$-CTTHWGFTLC	1051	MMP inhibitor
CTTHWGFTLC-$(G)_5$-F^1	1052	MMP inhibitor

"F^1" is an Fc domain as defined previously herein.

Working examples

The compounds described above may be prepared as described below. These examples comprise preferred embodiments of the invention and are illustrative rather than limiting.

Example 1

TPO-Mimetics

The following example uses peptides identified by the numbers appearing in Table A hereinafter.

Preparation of peptide 19. Peptide 17b (12 mg) and MeO-PEG-SH 5000 (30 mg, 2 equiv.) were dissolved in 1 ml aqueous buffer (pH 8). The mixture was incubated at RT for about 30 minutes and the reaction was checked by analytical HPLC, which showed a > 80% completion of the reaction. The pegylated material was isolated by preparative HPLC.

Preparation of peptide 20. Peptide 18 (14 mg) and MeO-PEG-maleimide (25 mg) were dissolved in about 1.5 ml aqueous buffer (pH 8). The mixture was incubated at RT for about 30 minutes, at which time about 70% transformation was complete as monitored with analytical HPLC by applying an aliquot of sample to the HPLC column. The pegylated material was purified by preparative HPLC.

Bioactivity assay. The TPO in vitro bioassay is a mitogenic assay utilizing an IL-3 dependent clone of murine 32D cells that have been transfected with human mpl receptor. This assay is described in greater detail in WO 95/26746. Cells are maintained in MEM medium containing 10% Fetal Clone II and 1 ng/ml mIL-3. Prior to sample addition, cells are prepared by rinsing twice with growth medium lacking mIL-3. An extended twelve point TPO standard curve is prepared, ranging from 33 to 39 pg/ml. Four dilutions, estimated to fall within the linear portion of the standard curve, (100 to 125 pg/ml), are prepared for each sample and run in triplicate. A volume of 100 µl of each dilution of sample or standard is added to appropriate wells of a 96 well microtiter plate

containing 10,000 cells/well. After forty-four hours at 37 °C and 10% CO_2, MTS (a tetrazolium compound which is bioreduced by cells to a formazan) is added to each well. Approximately six hours later, the optical density is read on a plate reader at 490 nm. A dose response curve (log TPO concentration vs. O.D.- Background) is generated and linear regression analysis of points which fall in the linear portion of the standard curve is performed. Concentrations of unknown test samples are determined using the resulting linear equation and a correction for the dilution factor.

TMP tandem repeats with polyglycine linkers. Our design of sequentially linked TMP repeats was based on the assumption that a dimeric form of TMP was required for its effective interaction with c-Mpl (the TPO receptor) and that depending on how they were wound up against each other in the receptor context, the two TMP molecules could be tethered together in the C- to N-terminus configuration in a way that would not perturb the global dimeric conformation. Clearly, the success of the design of tandem linked repeats depends on proper selection of the length and composition of the linker that joins the C- and N-termini of the two sequentially aligned TMP monomers. Since no structural information of the TMP bound to c-Mpl was available, a series of repeated peptides with linkers composed of 0 to 10 and 14 glycine residues (Table A) were synthesized. Glycine was chosen because of its simplicity and flexibility, based on the rationale that a flexible polyglycine peptide chain might allow for the free folding of the two tethered TMP repeats into the required conformation, while other amino acid sequences may adopt undesired secondary structures whose rigidity might disrupt the correct packing of the repeated peptide in the receptor context.

The resulting peptides are readily accessible by conventional solid phase peptide synthesis methods (Merrifield (1963), J. Amer. Chem. Soc. 85: 2149) with either Fmoc or t-Boc chemistry. Unlike the synthesis of the

C-terminally linked parallel dimer which required the use of an orthogonally protected lysine residue as the initial branch point to build the two peptide chains in a pseudosymmetrical way (Cwirla et al. (1997), Science 276: 1696-9), the synthesis of these tandem repeats was a straightforward, stepwise assembly of the continuous peptide chains from the C- to N-terminus. Since dimerization of TMP had a more dramatic effect on the proliferative activity than binding affinity as shown for the C-terminal dimer (Cwirla et al. (1997)), the synthetic peptides were tested directly for biological activity in a TPO-dependent cell-proliferation assay using an IL-3 dependent clone of murine 32D cells transfected with the full-length c-Mpl (Palacios et al.,. Cell 41:727 (1985)). As the test results showed, all the polyglycine linked tandem repeats demonstrated >1000 fold increases in potency as compared to the monomer, and were even more potent than the C-terminal dimer in this cell proliferation assay. The absolute activity of the C-terminal dimer in our assay was lower than that of the native TPO protein, which is different from the previously reported findings in which the C-terminal dimer was found to be as active as the natural ligand (Cwirla et al. (1997)). This might be due to differences in the conditions used in the two assays. Nevertheless, the difference in activity between tandem (C terminal of first monomer linked to N terminal of second monomer) and C-terminal (C terminal of first monomer linked to C terminal of second monomer; also referred to as parallel) dimers in the same assay clearly demonstrated the superiority of tandem repeat strategy over parallel peptide dimerization. It is interesting to note that a wide range of length is tolerated by the linker. The optimal linker between tandem peptides with the selected TMP monomers apparently is composed of 8 glycines.

Other tandem repeats. Subsequent to this first series of TMP tandem repeats, several other molecules were designed either with

different linkers or containing modifications within the monomer itself. The first of these molecules, peptide 13, has a linker composed of GPNG, a sequence known to have a high propensity to form a β-turn-type secondary structure. Although still about 100-fold more potent than the monomer, this peptide was found to be >10-fold less active than the equivalent GGGG-linked analog. Thus, introduction of a relatively rigid β-turn at the linker region seemed to have caused a slight distortion of the optimal agonist conformation in this short linker form.

The Trp9 in the TMP sequence is a highly conserved residue among the active peptides isolated from random peptide libraries. There is also a highly conserved Trp in the consensus sequences of EPO mimetic peptides and this Trp residue was found to be involved in the formation of a hydrophobic core between the two EMPs and contributed to hydrophobic interactions with the EPO receptor. Livnah et al. (1996), Science 273: 464-71). By analogy, the Trp9 residue in TMP might have a similar function in dimerization of the peptide ligand, and as an attempt to modulate and estimate the effects of noncovalent hydrophobic forces exerted by the two indole rings, several analogs were made resulting from mutations at the Trp. So in peptide 14, the Trp residue was replaced in each of the two TMP monomers with a Cys, and an intramolecular disulfide bond was formed between the two cysteines by oxidation which was envisioned to mimic the hydrophobic interactions between the two Trp residues in peptide dimerization. Peptide 15 is the reduced form of peptide 14. In peptide 16, the two Trp residues were replaced by Ala. As the assay data show, all three analogs were inactive. These data further demonstrated that Trp is critical for the activity of the TPO mimetic peptide, not just for dimer formation.

The next two peptides (peptide 17a, and 18) each contain in their 8-amino acid linker a Lys or Cys residue. These two compounds are

precursors to the two PEGylated peptides (peptide 19 and 20) in which the side chain of the Lys or Cys is modified by a PEG moiety. A PEG moiety was introduced at the middle of a relatively long linker, so that the large PEG component (5 kDa) is far enough away from the critical binding sites in the peptide molecule. PEG is a known biocompatible polymer which is increasingly used as a covalent modifier to improve the pharmacokinetic profiles of peptide- and protein-based therapeutics.

A modular, solution-based method was devised for convenient PEGylation of synthetic or recombinant peptides. The method is based on the now well established chemoselective ligation strategy which utilizes the specific reaction between a pair of mutually reactive functionalities. So, for pegylated peptide 19, the lysine side chain was preactivated with a bromoacetyl group to give peptide 17b to accommodate reaction with a thiol-derivatized PEG. To do that, an orthogonal protecting group, Dde, was employed for the protection of the lysine ε-amine. Once the whole peptide chain was assembled, the N-terminal amine was reprotected with t-Boc. Dde was then removed to allow for the bromoacetylation. This strategy gave a high quality crude peptide which was easily purified using conventional reverse phase HPLC. Ligation of the peptide with the thiol-modified PEG took place in aqueous buffer at pH 8 and the reaction completed within 30 minutes. MALDI-MS analysis of the purified, pegylated material revealed a characteristic, bell-shaped spectrum with an increment of 44 Da between the adjacent peaks. For PEG-peptide 20, a cysteine residue was placed in the linker region and its side chain thiol group would serve as an attachment site for a maleimide-containing PEG. Similar conditions were used for the pegylation of this peptide. As the assay data revealed, these two pegylated peptides had even higher in vitro bioactivity as compared to their unpegylated counterparts.

Peptide 21 has in its 8-amino acid linker a potential glycosylation motif, NGS. Since our exemplary tandem repeats are made up of natural amino acids linked by peptide bonds, expression of such a molecule in an appropriate eukaryotic cell system should produce a glycopeptide with the carbohydrate moiety added on the side chain carboxyamide of Asn. Glycosylation is a common post-translational modification process which can have many positive impacts on the biological activity of a given protein by increasing its aqueous solubility and in vivo stability. As the assay data show, incorporation of this glycosylation motif into the linker maintained high bioactivity. The synthetic precursor of the potential glycopeptide had in effect an activity comparable to that of the -$(G)_8$- linked analog. Once glycosylated, this peptide is expected to have the same order of activity as the pegylated peptides, because of the similar chemophysical properties exhibited by a PEG and a carbohydrate moiety.

The last peptide is a dimer of a tandem repeat. It was prepared by oxidizing peptide 18, which formed an intermolecular disulfide bond between the two cysteine residues located at the linker. This peptide was designed to address the possibility that TMP was active as a tetramer. The assay data showed that this peptide was not more active than an average tandem repeat on an adjusted molar basis, which indirectly supports the idea that the active form of TMP is indeed a dimer, otherwise dimerization of a tandem repeat would have a further impact on the bioactivity.

In order to confirm the in vitro data in animals, one pegylated TMP tandem repeat (compound 20 in Table A) was delivered subcutaneously to normal mice via osmotic pumps. Time and dose-dependent increases were seen in platelet numbers for the duration of treatment. Peak platelet levels over 4-fold baseline were seen on day 8. A dose of 10 μg/kg/day of the pegylated TMP repeat produced a similar response to rHuMGDF (non-pegylated) at 100 μg/kg/day delivered by the same route.

Table A—TPO-mimetic Peptides

Peptide No.	Compound	SEQ ID NO:	Relative Potency
	TPO		++++
	TMP monomer	13	+
	TMP C-C dimer		+++-
TMP-$(G)_n$-TMP:			
1	n = 0	341	++++-
2	n = 1	342	++++
3	n = 2	343	++++
4	n = 3	344	++++
5	n = 4	345	++++
6	n = 5	346	++++
7	n = 6	347	++++
8	n = 7	348	++++
9	n = 8	349	++++-
10	n = 9	350	++++
11	n = 10	351	++++
12	n = 14	352	++++
13	TMP-GPNG-TMP	353	+++
14	IEGPTLRQCLAARA-GGGGGGGG-IEGPTLRQCLAARA (cyclic)	354	-
15	IEGPTLRQCLAARA-GGGGGGGG-IEGPTLRQCLAARA (linear)	355	-
16	IEGPTLRQALAARA-GGGGGGGG-IEGPTLRQALAARA	356	-
17a	TMP-GGGKGGGG-TMP	357	++++
17b	TMP-GGGK(BrAc)GGGG-TMP	358	ND
18	TMP-GGGCGGGG-TMP	359	++++
19	TMP-GGGK(PEG)GGGG-TMP	360	+++++
20	TMP-GGGC(PEG)GGGG-TMP	361	+++++
21	TMP-GGGN*GSGG-TMP	362	++++
22	TMP-GGGCGGGG-TMP | TMP-GGGCGGGG-TMP	363	++++

Discussion. It is well accepted that MGDF acts in a way similar to hGH, i.e., one molecule of the protein ligand binds two molecules of the receptor for its activation. Wells et al.(1996), Ann. Rev. Biochem. 65: 609-34. Now, this interaction is mimicked by the action of a much smaller peptide, TMP. However, the present studies suggest that this mimicry requires the concerted action of two TMP molecules, as covalent dimerization of TMP in either a C-C parallel or C-N sequential fashion increased the in vitro biological potency of the original monomer by a factor of greater than 10^3. The relatively low biopotency of the monomer is probably due to inefficient formation of the noncovalent dimer. A preformed covalent repeat has the ability to eliminate the entropy barrier for the formation of a noncovalent dimer which is exclusively driven by weak, noncovalent interactions between two molecules of the small, 14-residue peptide.

It is intriguing that this tandem repeat approach had a similar effect on enhancing bioactivity as the reported C-C dimerization is intriguing. These two strategies brought about two very different molecular configurations. The C-C dimer is a quasi-symmetrical molecule, while the tandem repeats have no such symmetry in their linear structures. Despite this difference in their primary structures, these two types of molecules appeared able to fold effectively into a similar biologically active conformation and cause the dimerization and activation of c-Mpl. These experimental observations provide a number of insights into how the two TMP molecules may interact with one another in binding to c-Mpl. First, the two C-termini of the two bound TMP molecules must be in relatively close proximity with each other, as suggested by data on the C-terminal dimer. Second, the respective N- and C-termini of the two TMP molecules in the receptor complex must also be very closely aligned with each other, such that they can be directly tethered together with a single peptide bond

to realize the near maximum activity-enhancing effect brought about by the tandem repeat strategy. Insertion of one or more (up to 14) glycine residues at the junction did not increase (or decrease) significantly the activity any further. This may be due to the fact that a flexible polyglycine peptide chain is able to loop out easily from the junction without causing any significant changes in the overall conformation. This flexibility seems to provide the freedom of orientation for the TMP peptide chains to fold into the required conformation in interacting with the receptor and validate it as a site of modification. Indirect evidence supporting this came from the study on peptide 13, in which a much more rigid b-turn-forming sequence as the linker apparently forced a deviation of the backbone alignment around the linker which might have resulted in a slight distortion of the optimal conformation, thus resulting in a moderate (10-fold) decrease in activity as compared with the analogous compound with a 4-Gly linker. Third, Trp9 in TMP plays a similar role as Trp13 in EMP, which is involved not only in peptide:peptide interaction for the formation of dimers but also is important for contributing hydrophobic forces in peptide:receptor interaction. Results obtained with the W to C mutant analog, peptide 14, suggest that a covalent disulfide linkage is not sufficient to approximate the hydrophobic interactions provided by the Trp pair and that, being a short linkage, it might bring the two TMP monomers too close, therefore perturbing the overall conformation of the optimal dimeric structure.

An analysis of the possible secondary structure of the TMP peptide can provide further understanding on the interaction between TMP and c-Mpl. This can be facilitated by making reference to the reported structure of the EPO mimetic peptide. Livnah et al. (1996), Science 273:464-75 The receptor-bound EMP has a b-hairpin structure with a b-turn formed by the highly consensus Gly-Pro-Leu-Thr at the center of its sequence. Instead of

GPLT, TMP has a highly selected GPTL sequence which is likely to form a similar turn. However, this turn-like motif is located near the N-terminal part in TMP. Secondary structure prediction using Chau-Fasman method suggests that the C-terminal half of the peptide has a tendency to adopt a helical conformation. Together with the highly conserved Trp at position 9, this C-terminal helix may contribute to the stabilization of the dimeric structure. It is interesting to note that most of our tandem repeats are more potent than the C-terminal parallel dimer. Tandem repeats seem to give the molecule a better fit conformation than does the C-C parallel dimerization. The seemingly asymmetric feature of a tandem repeat might have brought it closer to the natural ligand which, as an asymmetric molecule, uses two different sites to bind two identical receptor molecules.

Introduction of a PEG moiety was envisaged to enhance the in vivo activity of the modified peptide by providing it a protection against proteolytic degradation and by slowing down its clearance through renal filtration. It was unexpected that pegylation could further increase the in vitro bioactivity of a tandem repeated TMP peptide in the cell-based proliferation assay.

Example 2

Fc-TMP fusions

TMPs (and EMPs as described in Example 3) were expressed in either monomeric or dimeric form as either N-terminal or C-terminal fusions to the Fc region of human IgG1. In all cases, the expression construct utilized the luxPR promoter promoter in the plasmid expression vector pAMG21.

Fc-TMP. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a monomer of the TPO-mimetic peptide was constructed using standard PCR technology. Templates for PCR reactions were the pFc-A3 vector and a synthetic TMP gene. The synthetic gene was

constructed from the 3 overlapping oligonucleotides (SEQ ID NOS: 364, 365, and 366, respectively) shown below:

```
1842-97      AAA AAA GGA TCC TCG AGA TTA AGC ACG AGC AGC CAG CCA
             CTG ACG CAG AGT CGG ACC

1842-98      AAA GGT GGA GGT GGT GGT ATC GAA GGT CCG ACT CTG CGT

1842-99      CAG TGG CTG GCT GCT CGT GCT TAA TCT CGA GGA TCC TTT
             TTT
```

These oligonucleotides were annealed to form the duplex encoding an amino acid sequence (SEQ ID NOS: 367 and 368, respectively) shown below:

```
         AAAGGTGGAGGTGGTGGTATCGAAGGTCCGACTCTGCGTCAGTGGCTGGCTGCTCGTGCT
      1 ---------+---------+---------+---------+---------+---------+ 60
                                      CCAGGCTGAGACGCAGTCACCGACCGACGAGCACGA
a        K  G  G  G  G  G  I  E  G  P  T  L  R  Q  W  L  A  A  R  A*  -

         TAATCTCGAGGATCCTTTTTT
      61 ---------+---------+- 81
         ATTAGAGCTCCTAGGAAAAAA
a        *
```

This duplex was amplified in a PCR reaction using 1842-98 and 1842-97 as the sense and antisense primers.

The Fc portion of the molecule was generated in a PCR reaction with pFc-A3 using the primers shown below (SEQ ID NOS: 369 and 370):

```
1216-52      AAC ATA AGT ACC TGT AGG ATC G

1830-51      TTCGATACCA CCACCTCCAC CTTTACCCGG AGACAGGGAG AGGCTCTTCTGC
```

The oligonucleotides 1830-51 and 1842-98 contain an overlap of 24 nucleotides, allowing the two genes to be fused together in the correct reading frame by combining the above PCR products in a third reaction using the outside primers, 1216-52 and 1842-97.

The final PCR gene product (the full length fusion gene) was digested with restriction endonucleases XbaI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to produce the recombinant protein product and to possess the

gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #3728.

The nucleotide and amino acid sequences (SEQ ID NOS: 5 and 6) of the fusion protein are shown in Figure 7.

Fc-TMP-TMP. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a dimer of the TPO-mimetic peptide was constructed using standard PCR technology. Templates for PCR reactions were the pFc-A3 vector and a synthetic TMP-TMP gene. The synthetic gene was constructed from the 4 overlapping oligonucleotides (SEQ ID NOS: 371 to 374, respectively) shown below:

```
1830-52     AAA GGT GGA GGT GGT GGT ATC GAA GGT CCG
            ACT CTG CGT CAG TGG CTG GCT GCT CGT GCT

1830-53     ACC TCC ACC ACC AGC ACG AGC AGC CAG
            CCA CTG ACG CAG AGT CGG ACC

1830-54     GGT GGT GGA GGT GGC GGC GGA GGT ATT GAG GGC CCA ACC
            CTT CGC CAA TGG CTT GCA GCA CGC GCA

1830-55     AAA AAA AGG ATC CTC GAG ATT ATG CGC GTG CTG CAA GCC
            ATT GGC GAA GGG TTG GGC CCT CAA TAC CTC CGC CGC C
```

The 4 oligonucleotides were annealed to form the duplex encoding an amino acid sequence (SEQ ID NOS: 375 and 376, respectively) shown below:

```
          AAAGGTGGAGGTGGTGGTATCGAAGGTCCGACTCTGCGTCAGTGGCTGGCTGCTCGTGCT
        1 ---------+---------+---------+---------+---------+---------+ 60
                                        CCAGGCTGAGACGCAGTCACCGACCGACGAGCACGA
a         K  G  G  G  G  G  I  E  G  P  T  L  R  Q  W  L  A  A  R  A   -
          GGTGGTGGAGGTGGCGGCGGAGGTATTGAGGGCCCAACCCTTCGCCAATGGCTTGCAGCA
       61 ---------+---------+---------+---------+---------+---------+ 120
          CCACCACCTCCACCGCCGCCTCCATAACTCCCGGGTTGGGAAGCGGTTACCGAACGTCGT
a         G  G  G  G  G  G  G  G  I  E  G  P  T  L  R  Q  W  L  A  A   -
          CGCGCA
      121 ------------------------------148
          GCGCGTATTAGAGCTCCTAGGAAAAAAA

a         R  A  *-
```

This duplex was amplified in a PCR reaction using 1830-52 and 1830-55 as the sense and antisense primers.

The Fc portion of the molecule was generated in a PCR reaction with pFc-A3 using the primers 1216-52 and 1830-51 as described above for

Fc-TMP. The full length fusion gene was obtained from a third PCR reaction using the outside primers 1216-52 and 1830-55.

The final PCR gene product (the full length fusion gene) was digested with restriction endonucleases XbaI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described in example 1. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #3727.

The nucleotide and amino acid sequences (SEQ ID NOS: 7 and 8) of the fusion protein are shown in Figure 8.

TMP-TMP-Fc. A DNA sequence coding for a tandem repeat of the TPO-mimetic peptide fused in-frame to the Fc region of human IgG1 was constructed using standard PCR technology. Templates for PCR reactions were the EMP-Fc plasmid from strain #3688 (see Example 3) and a synthetic gene encoding the TMP dimer. The synthetic gene for the tandem repeat was constructed from the 7 overlapping oligonucleotides shown below (SEQ ID NOS: 377 to 383, respectively):

1885-52	TTT TTT CAT ATG ATC GAA GGT CCG ACT CTG CGT CAG TGG
1885-53	AGC ACG AGC AGC CAG CCA CTG ACG CAG AGT CGG ACC TTC GAT CAT ATG
1885-54	CTG GCT GCT CGT GCT GGT GGA GGC GGT GGG GAC AAA ACT CAC ACA
1885-55	CTG GCT GCT CGT GCT GGC GGT GGT GGC GGA GGG GGT GGC ATT GAG GGC CCA
1885-56	AAG CCA TTG GCG AAG GGT TGG GCC CTC AAT GCC ACC CCC TCC GCC ACC ACC GCC
1885-57	ACC CTT CGC CAA TGG CTT GCA GCA CGC GCA GGG GGA GGC GGT GGG GAC AAA ACT
1885-58	CCC ACC GCC TCC CCC TGC GCG TGC TGC

These oligonucleotides were annealed to form the duplex shown encoding an amino acid sequence shown below (SEQ ID NOS 384 and 385):

```
                TTTTTTCATATGATCGAAGGTCCGACTCTGCGTCAGTGGCTGGCTGCTCGTGCTGGCGGT
              1 ---------+---------+---------+---------+---------+---------+ 60
                      GTATACTAGCTTCCAGGCTGAGACGCAGTCACCGACCGACGAGCACGACCGCCA
    a                     M  I  E  G  P  T  L  R  Q  W  L  A  A  R  A  G  G   -
5
                GGTGGCGGAGGGGGTGGCATTGAGGGCCCAACCCTTCGCCAATGGCTGGCTGCTCGTGCT
             61 ---------+---------+---------+---------+---------+---------+ 120
                CCACCGCCTCCCCCACCGTAACTCCCGGGTTGGGAAGCGGTTACCGAACGTCGTGCGCGT
    a           G  G  G  G  G  G  I  E  G  P  T  L  R  Q  W  L  A  A  R  A   -
10
                GGTGGAGGCGGTGGGGACAAAACTCTGGCTGCTCGTGCTGGTGGAGGCGGTGGGGACAAA
            121 ---------+---------+---------+---------+---------+---------+ 180
                CCCCCTCCGCCACCC
    a           G  G  G  G  G  D  K  T  L  A  A  R  A  G  G  G  G  G  D  K   -
15
                ACTCACACA
            181 --------- 189

    a           T  H  T   -
20
```

This duplex was amplified in a PCR reaction using 1885-52 and 1885-58 as the sense and antisense primers.

The Fc portion of the molecule was generated in a PCR reaction with DNA from the EMP-Fc fusion strain #3688 (see Example 3) using the primers 1885-54 and 1200-54. The full length fusion gene was obtained from a third PCR reaction using the outside primers 1885-52 and 1200-54.

The final PCR gene product (the full length fusion gene) was digested with restriction endonucleases XbaI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for Fc-EMP herein. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #3798.

The nucelotide and amino acid sequences (SEQ ID NOS: 9 and 10) of the fusion protein are shown in Figure 9.

TMP-Fc. A DNA sequence coding for a monomer of the TPO-mimetic peptide fused in-frame to the Fc region of human IgG1 was obtained fortuitously in the ligation in TMP-TMP-Fc, presumably due to the ability of primer 1885-54 to anneal to 1885-53 as well as to 1885-58. A single clone having the correct nucleotide sequence for the TMP-Fc construct was selected and designated Amgen strain #3788.

The nucleotide and amino acid sequences (SEQ ID NOS: 11 and 12) of the fusion protein are shown in Figure 10.

Expression in E. coli. Cultures of each of the pAMG21-Fc-fusion constructs in E. coli GM221 were grown at 37 °C in Luria Broth medium containing 50 mg/ml kanamycin. Induction of gene product expression from the luxPR promoter was achieved following the addition of the synthetic autoinducer N-(3-oxohexanoyl)-DL-homoserine lactone to the culture media to a final concentration of 20 ng/ml. Cultures were incubated at 37 °C for a further 3 hours. After 3 hours, the bacterial cultures were examined by microscopy for the presence of inclusion bodies and were then collected by centrifugation. Refractile inclusion bodies were observed in induced cultures indicating that the Fc-fusions were most likely produced in the insoluble fraction in E. coli. Cell pellets were lysed directly by resuspension in Laemmli sample buffer containing 10% b-mercaptoethanol and were analyzed by SDS-PAGE. In each case, an intense coomassie-stained band of the appropriate molecular weight was observed on an SDS-PAGE gel.

pAMG21. The expression plasmid pAMG21 can be derived from the Amgen expression vector pCFM1656 (ATCC #69576) which in turn be derived from the Amgen expression vector system described in US Patent No. 4,710,473. The pCFM1656 plasmid can be derived from the described pCFM836 plasmid (Patent No. 4,710,473) by:

(a) destroying the two endogenous NdeI restriction sites by end filling with T4 polymerase enzyme followed by blunt end ligation;

(b) replacing the DNA sequence between the unique AatII and ClaI restriction sites containing the synthetic P_L promoter with a similar fragment obtained from pCFM636 (patent No. 4,710,473) containing the PL promoter (see SEQ ID NO: 386 below); and

(c) substituting the small DNA sequence between the unique ClaI and KpnI restriction sites with the oligonucleotide having the sequence of SEQ ID NO: 388.

SEQ ID NO: 386:

```
     AatII
     5' CTAATTCCGCTCTCACCTACCAAACAATGCCCCCCTGCAAAAAATAAATTCATAT-
     3' TGCAGATTAAGGCGAGAGTGGATGGTTTGTTACGGGGGGACGTTTTTTATTTAAGTATA-

        -AAAAAACATACAGATAACCATCTGCGGTGATAAATTATCTCTGGCGGTGTTGACATAAA-
        -TTTTTTGTATGTCTATTGGTAGACGCCACTATTTAATAGAGACCGCCACAACTGTATTT-

        -TACCACTGGCGGTGATACTGAGCACAT     3'
        -ATGGTGACCGCCACTATGACTCGTGTAGC   5'
                                 ClaI
```

SEQ ID NO: 387:

```
5' CGATTTGATTCTAGAAGGAGGAATAACATATGGTTAACGCGTTGGAATTCGGTAC  3'
3'   TAAACTAAGATCTTCCTCCTTATTGTATACCAATTGCGCAACCTTAAGC      5'
   ClaI                                                KpnI
```

The expression plasmid pAMG21 can then be derived from pCFM1656 by making a series of site-directed base changes by PCR overlapping oligo mutagenesis and DNA sequence substitutions. Starting with the BglII site (plasmid bp # 180) immediately 5' to the plasmid replication promoter P_{copB} and proceeding toward the plasmid replication genes, the base pair changes are as shown in Table B below.

Table B—Base pair changes resulting in pAMG21

pAMG21 bp #	bp in pCFM1656	bp changed to in pAMG21
# 204	T/A	C/G
# 428	A/T	G/C
# 509	G/C	A/T
# 617	- -	insert two G/C bp
# 679	G/C	T/A
# 980	T/A	C/G
# 994	G/C	A/T
# 1004	A/T	C/G
# 1007	C/G	T/A
# 1028	A/T	T/A
# 1047	C/G	T/A
# 1178	G/C	T/A
# 1466	G/C	T/A
# 2028	G/C	bp deletion
# 2187	C/G	T/A
# 2480	A/T	T/A
# 2499-2502	AGTG TCAC	GTCA CAGT
# 2642	TCCGAGC AGGCTCG	7 bp deletion
# 3435	G/C	A/T
# 3446	G/C	A/T
# 3643	A/T	T/A

The DNA sequence between the unique AatII (position #4364 in pCFM1656) and SacII (position #4585 in pCFM1656) restriction sites is substituted with the DNA sequence (SEQ ID NO: 23) shown in Figures 17A and 17B. During the ligation of the sticky ends of this substitution DNA sequence, the outside AatII and SacII sites are destroyed. There are unique AatII and SacII sites in the substituted DNA.

GM221 (Amgen #2596). The Amgen host strain #2596 is an E.coli K-12 strain derived from Amgen strain #393. It has been modified to contain both the temperature sensitive lambda repressor cI857s7 in the early ebg region and the $lacI^Q$ repressor in the late ebg region (68 minutes). The presence of these two repressor genes allows the use of this host with a variety of expression systems, however both of these repressors are irrelevant to the expression from $luxP_R$. The untransformed host has no antibiotic resistances.

The ribosome binding site of the cI857s7 gene has been modified to include an enhanced RBS. It has been inserted into the ebg operon between nucleotide position 1170 and 1411 as numbered in Genbank accession number M64441Gb_Ba with deletion of the intervening ebg sequence. The sequence of the insert is shown below with lower case letters representing the ebg sequences flanking the insert shown below (SEQ ID NO: 388):

```
ttattttcgtGCGGCCGCACCATTATCACCGCCAGAGGTAAACTAGTCAACACGCACGGTGTTAGATATTTAT
CCCTTGCGGTGATAGATTGAGCACATCGATTTGATTCTAGAAGGAGGGATAATATATGAGCACAAAAAAGAAA
CCATTAACACAAGAGCAGCTTGAGGACGCACGTCGCCTTAAAGCAATTTATGAAAAAAAGAAAAATGAACTTG
GCTTATCCCAGGAATCTGTCGCAGACAAGATGGGGATGGGGCAGTCAGGCGTTGGTGCTTTATTTAATGGCAT
CAATGCATTAAATGCTTATAACGCCGCATTGCTTACAAAAATTCTCAAAGTTAGCGTTGAAGAATTTAGCCCT
TCAATCGCCAGAGAATCTACGAGATGTATGAAGCGGTTAGTATGCAGCCGTCACTTAGAAGTGAGTATGAGTA
CCCTGTTTTTTCTCATGTTCAGGCAGGGATGTTCTCACCTAAGCTTAGAACCTTTACCAAAGGTGATGCGGAG
AGATGGGTAAGCACAACCAAAAAAGCCAGTGATTCTGCATTCTGGCTTGAGGTTGAAGGTAATTCCATGACCG
CACCAACAGGCTCCAAGCCAAGCTTTCCTGACGGAATGTTAATTCTCGTTGACCCTGAGCAGGCTGTTGAGCC
AGGTGATTTCTGCATAGCCAGACTTGGGGGTGATGAGTTTACCTTCAAGAAACTGATCAGGGATAGCGGTCAG
GTGTTTTTACAACCACTAAACCCACAGTACCCAATGATCCCATGCAATGAGAGTTGTTCCGTTGTGGGGAAAG
TTATCGCTAGTCAGTGGCCTGAAGAGACGTTTGGCTGATAGACTAGTGGATCCACTAGTgtttctgccc
```

The construct was delivered to the chromosome using a recombinant phage called MMebg-cI857s7enhanced RBS #4 into F'tet/393. After recombination and resolution only the chromosomal insert described

above remains in the cell. It was renamed F'tet/GM101. F'tet/GM101 was then modified by the delivery of a lacI^{Q} construct into the ebg operon between nucleotide position 2493 and 2937 as numbered in the Genbank accession number M64441Gb_Ba with the deletion of the intervening ebg sequence. The sequence of the insert is shown below with the lower case letters representing the ebg sequences flanking the insert (SEQ ID NO: 389) shown below:

```
ggcggaaaccGACGTCCATCGAATGGTGCAAAACCTTTCGCGGTATGGCATGATAGCGCCCGGAAGAGAGTCA
ATTCAGGGTGGTGAATGTGAAACCAGTAACGTTATACGATGTCGCAGAGTATGCCGGTGTCTCTTATCAGACC
GTTTCCCGCGTGGTGAACCAGGCCAGCCACGTTTCTGCGAAAACGCGGGAAAAAGTCGAAGCGGCGATGGCGG
AGCTGAATTACATTCCCAACCGCGTGGCACAACAACTGGCGGGCAAACAGTCGCTCCTGATTGGCGTTGCCAC
CTCCAGTCTGGCCCTGCACGCGCCGTCGCAAATTGTCGCGGCGATTAAATCTCGCGCCGATCAACTGGGTGCC
AGCGTGGTGGTGTCGATGGTAGAACGAAGCGGCGTCGAAGCCTGTAAAGCGGCGGTGCACAATCTTCTCGCGC
AACGCGTCAGTGGGCTGATCATTAACTATCCGCTGGATGACCAGGATGCCATTGCTGTGGAAGCTGCCTGCAC
TAATGTTCCGGCGTTATTTCTTGATGTCTCTGACCAGACACCCATCAACAGTATTATTTTCTCCCATGAAGAC
GGTACGCGACTGGGCGTGGAGCATCTGGTCGCATTGGGTCACCAGCAAATCGCGCTGTTAGCGGGCCCATTAA
GTTCTGTCTCGGCGCGTCTGCGTCTGGCTGGCTGGCATAAATATCTCACTCGCAATCAAATTCAGCCGATAGC
GGAACGGGAAGGCGACTGGAGTGCCATGTCCGGTTTTCAACAAACCATGCAAATGCTGAATGAGGGCATCGTT
CCCACTGCGATGCTGGTTGCCAACGATCAGATGGCGCTGGGCGCAATGCGCGCCATTACCGAGTCCGGGCTGC
GCGTTGGTGCGGATATCTCGGTAGTGGGATACGACGATACCGAAGACAGCTCATGTTATATCCCGCCGTTAAC
CACCATCAAACAGGATTTTCGCCTGCTGGGGCAAACCAGCGTGGACCGCTTGCTGCAACTCTCTCAGGGCCAG
GCGGTGAAGGGCAATCAGCTGTTGCCCGTCTCACTGGTGAAAAGAAAAACCACCCTGGCGCCCAATACGCAAA
CCGCCTCTCCCCGCGCGTTGGCCGATTCATTAATGCAGCTGGCACGACAGGTTTCCCGACTGGAAAGCGGACA
GTAAGGTACCATAGGATCCaggcacagga
```

The construct was delivered to the chromosome using a recombinant phage called AGebg-LacIQ#5 into F'tet/GM101. After recombination and resolution only the chromosomal insert described above remains in the cell. It was renamed F'tet/GM221. The F'tet episome was cured from the strain using acridine orange at a concentration of 25 μg/ml in LB. The cured strain was identified as tetracyline sensitive and was stored as GM221.

Expression. Cultures of pAMG21-Fc-TMP-TMP in *E. coli* GM221 in Luria Broth medium containing 50 μg/ml kanamycin were incubated at 37°C prior to induction. Induction of Fc-TMP-TMP gene product expression from the luxPR promoter was achieved following the addition of the synthetic autoinducer N-(3-oxohexanoyl)-DL-homoserine lactone to the culture media to a final concentration of 20 ng/ml and cultures were incubated at 37°C for a further 3 hours. After 3 hours, the bacterial

cultures were examined by microscopy for the presence of inclusion bodies and were then collected by centrifugation. Refractile inclusion bodies were observed in induced cultures indicating that the Fc-TMP-TMP was most likely produced in the insoluble fraction in *E. coli*. Cell pellets were lysed directly by resuspension in Laemmli sample buffer containing 10% •-mercaptoethanol and were analyzed by SDS-PAGE. An intense Coomassie stained band of approximately 30kDa was observed on an SDS-PAGE gel. The expected gene product would be 269 amino acids in length and have an expected molecular weight of about 29.5 kDa. Fermentation was also carried out under standard batch conditions at the 10 L scale, resulting in similar expression levels of the Fc-TMP-TMP to those obtained at bench scale.

Purification of Fc-TMP-TMP. Cells are broken in water (1/10) by high pressure homogenization (2 passes at 14,000 PSI) and inclusion bodies are harvested by centrifugation (4200 RPM in J-6B for 1 hour). Inclusion bodies are solubilized in 6M guanidine, 50mM Tris, 8mM DTT, pH 8.7 for 1 hour at a 1/10 ratio. The solubilized mixture is diluted 20 times into 2M urea, 50 mM tris, 160mM arginine, 3mM cysteine, pH 8.5. The mixture is stirred overnight in the cold and then concentrated about 10 fold by ultafiltration. It is then diluted 3 fold with 10mM Tris, 1.5M urea, pH 9. The pH of this mixture is then adjusted to pH 5 with acetic acid. The precipitate is removed by centrifugation and the supernatant is loaded onto a SP-Sepharose Fast Flow column equilibrated in 20mM NaAc, 100 mM NaCl, pH 5(10mg/ml protein load, room temperature). The protein is eluted off using a 20 column volume gradient in the same buffer ranging from 100mM NaCl to 500mM NaCl. The pool from the column is diluted 3 fold and loaded onto a SP-Sepharose HP column in 20 mM NaAc, 150 mM NaCl, pH 5(10 mg/ml protein load, room temperature). The protein is eluted off using a 20 column volume gradient

in the same buffer ranging from 150 mM NaCl to 400 mM NaCl. The peak is pooled and filtered.

Characterization of Fc-TMP activity. The following is a summary of in vivo data in mice with various compounds of this invention.

Mice: Normal female BDF1 approximately 10-12 weeks of age.

Bleed schedule: Ten mice per group treated on day 0, two groups started 4 days apart for a total of 20 mice per group. Five mice bled at each time point, mice were bled a minimum of three times a week. Mice were anesthetized with isoflurane and a total volume of 140-160 µl of blood was obtained by puncture of the orbital sinus. Blood was counted on a Technicon H1E blood analyzer running software for murine blood. Parameters measured were white blood cells, red blood cells, hematocrit, hemoglobin, platelets, neutrophils.

Treatments: Mice were either injected subcutaneously for a bolus treatment or implanted with 7-day micro-osmotic pumps for continuous delivery. Subcutaneous injections were delivered in a volume of 0.2 ml. Osmotic pumps were inserted into a subcutaneous incision made in the skin between the scapulae of anesthetized mice. Compounds were diluted in PBS with 0.1% BSA. All experiments included one control group, labeled "carrier" that were treated with this diluent only. The concentration of the test articles in the pumps was adjusted so that the calibrated flow rate from the pumps gave the treatment levels indicated in the graphs.

Compounds: A dose titration of the compound was delivered to mice in 7 day micro-osmotic pumps. Mice were treated with various compounds at a single dose of 100 µg/kg in 7 day osmotic pumps. Some of the same compounds were then given to mice as a single bolus injection.

Activity test results: The results of the activity experiments are shown in Figures 11 and 12. In dose response assays using 7-day micro-

osmotic pumps, the maximum effect was seen with the compound of SEQ ID NO: 18 was at 100 μg/kg/day; the 10 μg/kg/day dose was about 50% maximally active and 1 μg/kg/day was the lowest dose at which activity could be seen in this assay system. The compound at 10 μg/kg/day dose was about equally active as 100 μg/kg/day unpegylated rHu-MGDF in the same experiment.

Example 3

Fc-EMP fusions

Fc-EMP. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a monomer of the EPO-mimetic peptide was constructed using standard PCR technology. Templates for PCR reactions were a vector containing the Fc sequence (pFc-A3, described in International application WO 97/23614, published July 3, 1997) and a synthetic gene encoding EPO monomer. The synthetic gene for the monomer was constructed from the 4 overlapping oligonucleotides (SEQ ID NOS: 390 to 393, respectively) shown below:

```
1798-2 TAT GAA AGG TGG AGG TGG TGG TGG AGG TAC TTA CTC TTG
       CCA CTT CGG CCC GCT GAC TTG G

1798-3 CGG TTT GCA AAC CCA AGT CAG CGG GCC GAA GTG GCA AGA
       GTA AGT ACC TCC ACC ACC ACC TCC ACC TTT CAT

1798-4 GTT TGC AAA CCG CAG GGT GGC GGC GGC GGC GGC GGT GGT
       ACC TAT TCC TGT CAT TTT

1798-5 CCA GGT CAG CGG GCC AAA ATG ACA GGA ATA GGT ACC ACC
       GCC GCC GCC GCC GCC ACC CTG
```

The 4 oligonucleotides were annealed to form the duplex encoding an amino acid sequence (SEQ ID NOS: 394 and 395, respectively) shown below:

```
   TATGAAAGGTGGAGGTGGTGGTGGAGGTACTTACTCTTGCCACTTCGGCCCGCTGACTTG
 1 ---------+---------+---------+---------+---------+---------+---------+ 60
   TACTTTCCACCTCCACCACCACCTCCATGAATGAGAACGGTGAAGCCGGGCGACTGAAC
b   M  K  G  G  G  G  G  G  G  T  Y  S  C  H  F  G  P  L  T  W  -

   GGTTTGCAAACCGCAGGGTGGCGGCGGCGGCGGCGGTGGTACCTATTCCTGTCATTTT
61 ---------+---------+---------+---------+---------+---------+---------+--- 133
   CCAAACGTTTGGCGTCCCACCGCCGCCGCCGCCGCCACCATGGATAAGGACAGTAAAACCGGGCGACTGGACC
b   V  C  K  P  Q  G  G  G  G  G  G  G  G  T  Y  S  C  H  F  -
```

This duplex was amplified in a PCR reaction using

```
1798-18    GCA GAA GAG CCT CTC CCT GTC TCC GGG TAA
           AGG TGG AGG TGG TGG TGG AGG TAC TTA
           CTC T
```

and

```
1798-19    CTA ATT GGA TCC ACG AGA TTA ACC ACC
           CTG CGG TTT GCA A
```

as the sense and antisense primers (SEQ ID NOS: 396 and 397, respectively).

The Fc portion of the molecule was generated in a PCR reaction with pFc-A3 using the primers

1216-52	AAC ATA AGT ACC TGT AGG ATC G
1798-17	AGA GTA AGT ACC TCC ACC ACC ACC TCC ACC TTT ACC CGG AGA CAG GGA GAG GCT CTT CTG C

which are SEQ ID NOS: 398 and 399, respectively. The oligonucleotides 1798-17 and 1798-18 contain an overlap of 61 nucleotides, allowing the two genes to be fused together in the correct reading frame by combining the above PCR products in a third reaction using the outside primers, 1216-52 and 1798-19.

The final PCR gene product (the full length fusion gene) was digested with restriction endonucleases XbaI and BamHI, and then ligated into the vector pAMG21 (described below), also digested with XbaI and BamHI. Ligated DNA was transformed into competent host cells of E. coli strain 2596 (GM221, described herein). Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #3718.

The nucleotide and amino acid sequence of the resulting fusion protein (SEQ ID NOS: 15 and 16) are shown in Figure 13.

EMP-Fc. A DNA sequence coding for a monomer of the EPO-mimetic peptide fused in-frame to the Fc region of human IgG1 was constructed using standard PCR technology. Templates for PCR reactions were the pFC-A3a vector and a synthetic gene encoding EPO monomer. The synthetic gene for the monomer was constructed from the 4 overlapping oligonucleotides 1798-4 and 1798-5 (above) and 1798-6 and 1798-7 (SEQ ID NOS: 400 and 401, respectively) shown below:

1798-6 GGC CCG CTG ACC TGG GTA TGT AAG CCA CAA GGG GGT GGG
GGA GGC GGG GGG TAA TCT CGA G

1798-7 GAT CCT CGA GAT TAC CCC CCG CCT CCC CCA CCC CCT TGT
GGC TTA CAT AC

The 4 oligonucleotides were annealed to form the duplex encoding an amino acid sequence (SEQ ID NOS: 402 and 403, respectively) shown below:

```
                GTTTGCAAACCGCAGGGTGGCGGCGGCGGCGGCGGTGGTACCTATTCCTGTCATTTTGGC
             1 ---------+---------+---------+---------+---------+---------+ 60
                        GTCCCACCGCCGCCGCCGCCGCCACCATGGATAAGGACAGTAAAACCG
15  A           V  C  K  P  Q  G  G  G  G  G  G  G  G  T  Y  S  C  H  F  G   -
                CCGCTGACCTGGGTATGTAAGCCACAAGGGGGTGGGGGAGGCGGGGGGTAATCTCGAG
            61 ---------+---------+---------+---------+---------+---------+- 122
                GGCGACTGGACCCATACATTCGGTGTTCCCCCACCCCCTCCGCCCCCCATTAGAGCTCCTAG
20  A           P  L  T  W  V  C  K  P  Q  G  G  G  G  G  G  G  *
```

This duplex was amplified in a PCR reaction using

1798-21 TTA TTT CAT ATG AAA GGT GGT AAC TAT TCC TGT CAT TTT

and

1798-22 TGG ACA TGT GTG AGT TTT GTC CCC CCC GCC TCC CCC ACC
CCC T

as the sense and antisense primers (SEQ ID NOS: 404 and 405, respectively).

The Fc portion of the molecule was generated in a PCR reaction with pFc-A3 using the primers

1798-23 AGG GGG TGG GGG AGG CGG GGG GGA CAA AAC TCA CAC ATG
TCC A

and

1200-54 GTT ATT GCT CAG CGG TGG CA

which are SEQ ID NOS: 406 and 407, respectively. The oligonucleotides 1798-22 and 1798-23 contain an overlap of 43 nucleotides, allowing the two genes to be fused together in the correct reading frame by combining the above PCR products in a third reaction using the outside primers, 1787-21 and 1200-54.

The final PCR gene product (the full length fusion gene) was digested with restriction endonucleases XbaI and BamHI, and then ligated

into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described above. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #3688.

The nucleotide and amino acid sequences (SEQ ID NOS: 17 and 18) of the resulting fusion protein are shown in Figure 14.

EMP-EMP-Fc. A DNA sequence coding for a dimer of the EPO-mimetic peptide fused in-frame to the Fc region of human IgG1 was constructed using standard PCR technology. Templates for PCR reactions were the EMP-Fc plasmid from strain #3688 above and a synthetic gene encoding the EPO dimer. The synthetic gene for the dimer was constructed from the 8 overlapping oligonucleotides (SEQ ID NOS:408 to 415, respectively) shown below:

1869-23	TTT TTT ATC GAT TTG ATT CTA GAT TTG AGT TTT AAC TTT TAG AAG GAG GAA TAA AAT ATG
1869-48	TAA AAG TTA AAA CTC AAA TCT AGA ATC AAA TCG ATA AAA AA
1871-72	GGA GGT ACT TAC TCT TGC CAC TTC GGC CCG CTG ACT TGG GTT TGC AAA CCG
1871-73	AGT CAG CGG GCC GAA GTG GCA AGA GTA AGT ACC TCC CAT ATT TTA TTC CTC CTT C
1871-74	CAG GGT GGC GGC GGC GGC GGC GGT GGT ACC TAT TCC TGT CAT TTT GGC CCG CTG ACC TGG
1871-75	AAA ATG ACA GGA ATA GGT ACC ACC GCC GCC GCC GCC GCC ACC CTG CGG TTT GCA AAC CCA
1871-78	GTA TGT AAG CCA CAA GGG GGT GGG GGA GGC GGG GGG GAC AAA ACT CAC ACA TGT CCA
1871-79	AGT TTT GTC CCC CCC GCC TCC CCC ACC CCC TTG TGG CTT ACA TAC CCA GGT CAG CGG GCC

The 8 oligonucleotides were annealed to form the duplex encoding an amino acid sequence (SEQ ID NOS: 416 and 417, respectively) shown below:

```
                TTTTTTATCGATTTGATTCTAGATTTGAGTTTTAACTTTTAGAAGGAGGAATAAAATATG
          1     ---------+---------+---------+---------+---------+---------+ 60
                AAAAAATAGCTAAACTAAGATCTAAACTCAAAATTGAAAATCTTCCTCCTTATTTTATAC
a                                                                       M   -
```

```
                GGAGGTACTTACTCTTGCCACTTCGGCCCGCTGACTTGGGTTTGCAAACCGCAGGGTGGC
              61 ---------+---------+---------+---------+---------+---------+ 120
                CCTCCATGAATGAGAACGGTGAAGCCGGGCGACTGAACCCAAACGTTTGGCGTCCCACCG
 5   a            G  G  T  Y  S  C  H  F  G  P  L  T  W  V  C  K  P  Q  G  G  -

                GGCGGCGGCGGCGGTGGTACCTATTCCTGTCATTTTGGCCCGCTGACCTGGGTATGTAAG
             121 ---------+---------+---------+---------+---------+---------+ 180
                CCGCCGCCGCCGCCACCATGGATAAGGACAGTAAAACCGGGCGACTGGACCCATACATTC
10   a            G  G  G  G  G  G  T  Y  S  C  H  F  G  P  L  T  W  V  C  K  -

                CCACAAGGGGGTGGGGGAGGCGGGGGGGACAAAACTCACACATGTCCA
             181 ---------+---------+---------+---------+-------- 228
                GGTGTTCCCCCACCCCCTCCGCCCCCCCTGTTTTGA
15   a            P  Q  G  G  G  G  G  G  G  D  K  T  H  T  C  P  -
```

This duplex was amplified in a PCR reaction using 1869-23 and 1871-79 (shown above) as the sense and antisense primers.

The Fc portion of the molecule was generated in a PCR reaction with strain 3688 DNA using the primers 1798-23 and 1200-54 (shown above).

The oligonucleotides 1871-79 and 1798-23 contain an overlap of 31 nucleotides, allowing the two genes to be fused together in the correct reading frame by combining the above PCR products in a third reaction using the outside primers, 1869-23 and 1200-54.

The final PCR gene product (the full length fusion gene) was digested with restriction endonucleases XbaI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for Fc-EMP. Clones were screened for ability to produce the recombinant protein product and possession of the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #3813.

The nucleotide and amino acid sequences (SEQ ID NOS: 19 and 20, respectively) of the resulting fusion protein are shown in Figure 15. There is a silent mutation at position 145 (A to G, shown in boldface) such that the final construct has a different nucleotide sequence than the oligonucleotide 1871-72 from which it was derived.

Fc-EMP-EMP. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a dimer of the EPO-mimetic peptide was

constructed using standard PCR technology. Templates for PCR reactions were the plasmids from strains 3688 and 3813 above.

The Fc portion of the molecule was generated in a PCR reaction with strain 3688 DNA using the primers 1216-52 and 1798-17 (shown above). The EMP dimer portion of the molecule was the product of a second PCR reaction with strain 3813 DNA using the primers 1798-18 (also shown above) and SEQ ID NO: 418, shown below:

1798-20 CTA ATT GGA TCC TCG AGA TTA ACC CCC TTG TGG CTT ACAT

The oligonucleotides 1798-17 and 1798-18 contain an overlap of 61 nucleotides, allowing the two genes to be fused together in the correct reading frame by combining the above PCR products in a third reaction using the outside primers, 1216-52 and 1798-20.

The final PCR gene product (the full length fusion gene) was digested with restriction endonucleases XbaI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for Fc-EMP. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #3822.

The nucleotide and amino acid sequences (SEQ ID NOS: __ and __, respectively) of the fusion protein are shown in Figure 16.

Characterization of Fc-EMP activity. Characterization was carried out in vivo as follows.

Mice: Normal female BDF1 approximately 10-12 weeks of age.

Bleed schedule: Ten mice per group treated on day 0, two groups started 4 days apart for a total of 20 mice per group. Five mice bled at each time point, mice were bled a maximum of three times a week. Mice were anesthetized with isoflurane and a total volume of 140-160 ml of blood was obtained by puncture of the orbital sinus. Blood was counted

on a Technicon H1E blood analyzer running software for murine blood. Parameters measured were WBC, RBC, HCT, HGB, PLT, NEUT, LYMPH.

Treatments: Mice were either injected subcutaneously for a bolus treatment or implanted with 7 day micro-osmotic pumps for continuous delivery. Subcutaneous injections were delivered in a volume of 0.2 ml. Osmotic pumps were inserted into a subcutaneous incision made in the skin between the scapulae of anesthetized mice. Compounds were diluted in PBS with 0.1% BSA. All experiments included one control group, labeled "carrier" that were treated with this diluent only. The concentration of the test articles in the pumps was adjusted so that the calibrated flow rate from the pumps gave the treatment levels indicated in the graphs.

Experiments: Various Fc-conjugated EPO mimetic peptides (EMPs) were delivered to mice as a single bolus injection at a dose of 100 μg/kg. Fc-EMPs were delivered to mice in 7-day micro-osmotic pumps. The pumps were not replaced at the end of 7 days. Mice were bled until day 51 when HGB and HCT returned to baseline levels.

Example 4

TNF-α inhibitors

Fc-TNF-α inhibitors. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a monomer of the TNF-α inhibitory peptide was constructed using standard PCR technology. The Fc and 5 glycine linker portion of the molecule was generated in a PCR reaction with DNA from the Fc-EMP fusion strain #3718 (see Example 3) using the sense primer 1216-52 and the antisense primer 2295-89 (SEQ ID NOS: 1112 and 1113 , respectively). The nucleotides encoding the TNF-α inhibitory peptide were provided by the PCR primer 2295-89 shown below:

1216-52 AAC ATA AGT ACC TGT AGG ATC G

2295-89 CCG CGG ATC CAT TAC GGA CGG TGA CCC AGA GAG GTG TTT TTG TAG

TGC GGC AGG AAG TCA CCA CCA CCT CCA CCT TTA CCC

The oligonucleotide 2295-89 overlaps the glycine linker and Fc portion of the template by 22 nucleotides, with the PCR resulting in the two genes being fused together in the correct reading frame.

The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #4544.

The nucleotide and amino acid sequences (SEQ ID NOS: 1055 and 1056) of the fusion protein are shown in Figures 19A and 19B.

TNF-α inhibitor-Fc. A DNA sequence coding for a TNF-α inhibitory peptide fused in-frame to the Fc region of human IgG1 was constructed using standard PCR technology. The template for the PCR reaction was a plasmid containing an unrelated peptide fused via a five glycine linker to Fc. The nucleotides encoding the TNF-α inhibitory peptide were provided by the sense PCR primer 2295-88, with primer 1200-54 serving as the antisense primer (SEQ ID NOS: 1117 and 407, respectively). The primer sequences are shown below:

2295-88 GAA TAA CAT ATG GAC TTC CTG CCG CAC TAC AAA AAC ACC TCT CTG GGT
CAC CGT CCG GGT GGA GGC GGT GGG GAC AAA ACT

1200-54 GTT ATT GCT CAG CGG TGG CA

The oligonucleotide 2295-88 overlaps the glycine linker and Fc portion of the template by 24 nucleotides, with the PCR resulting in the two genes being fused together in the correct reading frame.

The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #4543.

The nucleotide and amino acid sequences (SEQ ID NOS: 1057 and 1058) of the fusion protein are shown in Figures 20A and 20B.

Expression in E. coli. Cultures of each of the pAMG21-Fc-fusion constructs in E. coli GM221 were grown at 37 °C in Luria Broth medium containing 50 mg/ml kanamycin. Induction of gene product expression from the luxPR promoter was achieved following the addition of the synthetic autoinducer N-(3-oxohexanoyl)-DL-homoserine lactone to the culture media to a final concentration of 20 ng/ml. Cultures were incubated at 37 °C for a further 3 hours. After 3 hours, the bacterial cultures were examined by microscopy for the presence of inclusion bodies and were then collected by centrifugation. Refractile inclusion bodies were observed in induced cultures indicating that the Fc-fusions were most likely produced in the insoluble fraction in E. coli. Cell pellets were lysed directly by resuspension in Laemmli sample buffer containing 10% β-mercaptoethanol and were analyzed by SDS-PAGE. In each case, an intense coomassie-stained band of the appropriate molecular weight was observed on an SDS-PAGE gel.

Purification of Fc-peptide fusion proteins. Cells are broken in water (1/10) by high pressure homogenization (2 passes at 14,000 PSI) and inclusion bodies are harvested by centrifugation (4200 RPM in J-6B for 1 hour). Inclusion bodies are solubilized in 6M guanidine, 50mM Tris, 8mM DTT, pH 8.7 for 1 hour at a 1/10 ratio. The solubilized mixture is diluted

20 times into 2M urea, 50 mM tris, 160mM arginine, 3mM cysteine, pH 8.5. The mixture is stirred overnight in the cold and then concentrated about 10 fold by ultafiltration. It is then diluted 3 fold with 10mM Tris, 1.5M urea, pH 9. The pH of this mixture is then adjusted to pH 5 with acetic acid. The precipitate is removed by centrifugation and the supernatant is loaded onto a SP-Sepharose Fast Flow column equilibrated in 20mM NaAc, 100 mM NaCl, pH 5 (10mg/ml protein load, room temperature). The protein is eluted from the column using a 20 column volume gradient in the same buffer ranging from 100mM NaCl to 500mM NaCl. The pool from the column is diluted 3 fold and loaded onto a SP-Sepharose HP column in 20mM NaAc, 150mM NaCl, pH 5(10mg/ml protein load, room temperature). The protein is eluted using a 20 column volume gradient in the same buffer ranging from 150mM NaCl to 400mM NaCl. The peak is pooled and filtered.

Characterization of activity of Fc-TNF-α inhibitor and TNF-α inhibitor -Fc. Binding of these peptide fusion proteins to TNF- α can be characterized by BIAcore by methods available to one of ordinary skill in the art who is armed with the teachings of the present specification.

Example 5

IL-1 Antagonists

Fc-IL-1 antagonist. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a monomer of an IL-1 antagonist peptide was constructed using standard PCR technology. The Fc and 5 glycine linker portion of the molecule was generated in a PCR reaction with DNA from the Fc-EMP fusion strain #3718 (see Example 3) using the sense primer 1216-52 and the antisense primer 2269-70 (SEQ ID NOS: 1112 and 1118, respectively). The nucleotides encoding the IL-1 antagonist peptide were provided by the PCR primer 2269-70 shown below:

1216-52 AAC ATA AGT ACC TGT AGG ATC G

2269-70 CCG CGG ATC CAT TAC AGC GGC AGA GCG TAC GGC TGC CAG TAA CCC
GGG GTC CAT TCG AAA CCA CCA CCT CCA CCT TTA CCC

The oligonucleotide 2269-70 overlaps the glycine linker and Fc portion of the template by 22 nucleotides, with the PCR resulting in the two genes being fused together in the correct reading frame.

The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #4506.

The nucleotide and amino acid sequences (SEQ ID NOS: 1059 and 1060) of the fusion protein are shown in Figures 21A and 21B.

IL-1 antagonist-Fc. A DNA sequence coding for an IL-1 antagonist peptide fused in-frame to the Fc region of human IgG1 was constructed using standard PCR technology. The template for the PCR reaction was a plasmid containing an unrelated peptide fused via a five glycine linker to Fc. The nucleotides encoding the IL-1 antagonist peptide were provided by the sense PCR primer 2269-69, with primer 1200-54 serving as the antisense primer (SEQ ID NOS: 1119 and 407, respectively). The primer sequences are shown below:

2269-69 GAA TAA CAT ATG TTC GAA TGG ACC CCG GGT TAC TGG CAG CCG TAC GCT
CTG CCG CTG GGT GGA GGC GGT GGG GAC AAA ACT

1200-54 GTT ATT GCT CAG CGG TGG CA

The oligonucleotide 2269-69 overlaps the glycine linker and Fc portion of the template by 24 nucleotides, with the PCR resulting in the two genes being fused together in the correct reading frame.

The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #4505.

The nucleotide and amino acid sequences (SEQ ID NOS: 1061 and 1062) of the fusion protein are shown in Figures 22A and 22B. Expression and purification were carried out as in previous examples.

Characterization of Fc-IL-1 antagonist peptide and IL-1 antagonist peptide-Fc activity. IL-1 Receptor Binding competition between IL-1β, IL-1RA and Fc-conjugated IL-1 peptide sequences was carried out using the IGEN system. Reactions contained 0.4 nM biotin-IL-1R + 15 nM IL-1-TAG + 3 uM competitor + 20 ug/ml streptavidin-conjugate beads, where competitors were IL-1RA, Fc-IL-1 antagonist, IL-1 antagonist-Fc). Competition was assayed over a range of competitor concentrations from 3 uM to 1.5 pM. The results are shown in Table C below:

Table C—Results from IL-1 Receptor Binding Competition Assay

	IL-1pep-Fc	*Fc-IL-1pep*	*IL-1ra*
KI	281.5	59.58	1.405
EC50	530.0	112.2	2.645
95% Confidence Intervals			
EC50	280.2 to 1002	54.75 to 229.8	1.149 to 6.086
KI	148.9 to 532.5	29.08 to 122.1	0.6106 to 3.233
Goodness of Fit			
R^2	0.9790	0.9687	0.9602

Example 6

VEGF-Antagonists

Fc-VEGF Antagonist. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a monomer of the VEGF mimetic peptide was constructed using standard PCR technology. The templates for the PCR reaction were the pFc-A3 plasmid and a synthetic VEGF mimetic peptide gene. The synthetic gene was assembled by annealing the following two oligonucleotides primer (SEQ ID NOS: 1120 and 1121, respectively):

```
2293-11     GTT GAA CCG AAC TGT GAC ATC CAT GTT ATG TGG GAA TGG GAA
            TGT TTT GAA CGT CTG

2293-12     CAG ACG TTC AAA ACA TTC CCA TTC CCA CAT AAC ATG GAT GTC
            ACA GTT CGG TTC AAC
```

The two oligonucleotides anneal to form the following duplex encoding an amino acid sequence shown below (SEQ ID NOS 1122):

```
                GTTGAACCGAACTGTGACATCCATGTTATGTGGGAATGGGAATGTTTTGAACGTCTG
              1 --------+---------+---------+---------+---------+---------+------- 57
                CAACTTGGCTTGACACTGTAGGTACAATACACCCTTACCCTTACAAAACTTGCAGAC

a               V  E  P  N  C  D  I  H  V  M  W  E  W  E  C  F  E  R  L
```

This duplex was amplified in a PCR reaction using 2293-05 and 2293-06 as the sense and antisense primers (SEQ ID NOS. 1125 and 1126).

The Fc portion of the molecule was generated in a PCR reaction with the pFc-A3 plasmid using the primers 2293-03 and 2293-04 as the sense and antisense primers (SEQ ID NOS. 1123 and 1124, respectively). The full length fusion gene was obtained from a third PCR reaction using the outside primers 2293-03 and 2293-06. These primers are shown below:

2293-03 ATT TGA TTC TAG AAG GAG GAA TAA CAT ATG GAC AAA ACT CAC ACA TGT

2293-04 GTC ACA GTT CGG TTC AAC ACC ACC ACC ACC ACC TTT ACC CGG AGA CAG GGA

2293-05 TCC CTG TCT CCG GGT AAA GGT GGT GGT GGT GGT GTT GAA CCG AAC TGT GAC ATC

2293-06 CCG CGG ATC CTC GAG TTA CAG ACG TTC AAA ACA TTC CCA

The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #4523.

The nucleotide and amino acid sequences (SEQ ID NOS: 1063 and 1064) of the fusion protein are shown in Figures 23A and 23B.

VEGF antagonist -Fc. A DNA sequence coding for a VEGF mimetic peptide fused in-frame to the Fc region of human IgG1 was constructed using standard PCR technology. The templates for the PCR reaction were the pFc-A3 plasmid and the synthetic VEGF mimetic peptide gene described above. The synthetic duplex was amplified in a PCR reaction using 2293-07 and 2293-08 as the sense and antisense primers (SEQ ID NOS. 1127 and 1128, respectively).

The Fc portion of the molecule was generated in a PCR reaction with the pFc-A3 plasmid using the primers 2293-09 and 2293-10 as the sense and antisense primers (SEQ ID NOS. 1129 and 1130, respectively).

The full length fusion gene was obtained from a third PCR reaction using the outside primers 2293-07 and 2293-10. These primers are shown below:

2293-07 ATT TGA TTC TAG AAG GAG GAA TAA CAT ATG GTT GAA CCG AAC TGT GAC

2293-08 ACA TGT GTG AGT TTT GTC ACC ACC ACC ACC ACC CAG ACG TTC AAA ACA TTC

2293-09 GAA TGT TTT GAA CGT CTG GGT GGT GGT GGT GGT GAC AAA ACT CAC ACA TGT

2293-10 CCG CGG ATC CTC GAG TTA TTT ACC CGG AGA CAG GGA GAG

The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #4524.

The nucleotide and amino acid sequences (SEQ ID NOS: 1065 and 1066) of the fusion protein are shown in Figures 24A and 24B. Expression and purification were carried out as in previous examples.

Example 7

MMP Inhibitors

Fc-MMP inhibitor. A DNA sequence coding for the Fc region of human IgG1 fused in-frame to a monomer of an MMP inhibitory peptide was constructed using standard PCR technology. The Fc and 5 glycine linker portion of the molecule was generated in a PCR reaction with DNA from the Fc-TNF-α inhibitor fusion strain #4544 (see Example 4) using the sense primer 1216-52 and the antisense primer 2308-67 (SEQ ID NOS: 1112

and 1131, respectively). The nucleotides encoding the MMP inhibitor peptide were provided by the PCR primer 2308-67 shown below:

1216-52 AAC ATA AGT ACC TGT AGG ATC G

2308-67 CCG CGG ATC CAT TAG CAC AGG GTG AAA CCC CAG TGG GTG GTG
CAA CCA CCA CCT CCA CCT TTA CCC

The oligonucleotide 2308-67 overlaps the glycine linker and Fc portion of the template by 22 nucleotides, with the PCR resulting in the two genes being fused together in the correct reading frame.

The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #4597.

The nucleotide and amino acid sequences (SEQ ID NOS: 1067 and 1068) of the fusion protein are shown in Figures 25A and 25B. Expression and purification were carried out as in previous examples.

MMP Inhibitor-Fc. A DNA sequence coding for an MMP inhibitory peptide fused in-frame to the Fc region of human IgG1 was constructed using standard PCR technology. The Fc and 5 glycine linker portion of the molecule was generated in a PCR reaction with DNA from the Fc-TNF-α inhibitor fusion strain #4543 (see Example 4). The nucleotides encoding the MMP inhibitory peptide were provided by the sense PCR primer 2308-66, with primer 1200-54 serving as the antisense primer (SEQ ID NOS: 1132 and 407, respectively). The primer sequences are shown below:

2308-66 GAA TAA CAT ATG TGC ACC ACC CAC TGG GGT TTC ACC CTG TGC
GGT GGA GGC GGT GGG GAC AAA

1200-54 GTT ATT GCT CAG CGG TGG CA

The oligonucleotide 2269-69 overlaps the glycine linker and Fc portion of the template by 24 nucleotides, with the PCR resulting in the two genes being fused together in the correct reading frame.

The PCR gene product (the full length fusion gene) was digested with restriction endonucleases NdeI and BamHI, and then ligated into the vector pAMG21 and transformed into competent E. coli strain 2596 cells as described for EMP-Fc herein. Clones were screened for the ability to produce the recombinant protein product and to possess the gene fusion having the correct nucleotide sequence. A single such clone was selected and designated Amgen strain #4598.

The nucleotide and amino acid sequences (SEQ ID NOS: 1069 and 1070) of the fusion protein are shown in Figures 26A and 26B.

* * *

The invention now being fully described, it will be apparent to one of ordinary skill in the art that many changes and modifications can be made thereto, without departing from the spirit and scope of the invention as set forth herein.

Abbreviations

Abbreviations used throughout this specification are as defined below, unless otherwise defined in specific circumstances.

Ac	acetyl (used to refer to acetylated residues)
AcBpa	acetylated p-benzoyl-L-phenylalanine
ADCC	antibody-dependent cellular cytotoxicity
Aib	aminoisobutyric acid
bA	beta-alanine
Bpa	p-benzoyl-L-phenylalanine
BrAc	bromoacetyl ($BrCH_2C(O)$

BSA	Bovine serum albumin
Bzl	Benzyl
Cap	Caproic acid
CTL	Cytotoxic T lymphocytes
CTLA4	Cytotoxic T lymphocyte antigen 4
DARC	Duffy blood group antigen receptor
DCC	Dicylcohexylcarbodiimide
Dde	1-(4,4-dimethyl-2,6-dioxo-cyclohexylidene)ethyl
EMP	Erythropoietin-mimetic peptide
ESI-MS	Electron spray ionization mass spectrometry
EPO	Erythropoietin
Fmoc	fluorenylmethoxycarbonyl
G-CSF	Granulocyte colony stimulating factor
GH	Growth hormone
HCT	hematocrit
HGB	hemoglobin
hGH	Human growth hormone
HOBt	1-Hydroxybenzotriazole
HPLC	high performance liquid chromatography
IL	interleukin
IL-R	interleukin receptor
IL-1R	interleukin-1 receptor
IL-1ra	interleukin-1 receptor antagonist
Lau	Lauric acid
LPS	lipopolysaccharide
LYMPH	lymphocytes
MALDI-MS	Matrix-assisted laser desorption ionization mass spectrometry
Me	methyl

MeO	methoxy
MHC	major histocompatibility complex
MMP	matrix metalloproteinase
MMPI	matrix metalloproteinase inhibitor
1-Nap	1-napthylalanine
NEUT	neutrophils
NGF	nerve growth factor
Nle	norleucine
NMP	N-methyl-2-pyrrolidinone
PAGE	polyacrylamide gel electrophoresis
PBS	Phosphate-buffered saline
Pbf	2,2,4,6,7-pendamethyldihydrobenzofuran-5-sulfonyl
PCR	polymerase chain reaction
Pec	pipecolic acid
PEG	Poly(ethylene glycol)
pGlu	pyroglutamic acid
Pic	picolinic acid
PLT	platelets
pY	phosphotyrosine
RBC	red blood cells
RBS	ribosome binding site
RT	room temperature (25 °C)
Sar	sarcosine
SDS	sodium dodecyl sulfate
STK	serine-threonine kinases
t-Boc	tert-Butoxycarbonyl
tBu	tert-Butyl
TGF	tissue growth factor
THF	thymic humoral factor

TK	tyrosine kinase
TMP	Thrombopoietin-mimetic peptide
TNF	Tissue necrosis factor
TPO	Thrombopoietin
TRAIL	TNF-related apoptosis-inducing ligand
Trt	trityl
UK	urokinase
UKR	urokinase receptor
VEGF	vascular endothelial cell growth factor
VIP	vasoactive intestinal peptide
WBC	white blood cells

What is claimed is:

1. A composition of matter of the formula

$$(X^1)_a\text{-}F^1\text{-}(X^2)_b$$

and multimers thereof, wherein:

F^1 is an Fc domain;

X^1 and X^2 are each independently selected from $-(L^1)_c\text{-}P^1$, $-(L^1)_c\text{-}P^1\text{-}(L^2)_d\text{-}P^2$, $-(L^1)_c\text{-}P^1\text{-}(L^2)_d\text{-}P^2\text{-}(L^3)_e\text{-}P^3$, and $-(L^1)_c\text{-}P^1\text{-}(L^2)_d\text{-}P^2\text{-}(L^3)_e\text{-}P^3\text{-}(L^4)_f\text{-}P^4$

P^1, P^2, P^3, and P^4 are each independently sequences of pharmacologically active peptides;

L^1, L^2, L^3, and L^4 are each independently linkers; and

a, b, c, d, e, and f are each independently 0 or 1, provided that at least one of a and b is 1.

2. The composition of matter of Claim 1 of the formulae

$$X^1\text{-}F^1$$

or

$$F^1\text{-}X^2.$$

3. The composition of matter of Claim 1 of the formula

$$F^1\text{-}(L^1)_c\text{-}P^1.$$

4. The composition of matter of Claim 1 of the formula

$$F^1\text{-}(L^1)_c\text{-}P^1\text{-}(L^2)_d\text{-}P^2.$$

5. The composition of matter of Claim 1 wherein F^1 is an IgG Fc domain.

6. The composition of matter of Claim 1 wherein F^1 is an IgG1 Fc domain.

7. The composition of matter of Claim 1 wherein F^1 comprises the sequence of SEQ ID NO: 2.

8. The composition of matter of Claim 1 wherein X^1 and X^2 comprise an IL-1 antagonist peptide sequence.

9. The composition of matter of Claim 8 wherein the IL-1 antagonist peptide sequence is selected from SEQ ID NOS: 212, 907, 908, 909, 910, 917, and 979.

10. The composition of matter of Claim 8 wherein the IL-1 antagonist peptide sequence is selected from SEQ ID NOS: 213 to 271, 671 to 906, 911 to 916, and 918 to 1023.

11. The composition of matter of Claim 8 wherein F^1 comprises the sequence of SEQ ID NO: 2.

12. The composition of matter of Claim 1 wherein X^1 and X^2 comprise an EPO-mimetic peptide sequence.

13. The composition of matter of Claim 12 wherein the EPO-mimetic peptide sequence is selected from Table 5.

14. The composition of matter of Claim 12 wherein F^1 comprises the sequence of SEQ ID NO: 2.

15. The composition of matter of Claim 12 comprising a sequence selected from SEQ ID NOS: 83, 84, 85, 124, 419, 420, 421, and 461. .

16. The composition of matter of claim 12 comprising a sequence selected from SEQ ID NOS: 339 and 340.

17. The composition of matter of Claim 12 comprising a sequence selected from SEQ ID NOS: 20 and 22.

18. The composition of matter of Claim 3 wherein P^1 is a TPO-mimetic peptide sequence.

19. The composition of matter of Claim 18 wherein P^1 is a TPO-mimetic peptide sequence selected from Table 6.

20. The composition of matter of Claim 18 wherein F^1 comprises the sequence of SEQ ID NO: 2.

21. The composition of matter of Claim 18 having a sequence selected from SEQ ID NOS: 6 and 12.

22. A DNA encoding a composition of matter of any of Claims 1 to 21.

23. An expression vector comprising the DNA of Claim 22.

24. A host cell comprising the expression vector of Claim 23.

25. The cell of Claim 24, wherein the cell is an E. coli cell.

26. A process for preparing a pharmacologically active compound, which comprises

a) selecting at least one randomized peptide that modulates the activity of a protein of interest; and

b) preparing a pharmacologic agent comprising at least one Fc domain covalently linked to at least one amino acid sequence of the selected peptide or peptides.

27. The process of Claim 26, wherein the peptide is selected in a process comprising screening of a phage display library, an E. coli display library, a ribosomal library, or a chemical peptide library.

28. The process of Claim 26, wherein the preparation of the pharmacologic agent is carried out by:

a) preparing a gene construct comprising a nucleic acid sequence encoding the selected peptide and a nucleic acid sequence encoding an Fc domain; and

b) expressing the gene construct.

29. The process of Claim 26, wherein the gene construct is expressed in an E. coli cell.

30. The process of Claim 26, wherein the protein of interest is a cell surface receptor.

31. The process of Claim 26, wherein the protein of interest has a linear epitope.

32. The process of Claim 26, wherein the protein of interest is a cytokine receptor.

33. The process of Claim 26, wherein the peptide is an EPO-mimetic peptide.

34. The process of Claim 26, wherein the peptide is a TPO-mimetic peptide.

35. The process of Claim 26, wherein the peptide is an IL-1 antagonist peptide.

36. The process of Claim 26, wherein the peptide is an MMP inhibitor peptide or a VEGF antagonist peptide.

37. The process of Claim 26, wherein the peptide is a TNF-antagonist peptide.

38. The process of Claim 26, wherein the peptide is a CTLA4-mimetic peptide.

39. The process of Claim 26, wherein the peptide is selected from Tables 4 to 20.

40. The process of Claim 26, wherein the selection of the peptide is carried out by a process comprising:

a) preparing a gene construct comprising a nucleic acid sequence encoding a first selected peptide and a nucleic acid sequence encoding an Fc domain;

b) conducting a polymerase chain reaction using the gene construct and mutagenic primers, wherein

i) a first mutagenic primer comprises a nucleic acid sequence complementary to a sequence at or near the 5′ end of a coding strand of the gene construct, and

ii) a second mutagenic primer comprises a nucleic acid sequence complementary to the 3′ end of the noncoding strand of the gene construct.

41. The process of Claim 26, wherein the compound is derivatized.

42. The process of Claim 26, wherein the derivatized compound comprises a cyclic portion, a cross-linking site, a non-peptidyl

linkage, an N-terminal replacement, a C-terminal replacement, or a modified amino acid moiety.

43. The process of Claim 26 wherein the Fc domain is an IgG Fc domain.

44. The process of Claim 26, wherein the vehicle is an IgG1 Fc domain.

45. The process of Claim 26, wherein the vehicle comprises the sequence of SEQ ID NO: 2.

46. The process of Claim 26, wherein the compound prepared is of the formula

$$(X^1)_a\text{-}F^1\text{-}(X^2)_b$$

and multimers thereof,wherein:

F^1 is an Fc domain;

X^1 and X^2 are each independently selected from $-(L^1)_c\text{-}P^1$, $-(L^1)_c\text{-}P^1\text{-}(L^2)_d\text{-}P^2$, $-(L^1)_c\text{-}P^1\text{-}(L^2)_d\text{-}P^2\text{-}(L^3)_e\text{-}P^3$, and $-(L^1)_c\text{-}P^1\text{-}(L^2)_d\text{-}P^2\text{-}(L^3)_e\text{-}P^3\text{-}(L^4)_f\text{-}P^4$

P^1, P^2, P^3, and P^4 are each independently sequences of pharmacologically active peptides;

L^1, L^2, L^3, and L^4 are each independently linkers; and

a, b, c, d, e, and f are each independently 0 or 1, provided that at least one of a and b is 1.

47. The process of Claim 46, wherein the compound prepared is of the formulae

$$X^1\text{-}F^1$$

or

$$F^1\text{-}X^2.$$

48. The process of Claim 46, wherein the compound prepared is of the formulae

$$F^1\text{-}(L^1)_c\text{-}P^1$$

or

$$F^1\text{-}(L^1)_c\text{-}P^1\text{-}(L^2)_d\text{-}P^2.$$

49. The process of Claim 46, wherein F^1 is an IgG Fc domain.

50. The process of Claim 46, wherein F^1 is an IgG1 Fc domain.

51. The process of Claim 46, wherein F^1 comprises the sequence of SEQ ID NO: 2.

FIG. 1



peptide selection
peptide optimization
formation of Fc-peptide DNA construct
insertion of construct into expression vector
transfection of host cell with vector
expression of vector in host cell
Fc multimer formation in host cell
isolation of Fc multimer from host cell

FIG. 2A




FIG. 2B




FIG. 2C




FIG. 2D




FIG. 2E




FIG. 2F




FIG. 3A




FIG. 3B




FIG. 3C




FIG. 4

```
                ATGGACAAAACTCACACATGTCCACCTTGTCCAGCTCCGGAACTCCTGGGGGGACCGTCA
              1 ---------+---------+---------+---------+---------+---------+ 60
                TACCTGTTTTGAGTGTGTACAGGTGGAACAGGTCGAGGCCTTGAGGACCCCCCTGGCAGT

a                 M   D   K   T   H   T   C   P   P   C   P   A   P   E   L   L   G   G   P   S   -

                GTCTTCCTCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCCTGAGGTC
             61 ---------+---------+---------+---------+---------+---------+ 120
                CAGAAGGAGAAGGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTCCAG

a                 V   F   L   F   P   P   K   P   K   D   T   L   M   I   S   R   T   P   E   V   -

                ACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTACGTG
            121 ---------+---------+---------+---------+---------+---------+ 180
                TGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATGCAC

a                 T   C   V   V   V   D   V   S   H   E   D   P   E   V   K   F   N   W   Y   V   -

                GACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACG
            181 ---------+---------+---------+---------+---------+---------+ 240
                CTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCGTGC

a                 D   G   V   E   V   H   N   A   K   T   K   P   R   E   E   Q   Y   N   S   T   -

                TACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTAC
            241 ---------+---------+---------+---------+---------+---------+ 300
                ATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCCTGACCGACTTACCGTTCCTCATG

a                 Y   R   V   V   S   V   L   T   V   L   H   Q   D   W   L   N   G   K   E   Y   -

                AAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAAGCC
            301 ---------+---------+---------+---------+---------+---------+ 360
                TTCACGTTCCAGAGGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTTCGG

a                 K   C   K   V   S   N   K   A   L   P   A   P   I   E   K   T   I   S   K   A   -

                AAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTGACC
            361 ---------+---------+---------+---------+---------+---------+ 420
                TTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGACTGG

a                 K   G   Q   P   R   E   P   Q   V   Y   T   L   P   P   S   R   D   E   L   T   -

                AAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCCGTG
            421 ---------+---------+---------+---------+---------+---------+ 480
                TTCTTGGTCCAGTCGGACTGGACGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGGCAC

a                 K   N   Q   V   S   L   T   C   L   V   K   G   F   Y   P   S   D   I   A   V   -

                GAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTGGAC
            481 ---------+---------+---------+---------+---------+---------+ 540
                CTCACCCTCTCGTTACCCGTCGGCCTCTTGTTGATGTTCTGGTGCGGAGGGCACGACCTG

a                 E   W   E   S   N   G   Q   P   E   N   N   Y   K   T   T   P   P   V   L   D   -

                TCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAG
            541 ---------+---------+---------+---------+---------+---------+ 600
                AGGCTGCCGAGGAAGAAGGAGATGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTCGTC

a                 S   D   G   S   F   F   L   Y   S   K   L   T   V   D   K   S   R   W   Q   Q   -

                GGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACGCAGAAG
            601 ---------+---------+---------+---------+---------+---------+ 660
                CCCTTGCAGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTGGTGATGTGCGTCTTC

a                 G   N   V   F   S   C   S   V   M   H   E   A   L   H   N   H   Y   T   Q   K   -

                AGCCTCTCCCTGTCTCCGGGTAAA
            661 ---------+---------+----  684
                TCGGAGAGGGACAGAGGCCCATTT
```

FIG. 5



NH-Dde
tBu Trt Pbf
Boc-IEGPTLRQWLAARA-GGG-HN CO-GGGG-IEGPTLRQWLAARA—OCH2
tBu Pbf Boc
Wang resin
2% H2NNH2/NMP
NH2
(BrCH2CO)2O
Br
NH
TFA
H-IEGPTLRQWLAARA-GGG-HN CO-GGGG-IEGPTLRQWLAARA-OH
peptide 17b
MeO-PEG 5000-SH
pH 8
MeO-PEG 5000-S
peptide 19

FIG. 6



tBu Trt Pbf Trt tBu Trt Pbf
H-IEGPTLRQWLAARA-GGGCGGGG-IEGPTLRQWLAARA—OCH2
tBu Pbf Boc tBu Pbf Boc
Wang resin
TFA
HS
H-IEGPTLRQWLAARA-GGG-HN CO-GGGG-IEGPTLRQWLAARA-OH
peptide 18
MeO- PEG 5000 -N
pH 8
MeO- PEG 5000 -N S
H-IEGPTLRQWLAARA-GGG-HN CO-GGGG-IEGPTLRQWLAARA-OH
peptide 20

FIG. 7



XbaI
TCTAGATTTGTTTTAACTAATTAAAGGAGGAATAACATATGGACAAAACTCACACATGTC
AGATCTAAACAAAATTGATTAATTTCCTCCTTATTGTATACCTGTTTTGAGTGTGTACAG
c M D K T H T C P -
CACCTTGTCCAGCTCCGGAACTCCTGGGGGGACCGTCAGTCTTCCTCTTCCCCCCAAAAC
GTGGAACAGGTCGAGGCCTTGAGGACCCCCCTGGCAGTCAGAAGGAGAAGGGGGGTTTTG
c P C P A P E L L G G P S V F L F P P K P -
CCAAGGACACCCTCATGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGA
GGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTCCAGTGTACGCACCACCACCTGCACT
c K D T L M I S R T P E V T C V V V D V S -
GCCACGAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATG
CGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATGCACCTGCCGCACCTCCACGTATTAC
c H E D P E V K F N W Y V D G V E V H N A -
CCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCCTCA
GGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCGTGCATGGCACACCAGTCGCAGGAGT
c K T K P R E E Q Y N S T Y R V V S V L T -
CCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAG
GGCAGGACGTGGTCCTGACCGACTTACCGTTCCTCATGTTCACGTTCCAGAGGTTGTTTC
c V L H Q D W L N G K E Y K C K V S N K A -
CCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCAC
GGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTTCGGTTTCCCGTCGGGGCTCTTGGTG
c L P A P I E K T I S K A K G Q P R E P Q -
AGGTGTACACCCTGCCCCCATCCCGGGATGAGCTGACCAAGAACCAGGTCAGCCTGACCT
TCCACATGTGGGACGGGGGTAGGGCCCTACTCGACTGGTTCTTGGTCCAGTCGGACTGGA
c V Y T L P P S R D E L T K N Q V S L T C -
GCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGC
CGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGGCACCTCACCCTCTCGTTACCCGTCG
c L V K G F Y P S D I A V E W E S N G Q P -
CGGAGAACAACTACAAGACCACGCCTCCCGTGCTGGACTCCGACGGCTCCTTCTTCCTCT
GCCTCTTGTTGATGTTCTGGTGCGGAGGGCACGACCTGAGGCTGCCGAGGAAGAAGGAGA
c E N N Y K T T P P V L D S D G S F F L Y -
ACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCG
TGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTCGTCCCCTTGCAGAAGAGTACGAGGC
c S K L T V D K S R W Q Q G N V F S C S V -
TGATGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGTA
ACTACGTACTCCGAGACGTGTTGGTGATGTGCGTCTTCTCGGAGAGGGACAGAGGCCCAT
c M H E A L H N H Y T Q K S L S L S P G K -
AAGGTGGAGGTGGTGGTATCGAAGGTCCGACTCTGCGTCAGTGGCTGGCTGCTCGTGCTT
TTCCACCTCCACCACCATAGCTTCCAGGCTGAGACGCAGTCACCGACCGACGAGCACGAA
c G G G G G I E G P T L R Q W L A A R A * -
BamHI
AATCTCGAGGATCC
TTAGAGCTCCTAGG

FIG. 8

```
          XbaI
            |
            TCTAGATTTGTTTTAACTAATTAAAGGAGGAATAACATATGGACAAAACTCACACATGTC
          1 ---------+---------+---------+---------+---------+---------+ 60
            AGATCTAAACAAAATTGATTAATTTCCTCCTTATTGTATACCTGTTTTGAGTGTGTACAG
c                                                   M  D  K  T  H  T  C  P -

            CACCTTGTCCAGCTCCGGAACTCCTGGGGGGACCGTCAGTCTTCCTCTTCCCCCCAAAAC
         61 ---------+---------+---------+---------+---------+---------+ 120
            GTGGAACAGGTCGAGGCCTTGAGGACCCCCCTGGCAGTCAGAAGGAGAAGGGGGGTTTTG
c             P  C  P  A  P  E  L  L  G  G  P  S  V  F  L  F  P  P  K  P -

            CCAAGGACACCCTCATGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGA
        121 ---------+---------+---------+---------+---------+---------+ 180
            GGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTCCAGTGTACGCACCACCACCTGCACT
c             K  D  T  L  M  I  S  R  T  P  E  V  T  C  V  V  V  D  V  S -

            GCCACGAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATG
        181 ---------+---------+---------+---------+---------+---------+ 240
            CGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATGCACCTGCCGCACCTCCACGTATTAC
c             H  E  D  P  E  V  K  F  N  W  Y  V  D  G  V  E  V  H  N  A -

            CCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCCTCA
        241 ---------+---------+---------+---------+---------+---------+ 300
            GGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCGTGCATGGCACACCAGTCGCAGGAGT
c             K  T  K  P  R  E  E  Q  Y  N  S  T  Y  R  V  V  S  V  L  T -

            CCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAG
        301 ---------+---------+---------+---------+---------+---------+ 360
            GGCAGGACGTGGTCCTGACCGACTTACCGTTCCTCATGTTCACGTTCCAGAGGTTGTTTC
c             V  L  H  Q  D  W  L  N  G  K  E  Y  K  C  K  V  S  N  K  A -

            CCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCAC
        361 ---------+---------+---------+---------+---------+---------+ 420
            GGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTTCGGTTTCCCGTCGGGGCTCTTGGTG
c             L  P  A  P  I  E  K  T  I  S  K  A  K  G  Q  P  R  E  P  Q -

            AGGTGTACACCCTGCCCCCATCCCGGGATGAGCTGACCAAGAACCAGGTCAGCCTGACCT
        421 ---------+---------+---------+---------+---------+---------+ 480
            TCCACATGTGGGACGGGGGTAGGGCCCTACTCGACTGGTTCTTGGTCCAGTCGGACTGGA
c             V  Y  T  L  P  P  S  R  D  E  L  T  K  N  Q  V  S  L  T  C -

            GCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGC
        481 ---------+---------+---------+---------+---------+---------+ 540
            CGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGGCACCTCACCCTCTCGTTACCCGTCG
c             L  V  K  G  F  Y  P  S  D  I  A  V  E  W  E  S  N  G  Q  P -

            CGGAGAACAACTACAAGACCACGCCTCCCGTGCTGGACTCCGACGGCTCCTTCTTCCTCT
        541 ---------+---------+---------+---------+---------+---------+ 600
            GCCTCTTGTTGATGTTCTGGTGCGGAGGGCACGACCTGAGGCTGCCGAGGAAGAAGGAGA
c             E  N  N  Y  K  T  T  P  P  V  L  D  S  D  G  S  F  F  L  Y -

            ACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCG
        601 ---------+---------+---------+---------+---------+---------+ 660
            TGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTCGTCCCCTTGCAGAAGAGTACGAGGC
c             S  K  L  T  V  D  K  S  R  W  Q  Q  G  N  V  F  S  C  S  V -

            TGATGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGTA
        661 ---------+---------+---------+---------+---------+---------+ 720
            ACTACGTACTCCGAGACGTGTTGGTGATGTGCGTCTTCTCGGAGAGGGACAGAGGCCCAT
c             M  H  E  A  L  H  N  H  Y  T  Q  K  S  L  S  L  S  P  G  K -

            AAGGTGGAGGTGGTGGTATCGAAGGTCCGACTCTGCGTCAGTGGCTGGCTGCTCGTGCTG
        721 ---------+---------+---------+---------+---------+---------+ 780
            TTCCACCTCCACCACCATAGCTTCCAGGCTGAGACGCAGTCACCGACCGACGAGCACGAC
c             G  G  G  G  G  I  E  G  P  T  L  R  Q  W  L  A  A  R  A  G -

            GTGGTGGAGGTGGCGGCGGAGGTATTGAGGGCCCAACCCTTCGCCAATGGCTTGCAGCAC
        781 ---------+---------+---------+---------+---------+---------+ 840
            CACCACCTCCACCGCCGCCTCCATAACTCCCGGGTTGGGAAGCGGTTACCGAACGTCGTG
c             G  G  G  G  G  G  G  I  E  G  P  T  L  R  Q  W  L  A  A  R -

                        BamHI
                          |
            GCGCATAATCTCGAGGATCCG
        841 ---------+---------+- 861
            CGCGTATTAGAGCTCCTAGGC
                                 A  *  -
```

FIG. 9



XbaI
TCTAGATTTGTTTTAACTAATTAAAGGAGGAATAACATATGATCGAAGGTCCGACTCTGC
AGATCTAAACAAAATTGATTAATTTCCTCCTTATTGTATACTAGCTTCCAGGCTGAGACG
M I E G P T L R
GTCAGTGGCTGGCTGCTCGTGCTGGCGGTGGTGGCGGAGGGGGTGGCATTGAGGGCCCAA
CAGTCACCGACCGACGAGCACGACCGCCACCACCGCCTCCCCCACCGTAACTCCCGGGTT
Q W L A A R A G G G G G G G G I E G P T
CCCTTCGCCAATGGCTTGCAGCACGCGCAGGGGGAGGCGGTGGGGACAAAACTCACACAT
GGGAAGCGGTTACCGAACGTCGTGCGCGTCCCCCTCCGCCACCCCTGTTTTGAGTGTGTA
L R Q W L A A R A G G G G G D K T H T C
GTCCACCTTGCCCAGCACCTGAACTCCTGGGGGGACCGTCAGTTTTCCTCTTCCCCCCAA
CAGGTGGAACGGGTCGTGGACTTGAGGACCCCCCTGGCAGTCAAAAGGAGAAGGGGGGTT
P P C P A P E L L G G P S V F L F P P K
AACCCAAGGACACCCTCATGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACG
TTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTCCAGTGTACGCACCACCACCTGC
P K D T L M I S R T P E V T C V V V D V
TGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATA
ACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATGCACCTGCCGCACCTCCACGTAT
S H E D P E V K F N W Y V D G V E V H N
ATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCC
TACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCGTGCATGGCACACCAGTCGCAGG
A K T K P R E E Q Y N S T Y R V V S V L
TCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACA
AGTGGCAGGACGTGGTCCTGACCGACTTACCGTTCCTCATGTTCACGTTCCAGAGGTTGT
T V L H Q D W L N G K E Y K C K V S N K
AAGCCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAAC
TTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTTCGGTTTCCCGTCGGGGCTCTTG
A L P A P I E K T I S K A K G Q P R E P
CACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTGACCAAGAACCAGGTCAGCCTGA
GTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGACTGGTTCTTGGTCCAGTCGGACT
Q V Y T L P P S R D E L T K N Q V S L T
CCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGC
GGACGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGGCACCTCACCCTCTCGTTACCCG
C L V K G F Y P S D I A V E W E S N G Q
AGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTGGACTCCGACGGCTCCTTCTTCC
TCGGCCTCTTGTTGATGTTCTGGTGCGGAGGGCACGACCTGAGGCTGCCGAGGAAGAAGG
P E N N Y K T T P P V L D S D G S F F L
TCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCT
AGATGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTCGTCCCCTTGCAGAAGAGTACGA
Y S K L T V D K S R W Q Q G N V F S C S
CCGTGATGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGG
GGCACTACGTACTCCGAGACGTGTTGGTGATGTGCGTCTTCTCGGAGAGGGACAGAGGCC
V M H E A L H N H Y T Q K S L S L S P G
BamHI
GTAAATAATGGATCC
CATTTATTACCTAGG
K *

FIG. 10



XbaI
TCTAGATTTGTTTTAACTAATTAAAGGAGGAATAACATATGATCGAAGGTCCGACTCTGC
AGATCTAAACAAAATTGATTAATTTCCTCCTTATTGTATACTAGCTTCCAGGCTGAGACG
M I E G P T L R
GTCAGTGGCTGGCTGCTCGTGCTGGTGGAGGCGGTGGGGACAAAACTCACACATGTCCAC
CAGTCACCGACCGACGAGCACGACCACCTCCGCCACCCCTGTTTTGAGTGTGTACAGGTG
Q W L A A R A G G G G G D K T H T C P P
CTTGCCCAGCACCTGAACTCCTGGGGGGACCGTCAGTTTTCCTCTTCCCCCCAAAACCCA
GAACGGGTCGTGGACTTGAGGACCCCCCTGGCAGTCAAAAGGAGAAGGGGGGTTTTGGGT
C P A P E L L G G P S V F L F P P K P K
AGGACACCCTCATGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGAGCC
TCCTGTGGGAGTACTAGAGGGCCTGGGGACTCCAGTGTACGCACCACCACCTGCACTCGG
D T L M I S R T P E V T C V V V D V S H
ACGAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCA
TGCTTCTGGGACTCCAGTTCAAGTTGACCATGCACCTGCCGCACCTCCACGTATTACGGT
E D P E V K F N W Y V D G V E V H N A K
AGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCCTCACCG
TCTGTTTCGGCGCCCTCCTCGTCATGTTGTCGTGCATGGCACACCAGTCGCAGGAGTGGC
T K P R E E Q Y N S T Y R V V S V L T V
TCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAGCCC
AGGACGTGGTCCTGACCGACTTACCGTTCCTCATGTTCACGTTCCAGAGGTTGTTTCGGG
L H Q D W L N G K E Y K C K V S N K A L
TCCCAGCCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGG
AGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTTCGGTTTCCCGTCGGGGCTCTTGGTGTCC
P A P I E K T I S K A K G Q P R E P Q V
TGTACACCCTGCCCCCATCCCGGGATGAGCTGACCAAGAACCAGGTCAGCCTGACCTGCC
ACATGTGGGACGGGGGTAGGGCCCTACTCGACTGGTTCTTGGTCCAGTCGGACTGGACGG
Y T L P P S R D E L T K N Q V S L T C L
TGGTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGG
ACCAGTTTCCGAAGATAGGGTCGCTGTAGCGGCACCTCACCCTCTCGTTACCCGTCGGCC
V K G F Y P S D I A V E W E S N G Q P E
AGAACAACTACAAGACCACGCCTCCCGTGCTGGACTCCGACGGCTCCTTCTTCCTCTACA
TCTTGTTGATGTTCTGGTGCGGAGGGCACGACCTGAGGCTGCCGAGGAAGAAGGAGATGT
N N Y K T T P P V L D S D G S F F L Y S
GCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCGTGA
CGTTCGAGTGGCACCTGTTCTCGTCCACCGTCGTCCCCTTGCAGAAGAGTACGAGGCACT
K L T V D K S R W Q Q G N V F S C S V M
TGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGTAAAT
ACGTACTCCGAGACGTGTTGGTGATGTGCGTCTTCTCGGAGAGGGACAGAGGCCCATTTA
H E A L H N H Y T Q K S L S L S P G K *
BamHI
AATGGATCC
TTACCTAGG

FIG.11



PLTX10^5/ml
6000
5500
5000
4500
4000
3500
3000
2500
2000
1500
1000
500
0
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14
Days Post Treatment
Carrier
PEGMGCF
TMP
TMPTMP
PEGTMPTMP
TMPTMPFc dimer
FcTMPTMP dimer

FIG.12



Platelets X10^5
10000
9500
9000
8500
8000
7500
7000
6500
6000
5500
5000
4500
4000
3500
3000
2500
2000
1500
1000
500
0
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21
Days Post Treatment
Carrier
PEG - MGDF
TMPTMPFc dimer
FcTMPTMP dimer

FIG. 13



XbaI
TCTAGATTTGTTTTAACTAATTAAAGGAGGAATAACATATGGACAAAACTCACACATGTC
AGATCTAAACAAAATTGATTAATTTCCTCCTTATTGTATACCTGTTTTGAGTGTGTACAG
M D K T H T C P
CACCTTGTCCAGCTCCGGAACTCCTGGGGGGACCGTCAGTCTTCCTCTTCCCCCCAAAAC
GTGGAACAGGTCGAGGCCTTGAGGACCCCCCTGGCAGTCAGAAGGAGAAGGGGGGTTTTG
P C P A P E L L G G P S V F L F P P K P
CCAAGGACACCCTCATGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGA
GGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTCCAGTGTACGCACCACCACCTGCACT
K D T L M I S R T P E V T C V V V D V S
GCCACGAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATG
CGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATGCACCTGCCGCACCTCCACGTATTAC
H E D P E V K F N W Y V D G V E V H N A
CCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCCTCA
GGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCGTGCATGGCACACCAGTCGCAGGAGT
K T K P R E E Q Y N S T Y R V V S V L T
CCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAG
GGCAGGACGTGGTCCTGACCGACTTACCGTTCCTCATGTTCACGTTCCAGAGGTTGTTTC
V L H Q D W L N G K E Y K C K V S N K A
CCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCAC
GGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTTCGGTTTCCCGTCGGGGCTCTTGGTG
L P A P I E K T I S K A K G Q P R E P Q
AGGTGTACACCCTGCCCCCATCCCGGGATGAGCTGACCAAGAACCAGGTCAGCCTGACCT
TCCACATGTGGGACGGGGGTAGGGCCCTACTCGACTGGTTCTTGGTCCAGTCGGACTGGA
V Y T L P P S R D E L T K N Q V S L T C
GCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGC
CGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGGCACCTCACCCTCTCGTTACCCGTCG
L V K G F Y P S D I A V E W E S N G Q P
CGGAGAACAACTACAAGACCACGCCTCCCGTGCTGGACTCCGACGGCTCCTTCTTCCTCT
GCCTCTTGTTGATGTTCTGGTGCGGAGGGCACGACCTGAGGCTGCCGAGGAAGAAGGAGA
E N N Y K T T P P V L D S D G S F F L Y
ACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCG
TGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTCGTCCCCTTGCAGAAGAGTACGAGGC
S K L T V D K S R W Q Q G N V F S C S V
TGATGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGTA
ACTACGTACTCCGAGACGTGTTGGTGATGTGCGTCTTCTCGGAGAGGGACAGAGGCCCAT
M H E A L H N H Y T Q K S L S L S P G K
AAGGTGGAGGTGGTGGTGGAGGTACTTACTCTTGCCACTTCGGCCCGCTGACTTGGGTTT
TTCCACCTCCACCACCACCTCCATGAATGAGAACGGTGAAGCCGGGCGACTGAACCCAAA
G G G G G G G T Y S C H F G P L T W V C
BamHI
GCAAACCGCAGGGTGGTTAATCTCGTGGATCC
CGTTTGGCGTCCCACCAATTAGAGCACCTAGG
K P Q G G *

FIG. 14



XbaI
TCTAGATTTGTTTTAACTAATTAAAGGAGGAATAACATATGGGAGGTACTTACTCTTGCC
AGATCTAAACAAAATTGATTAATTTCCTCCTTATTGTATACCCTCCATGAATGAGAACGG
M G G T Y S C H -
ACTTCGGCCCGCTGACTTGGGTATGTAAGCCACAAGGGGGTGGGGGAGGCGGGGGGGACA
TGAAGCCGGGCGACTGAACCCATACATTCGGTGTTCCCCCACCCCCTCCGCCCCCCCTGT
F G P L T W V C K P Q G G G G G G G D K -
AAACTCACACATGTCCACCTTGCCCAGCACCTGAACTCCTGGGGGGACCGTCAGTTTTCC
TTTGAGTGTGTACAGGTGGAACGGGTCGTGGACTTGAGGACCCCCCTGGCAGTCAAAAGG
T H T C P P C P A P E L L G G P S V F L -
TCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCCTGAGGTCACATGCG
AGAAGGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTCCAGTGTACGC
F P P K P K D T L M I S R T P E V T C V -
TGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCG
ACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATGCACCTGCCGC
V V D V S H E D P E V K F N W Y V D G V -
TGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTG
ACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCGTGCATGGCAC
E V H N A K T K P R E E Q Y N S T Y R V -
TGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCA
ACCAGTCGCAGGAGTGGCAGGACGTGGTCCTGACCGACTTACCGTTCCTCATGTTCACGT
V S V L T V L H Q D W L N G K E Y K C K -
AGGTCTCCAACAAAGCCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGC
TCCAGAGGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTTCGGTTTCCCG
V S N K A L P A P I E K T I S K A K G Q -
AGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTGACCAAGAACC
TCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGACTGGTTCTTGG
P R E P Q V Y T L P P S R D E L T K N Q -
AGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGG
TCCAGTCGGACTGGACGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGGCACCTCACCC
V S L T C L V K G F Y P S D I A V E W E -
AGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTGGACTCCGACG
TCTCGTTACCCGTCGGCCTCTTGTTGATGTTCTGGTGCGGAGGGCACGACCTGAGGCTGC
S N G Q P E N N Y K T T P P V L D S D G -
GCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACG
CGAGGAAGAAGGAGATGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTCGTCCCCTTGC
S F F L Y S K L T V D K S R W Q Q G N V -
TCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCT
AGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTGGTGATGTGCGTCTTCTCGGAGA
F S C S V M H E A L H N H Y T Q K S L S -
BamHI
CCCTGTCTCCGGGTAAATAATGGATCC
GGGACAGAGGCCCATTTATTACCTAGG
L S P G K *

FIG. 15



XbaI
TCTAGATTTGAGTTTTAACTTTTAGAAGGAGGAATAAAATATGGGAGGTACTTACTCTTG
AGATCTAAACTCAAAATTGAAAATCTTCCTCCTTATTTTATACCCTCCATGAATGAGAAC
b M G G T Y S C -
CCACTTCGGCCCACTGACTTGGGTTTGCAAACCGCAGGGTGGCGGCGGCGGCGGCGGTGG
GGTGAAGCCGGGTGACTGAACCCAAACGTTTGGCGTCCCACCGCCGCCGCCGCCGCCACC
b H F G P L T W V C K P Q G G G G G G G G -
TACCTATTCCTGTCATTTTGGCCCGCTGACCTGGGTATGTAAGCCACAAGGGGGTGGGGG
ATGGATAAGGACAGTAAAACCGGGCGACTGGACCCATACATTCGGTGTTCCCCCACCCCC
b T Y S C H F G P L T W V C K P Q G G G G -
AGGCGGGGGGGACAAAACTCACACATGTCCACCTTGCCCAGCACCTGAACTCCTGGGGGG
TCCGCCCCCCCCTGTTTTGAGTGTGTACAGGTGGAACGGGTCGTGGACTTGAGGACCCCCC
b G G G D K T H T C P P C P A P E L L G G -
ACCGTCAGTTTTCCTCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCC
TGGCAGTCAAAAGGAGAAGGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGG
b P S V F L F P P P K P K D T L M I S R T P -
TGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAACTG
ACTCCAGTGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGAC
b E V T C V V V D V S H E D P E V K F N W -
GTACGTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAA
CATGCACCTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTT
b Y V D G V E V H N A K T K P R E E Q Y N -
CAGCACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAA
GTCGTGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCCTGACCGACTTACCGTT
b S T Y R V V S V L T V L H Q D W L N G K -
GGAGTACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCCATCGAGAAAACCATCTC
CCTCATGTTCACGTTCCAGAGGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAG
b E Y K C K V S N K A L P A P I E K T I S -
CAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGA
GTTTCGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACT
b K A K G Q P R E P Q V Y T L P P S R D E -
GCTGACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACAT
CGACTGGTTCTTGGTCCAGTCGGACTGGACGGACCAGTTTCCGAAGATAGGGTCGCTGTA
b L T K N Q V S L T C L V K G F Y P S D I -
CGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGT
GCGGCACCTCACCCTCTCGTTACCCGTCGGCCTCTTGTTGATGTTCTGGTGCGGAGGGCA
b A V E W E S N G Q P E N N Y K T T P P V -
GCTGGACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTG
CGACCTGAGGCTGCCGAGGAAGAAGGAGATGTCGTTCGAGTGGCACCTGTTCTCGTCCAC
b L D S D G S F F L Y S K L T V D K S R W -
GCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACAC
CGTCGTCCCCTTGCAGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTGGTGATGTG
b Q Q G N V F S C S V M H E A L H N H Y T -
BamHI
GCAGAAGAGCCTCTCCCTGTCTCCGGGTAAATAATGGATCC
CGTCTTCTCGGAGAGGGACAGAGGCCCATTTATTACCTAGG
b Q K S L S L S P G K *

FIG. 16



XbaI
TCTAGATTTGTTTTAACTAATTAAAGGAGGAATAACATATGGACAAAACTCACACATGTC
AGATCTAAACAAAATTGATTAATTTCCTCCTTATTGTATACCTGTTTTGAGTGTGTACAG
M D K T H T C P
CACCTTGCCCAGCACCTGAACTCCTGGGGGGACCGTCAGTTTTCCTCTTCCCCCCAAAAC
GTGGAACGGGTCGTGGACTTGAGGACCCCCCTGGCAGTCAAAAGGAGAAGGGGGGTTTTG
P C P A P E L L G G P S V F L F P P P K P
CCAAGGACACCCTCATGATCTCCCGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGA
GGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTCCAGTGTACGCACCACCACCTGCACT
K D T L M I S R T P E V T C V V V D V S
GCCACGAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATG
CGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATGCACCTGCCGCACCTCCACGTATTAC
H E D P E V K F N W Y V D G V E V H N A
CCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGCACGTACCGTGTGGTCAGCGTCCTCA
GGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCGTGCATGGCACACCAGTCGCAGGAGT
K T K P R E E Q Y N S T Y R V V S V L T
CCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAG
GGCAGGACGTGGTCCTGACCGACTTACCGTTCCTCATGTTCACGTTCCAGAGGTTGTTTC
V L H Q D W L N G K E Y K C K V S N K A
CCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCAC
GGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTTCGGTTTCCCGTCGGGGCTCTTGGTG
L P A P I E K T I S K A K G Q P R E P Q
AGGTGTACACCCTGCCTCCATCCCGGGATGAGCTGACCAAGAACCAGGTCAGCCTGACCT
TCCACATGTGGGACGGAGGTAGGGCCCTACTCGACTGGTTCTTGGTCCAGTCGGACTGGA
V Y T L P P S R D E L T K N Q V S L T C
GCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGC
CGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGGCACCTCACCCTCTCGTTACCCGTCG
L V K G F Y P S D I A V E W E S N G Q P
CGGAGAACAACTACAAGACCACGCCTCCCGTGCTGGACTCCGACGGCTCCTTCTTCCTCT
GCCTCTTGTTGATGTTCTGGTGCGGAGGGCACGACCTGAGGCTGCCGAGGAAGAAGGAGA
E N N Y K T T P P V L D S D G S F F L Y
ACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCG
TGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTCGTCCCCTTGCAGAAGAGTACGAGGC
S K L T V D K S R W Q Q G N V F S C S V
TGATGCATGAGGCTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGTA
ACTACGTACTCCGAGACGTGTTGGTGATGTGCGTCTTCTCGGAGAGGGACAGAGGCCCAT
M H E A L H N H Y T Q K S L S L S P G K
AAGGTGGAGGTGGTGGCGGAGGTACTTACTCTTGCCACTTCGGCCCACTGACTTGGGTTT
TTCCACCTCCACCACCGCCTCCATGAATGAGAACGGTGAAGCCGGGTGACTGAACCCAAA
G G G G G G G T Y S C H F G P L T W V C
GCAAACCGCAGGGTGGCGGCGGCGGCGGCGGTGGTACCTATTCCTGTCATTTTGGCCCGC
CGTTTGGCGTCCCACCGCCGCCGCCGCCGCCACCATGGATAAGGACAGTAAAACCGGGCG
K P Q G G G G G G G G T Y S C H F G P L
BamHI
TGACCTGGGTATGTAAGCCACAAGGGGGTTAATCTCGAGGATCC
ACTGGACCCATACATTCGGTGTTCCCCCAATTAGAGCTCCTAGG
T W V C K P Q G G *

FIG. 17A

```
[AatII sticky end]                    5'     GCGTAACGTATGCATGGTCTCC-
(position #4358 in pAMG21)            3' TGCACGCATTGCATACGTACCAGAGG-

-CCATGCGAGAGTAGGGAACTGCCAGGCATCAAATAAAACGAAAGGCTCAGTCGAAAGACT-
-GGTACGCTCTCATCCCTTGACGGTCCGTAGTTTATTTTGCTTTCCGAGTCAGCTTTCTGA-

-GGGCCTTTCGTTTTATCTGTTGTTTGTCGGTGAACGCTCTCCTGAGTAGGACAAATCCGC-
-CCCGGAAAGCAAAATAGACAACAAACAGCCACTTGCGAGAGGACTCATCCTGTTTAGGCG-

-CGGGAGCGGATTTGAACGTTGCGAAGCAACGGCCCGGAGGGTGGCGGGCAGGACGCCCGC-
-GCCCTCGCCTAAACTTGCAACGCTTCGTTGCCGGGCCTCCCACCGCCCGTCCTGCGGGCG-

-CATAAACTGCCAGGCATCAAATTAAGCAGAAGGCCATCCTGACGGATGGCCTTTTTGCGT-
-GTATTTGACGGTCCGTAGTTTAATTCGTCTTCCGGTAGGACTGCCTACCGGAAAAACGCA-

                                                    AatII
-TTCTACAAACTCTTTTGTTTATTTTTCTAAATACATTCAAATATGGACGTCGTACTTAAC-
-AAGATGTTTGAGAAAACAAATAAAAAAGATTTATGTAAGTTTATACCTGCAGCATGAATTG-

-TTTTAAAGTATGGGCAATCAATTGCTCCTGTTAAAATTGCTTTAGAAATACTTTGGCAGC-
-AAAATTTCATACCCGTTAGTTAACGAGGACAATTTTAACGAAATCTTTATGAAACCGTCG-

-GGTTTGTTGTATTGAGTTTCATTTGCGCATTGGTTAAATGGAAAGTGACCGTGCGCTTAC-
-CCAAACAACATAACTCAAAGTAAACGCGTAACCAATTTACCTTTCACTGGCACGCGAATG-

-TACAGCCTAATATTTTTGAAATATCCCAAGAGCTTTTTCCTTCGCATGCCCACGCTAAAC-
-ATGTCGGATTATAAAAACTTTATAGGGTTCTCGAAAAAGGAAGCGTACGGGTGCGATTTG-

-ATTCTTTTTCTCTTTTGGTTAAATCGTTGTTTGATTTATTATTTGCTATATTTATTTTTC-
-TAAGAAAAAGAGAAAACCAATTTAGCAACAAACTAAATAATAAACGATATAAATAAAAAG-

-GATAATTATCAACTAGAGAAGGAACAATTAATGGTATGTTCATACACGCATGTAAAAATA-
-CTATTAATAGTTGATCTCTTCCTTGTTAATTACCATACAAGTATGTGCGTACATTTTTAT-

-AACTATCTATATAGTTGTCTTTCTCTGAATGTGCAAAACTAAGCATTCCGAAGCCATTAT-
-TTGATAGATATATCAACAGAAAGAGACTTACACGTTTTGATTCGTAAGGCTTCGGTAATA-

-TAGCAGTATGAATAGGGAAACTAAACCCAGTGATAAGACCTGATGATTTCGCTTCTTTAA-
-ATCGTCATACTTATCCCTTTGATTTGGGTCACTATTCTGGACTACTAAAGCGAAGAAATT-

-TTACATTTGGAGATTTTTTATTTACAGCATTGTTTTCAAATATATTCCAATTAATCGGTG-
-AATGTAAACCTCTAAAAAATAAATGTCGTAACAAAAGTTTATATAAGGTTAATTAGCCAC-

-AATGATTGGAGTTAGAATAATCTACTATAGGATCATATTTTATTAAATTAGCGTCATCAT-
-TTACTAACCTCAATCTTATTAGATGATATCCTAGTATAAAATAATTTAATCGCAGTAGTA-

-AATATTGCCTCCATTTTTTAGGGTAATTATCCAGAATTGAAATATCAGATTTAACCATAG-
-TTATAACGGAGGTAAAAAATCCCATTAATAGGTCTTAACTTTATAGTCTAAATTGGTATC-

-AATGAGGATAAATGATCGCGAGTAAATAATATTCACAATGTACCATTTTAGTCATATCAG-
-TTACTCCTATTTACTAGCGCTCATTTATTATAAGTGTTACATGGTAAAATCAGTATAGTC-

-ATAAGCATTGATTAATATCATTATTGCTTCTACAGGCTTTAATTTTATTAATTATTCTGT-
-TATTCGTAACTAATTATAGTAATAACGAAGATGTCCGAAATTAAAATAATTAATAAGACA-

-AAGTGTCGTCGGCATTTATGTCTTTCATACCCATCTCTTTATCCTTACCTATTGTTTGTC-
-TTCACAGCAGCCGTAAATACAGAAAGTATGGGTAGAGAAATAGGAATGGATAACAAACAG-

-GCAAGTTTTGCGTGTTATATATCATTAAAACGGTAATAGATTGACATTTGATTCTAATAA-
-CGTTCAAAACGCACAATATATAGTAATTTTGCCATTATCTAACTGTAAACTAAGATTATT-
```

FIG. 17B

```
-ATTGGATTTTTGTCACACTATTATATCGCTTGAAATACAATTGTTTAACATAAGTACCTG-
-TAACCTAAAAACAGTGTGATAATATAGCGAACTTTATGTTAACAAATTGTATTCATGGAC-

-TAGGATCGTACAGGTTTACGCAAGAAAATGGTTTGTTATAGTCGATTAATCGATTTGATT-
-ATCCTAGCATGTCCAAATGCGTTCTTTTACCAAACAATATCAGCTAATTAGCTAAACTAA-

-CTAGATTTGTTTTAACTAATTAAAGGAGGAATAACATATGGTTAACGCGTTGGAATTCGA-
-GATCTAAACAAAATTGATTAATTTCCTCCTTATTGTATACCAATTGCGCAACCTTAAGCT-

                                                    SacII
-GCTCACTAGTGTCGACCTGCAGGGTACCATGGAAGCTTACTCGAGGATCCGCGGAAAGAA-
-CGAGTGATCACAGCTGGACGTCCCATGGTACCTTCGAATGAGCTCCTAGGCGCCTTTCTT-

-GAAGAAGAAGAAGAAAGCCCGAAAGGAAGCTGAGTTGGCTGCTGCCACCGCTGAGCAATA-
-CTTCTTCTTCTTCTTTCGGGCTTTCCTTCGACTCAACCGACGACGGTGGCGACTCGTTAT-

-ACTAGCATAACCCCTTGGGGCCTCTAAACGGGTCTTGAGGGGTTTTTTGCTGAAAGGAGG-
-TGATCGTATTGGGGAACCCCGGAGATTTGCCCAGAACTCCCCAAAAAACGACTTTCCTCC-

-AACCGCTCTTCACGCTCTTCACGC 3'          [SacII sticky end]
-TTGGCGAGAAGTGCGAGAAGTG   5'       (position #5904 in pAMG21)
```

FIG.18A - 1




FIG.18A - 2




FIG.18A - 3




FIG.18B - 1




FIG.18B - 2




FIG.18B - 3




FIG. 19A



NdeI
CATATGGACAAAACTCACACATGTCCACCTTGTCCAGCTCCGGAACTCCTGGGGGGACCG
GTATACCTGTTTTGAGTGTGTACAGGTGGAACAGGTCGAGGCCTTGAGGACCCCCCTGGC
M D K T H T C P P C P A P E L L G G P
TCAGTCTTCCTCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCCTGAG
AGTCAGAAGGAGAAGGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTC
S V F L F P P K P K D T L M I S R T P E
GTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTAC
CAGTGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATG
V T C V V V D V S H E D P E V K F N W Y
GTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGC
CACCTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCG
V D G V E V H N A K T K P R E E Q Y N S
ACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG
TGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCCTGACCGACTTACCGTTCCTC
T Y R V V S V L T V L H Q D W L N G K E
TACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAA
ATGTTCACGTTCCAGAGGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTT
Y K C K V S N K A L P A P I E K T I S K
GCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTG
CGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGAC
A K G Q P R E P Q V Y T L P P S R D E L
ACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCC
TGGTTCTTGGTCCAGTCGGACTGGACGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGG
T K N Q V S L T C L V K G F Y P S D I A
GTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTG
CACCTCACCCTCTCGTTACCCGTCGGCCTCTTGTTGATGTTCTGGTGCGGAGGGCACGAC
V E W E S N G Q P E N N Y K T T P P V L
GACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG
CTGAGGCTGCCGAGGAAGAAGGAGATGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTC
D S D G S F F L Y S K L T V D K S R W Q

FIG. 19B



CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACGCAG
601 ---------+---------+---------+---------+---------+---------+---------+ 660
GTCCCCTTGCAGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTGGTGATGTGCGTC
a Q G N V F S C S V M H E A L H N H Y T Q
AAGAGCCTCTCCCTGTCTCCGGGTAAAGGTGGAGGTGGTGGTGACTTCCTGCCGCACTAC
661 ---------+---------+---------+---------+---------+---------+---------+ 720
TTCTCGGAGAGGGACAGAGGCCCATTTCCACCTCCACCACCACTGAAGGACGGCGTGATG
a K S L S L S P G K G G G G G D F L P H Y
BamHI
AAAAACACCTCTCTGGGTCACCGTCCGTAATGGATCC
721 ---------+---------+---------+---------+------- 757
TTTTTGTGGAGAGACCCAGTGGCAGGCATTACCTAGG
a K N T S L G H R P *

FIG. 20A

```
                NdeI
                 |
                CATATGGACTTCCTGCCGCACTACAAAAACACCTCTCTGGGTCACCGTCCGGGTGGAGGC
                                                                          + 60
             1  ---------+---------+---------+---------+---------+---------
                GTATACCTGAAGGACGGCGTGATGTTTTTGTGGAGAGACCCAGTGGCAGGCCCACCTCCG

                   M  D  F  L  P  H  Y  K  N  T  S  L  G  H  R  P  G  G  G   -
a

                GGTGGGGACAAAACTCACACATGTCCACCTTGCCCAGCACCTGAACTCCTGGGGGGACCG
                                                                          + 120
            61  ---------+---------+---------+---------+---------+---------
                CCACCCCTGTTTTGAGTGTGTACAGGTGGAACGGGTCGTGGACTTGAGGACCCCCCTGGC

                G  G  D  K  T  H  T  C  P  P  C  P  A  P  E  L  L  G  G  P   -
a

                TCAGTTTTCCTCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCCTGAG
                                                                          + 180
           121  ---------+---------+---------+---------+---------+---------
                AGTCAAAAGGAGAAGGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTC

                S  V  F  L  F  P  P  K  P  K  D  T  L  M  I  S  R  T  P  E   -
a

                GTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTAC
                                                                          + 240
           181  ---------+---------+---------+---------+---------+---------
                CAGTGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATG

                V  T  C  V  V  V  D  V  S  H  E  D  P  E  V  K  F  N  W  Y   -
a

                GTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGC
                                                                          + 300
           241  ---------+---------+---------+---------+---------+---------
                CACCTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCG

                V  D  G  V  E  V  H  N  A  K  T  K  P  R  E  E  Q  Y  N  S   -
a

                ACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG
                                                                          + 360
           301  ---------+---------+---------+---------+---------+---------
                TGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCCTGACCGACTTACCGTTCCTC

                T  Y  R  V  V  S  V  L  T  V  L  H  Q  D  W  L  N  G  K  E   -
a

                TACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAA
                                                                          + 420
           361  ---------+---------+---------+---------+---------+---------
                ATGTTCACGTTCCAGAGGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTT

                Y  K  C  K  V  S  N  K  A  L  P  A  P  I  E  K  T  I  S  K   -
a

                GCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTG
                                                                          + 480
           421  ---------+---------+---------+---------+---------+---------
                CGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGAC

                A  K  G  Q  P  R  E  P  Q  V  Y  T  L  P  P  S  R  D  E  L   -
a

                ACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCC
                                                                          + 540
           481  ---------+---------+---------+---------+---------+---------
                TGGTTCTTGGTCCAGTCGGACTGGACGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGG

                T  K  N  Q  V  S  L  T  C  L  V  K  G  F  Y  P  S  D  I  A   -
a

                GTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTG
                                                                          + 600
           541  ---------+---------+---------+---------+---------+---------
                CACCTCACCCTCTCGTTACCCGTCGGCCTCTTGTTGATGTTCTGGTGCGGAGGGCACGAC

                V  E  W  E  S  N  G  Q  P  E  N  N  Y  K  T  T  P  P  V  L   -
a
```

FIG. 20B



GACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG
601
CTGAGGCTGCCGAGGAAGAAGGAGATGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTC
660
a D S D G S F F L Y S K L T V D K S R W Q -
CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACGCAG
661
GTCCCCTTGCAGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTGGTGATGTGCGTC
720
a Q G N V F S C S V M H E A L H N H Y T Q -
BamHI
AAGAGCCTCTCCCTGTCTCCGGGTAAATAATGGATCCGCGG
721
TTCTCGGAGAGGGACAGAGGCCCATTTATTACCTAGGCGCC
761
a K S L S L S P G K *

FIG. 21A

```
                NdeI
                 |
                CATATGGACAAAACTCACACATGTCCACCTTGTCCAGCTCCGGAACTCCTGGGGGGACCG
                +---------+---------+---------+---------+---------+---------+ 60
             1  ---------+---------+---------+---------+---------+---------+
                GTATACCTGTTTTGAGTGTGTACAGGTGGAACAGGTCGAGGCCTTGAGGACCCCCCTGGC

                   M  D  K  T  H  T  C  P  P  C  P  A  P  E  L  L  G  G  P   -
a

                TCAGTCTTCCTCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCCTGAG
                +---------+---------+---------+---------+---------+---------+ 120
            61  ---------+---------+---------+---------+---------+---------+
                AGTCAGAAGGAGAAGGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTC

                S  V  F  L  F  P  P  K  P  K  D  T  L  M  I  S  R  T  P  E   -
a

                GTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTAC
                +---------+---------+---------+---------+---------+---------+ 180
           121  ---------+---------+---------+---------+---------+---------+
                CAGTGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATG

                V  T  C  V  V  V  D  V  S  H  E  D  P  E  V  K  F  N  W  Y   -
a

                GTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGC
                +---------+---------+---------+---------+---------+---------+ 240
           181  ---------+---------+---------+---------+---------+---------+
                CACCTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCG

                V  D  G  V  E  V  H  N  A  K  T  K  P  R  E  E  Q  Y  N  S   -
a

                ACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG
                +---------+---------+---------+---------+---------+---------+ 300
           241  ---------+---------+---------+---------+---------+---------+
                TGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCCTGACCGACTTACCGTTCCTC

                T  Y  R  V  V  S  V  L  T  V  L  H  Q  D  W  L  N  G  K  E   -
a

                TACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAA
                +---------+---------+---------+---------+---------+---------+ 360
           301  ---------+---------+---------+---------+---------+---------+
                ATGTTCACGTTCCAGAGGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTT

                Y  K  C  K  V  S  N  K  A  L  P  A  P  I  E  K  T  I  S  K   -
a

                GCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTG
                +---------+---------+---------+---------+---------+---------+ 420
           361  ---------+---------+---------+---------+---------+---------+
                CGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGAC

                A  K  G  Q  P  R  E  P  Q  V  Y  T  L  P  P  S  R  D  E  L   -
a

                ACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCC
                +---------+---------+---------+---------+---------+---------+ 480
           421  ---------+---------+---------+---------+---------+---------+
                TGGTTCTTGGTCCAGTCGGACTGGACGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGG

                T  K  N  Q  V  S  L  T  C  L  V  K  G  F  Y  P  S  D  I  A   -
a

                GTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTG
                +---------+---------+---------+---------+---------+---------+ 540
           481  ---------+---------+---------+---------+---------+---------+
                CACCTCACCCTCTCGTTACCCGTCGGCCTCTTGTTGATGTTCTGGTGCGGAGGGCACGAC

                V  E  W  E  S  N  G  Q  P  E  N  N  Y  K  T  T  P  P  V  L   -
a

                GACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG
                +---------+---------+---------+---------+---------+---------+ 600
           541  ---------+---------+---------+---------+---------+---------+
                CTGAGGCTGCCGAGGAAGAAGGAGATGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTC

                D  S  D  G  S  F  F  L  Y  S  K  L  T  V  D  K  S  R  W  Q   -
a
```

FIG. 21B



CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACGCAG
601 GTCCCCTTGCAGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTGGTGATGTGCGTC 660
Q G N V F S C S V M H E A L H N H Y T Q
AAGAGCCTCTCCCTGTCTCCGGGTAAAGGTGGAGGTGGTGGTTTCGAATGGACCCCGGGT
661 TTCTCGGAGAGGGACAGAGGCCCATTTCCACCTCCACCACCAAAGCTTACCTGGGGCCCA 720
K S L S L S P G K G G G G G F E W T P G
BamHI
TACTGGCAGCCGTACGCTCTGCCGCTGTAATGGATCCCTCGAG
721 ATGACCGTCGGCATGCGAGACGGCGACATTACCTAGGGAGCTC 763
Y W Q P Y A L P L *

FIG. 22A



NdeI
CATATGTTCGAATGGACCCCGGGTTACTGGCAGCCGTACGCTCTGCCGCTGGGTGGAGGC
1 ---------+---------+---------+---------+---------+---------+ 60
GTATACAAGCTTACCTGGGGCCCAATGACCGTCGGCATGCGAGACGGCGACCCACCTCCG
a M F E W T P G Y W Q P Y A L P L G G G -
GGTGGGGACAAAACTCACACATGTCCACCTTGCCCAGCACCTGAACTCCTGGGGGGACCG
61 ---------+---------+---------+---------+---------+---------+ 120
CCACCCCTGTTTTGAGTGTGTACAGGTGGAACGGGTCGTGGACTTGAGGACCCCCCTGGC
a G G D K T H T C P P C P A P E L L G G P -
TCAGTTTTCCTCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCCTGAG
121 ---------+---------+---------+---------+---------+---------+ 180
AGTCAAAAGGAGAAGGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTC
a S V F L F P P K P K D T L M I S R T P E -
GTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTAC
181 ---------+---------+---------+---------+---------+---------+ 240
CAGTGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATG
a V T C V V V D V S H E D P E V K F N W Y -
GTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGC
241 ---------+---------+---------+---------+---------+---------+ 300
CACCTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCG
a V D G V E V H N A K T K P R E E Q Y N S -
ACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG
301 ---------+---------+---------+---------+---------+---------+ 360
TGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCCTGACCGACTTACCGTTCCTC
a T Y R V V S V L T V L H Q D W L N G K E -
TACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAA
361 ---------+---------+---------+---------+---------+---------+ 420
ATGTTCACGTTCCAGAGGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTT
a Y K C K V S N K A L P A P I E K T I S K -
GCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTG
421 ---------+---------+---------+---------+---------+---------+ 480
CGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGAC
a A K G Q P R E P Q V Y T L P P S R D E L -
ACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCC
481 ---------+---------+---------+---------+---------+---------+ 540
TGGTTCTTGGTCCAGTCGGACTGGACGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGG
a T K N Q V S L T C L V K G F Y P S D I A -
GTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTG
541 ---------+---------+---------+---------+---------+---------+ 600
CACCTCACCCTCTCGTTACCCGTCGGCCTCTTGTTGATGTTCTGGTGCGGAGGGCACGAC
a V E W E S N G Q P E N N Y K T T P P V L -

FIG. 22B



GACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG
601
CTGAGGCTGCCGAGGAAGAAGGAGATGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTC
660
a D S D G S F F L Y S K L T V D K S R W Q
CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACGCAG
661
GTCCCCTTGCAGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTGGTGATGTGCGTC
720
a Q G N V F S C S V M H E A L H N H Y T Q
BamHI
AAGAGCCTCTCCCTGTCTCCGGGTAAATAATGGATCC
721
TTCTCGGAGAGGGACAGAGGCCCATTTATTACCTAGG
757
a K S L S L S P G K *

FIG. 23A

```
          NdeI
            |
            CATATGGACAAAACTCACACATGTCCACCGTGCCCAGCACCTGAACTCCTGGGGGGACCG
          1 ---------+---------+---------+---------+---------+---------+---------+ 60
            GTATACCTGTTTTGAGTGTGTACAGGTGGCACGGGTCGTGGACTTGAGGACCCCCCTGGC

a                M   D   K   T   H   T   C   P   P   C   P   A   P   E   L   L   G   G   P   -

            TCAGTTTTCCTCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCCCTGAG
         61 ---------+---------+---------+---------+---------+---------+---------+ 120
            AGTCAAAAGGAGAAGGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTC

a                S   V   F   L   F   P   P   K   P   K   D   T   L   M   I   S   R   T   P   E   -

            GTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTAC
        121 ---------+---------+---------+---------+---------+---------+---------+ 180
            CAGTGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATG

a                V   T   C   V   V   V   D   V   S   H   E   D   P   E   V   K   F   N   W   Y   -

            GTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGC
        181 ---------+---------+---------+---------+---------+---------+---------+ 240
            CACCTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCG

a                V   D   G   V   E   V   H   N   A   K   T   K   P   R   E   E   Q   Y   N   S   -

            ACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG
        241 ---------+---------+---------+---------+---------+---------+---------+ 300
            TGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCCTGACCGACTTACCGTTCCTC

a                T   Y   R   V   V   S   V   L   T   V   L   H   Q   D   W   L   N   G   K   E   -

            TACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAA
        301 ---------+---------+---------+---------+---------+---------+---------+ 360
            ATGTTCACGTTCCAGAGGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTT

a                Y   K   C   K   V   S   N   K   A   L   P   A   P   I   E   K   T   I   S   K   -

            GCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTG
        361 ---------+---------+---------+---------+---------+---------+---------+ 420
            CGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGAC

a                A   K   G   Q   P   R   E   P   Q   V   Y   T   L   P   P   S   R   D   E   L   -

            ACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCC
        421 ---------+---------+---------+---------+---------+---------+---------+ 480
            TGGTTCTTGGTCCAGTCGGACTGGACGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGG

a                T   K   N   Q   V   S   L   T   C   L   V   K   G   F   Y   P   S   D   I   A   -

            GTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTG
        481 ---------+---------+---------+---------+---------+---------+---------+ 540
            CACCTCACCCTCTCGTTACCCGTCGGCCTCTTGTTGATGTTCTGGTGCGGAGGGCACGAC

a                V   E   W   E   S   N   G   Q   P   E   N   N   Y   K   T   T   P   P   V   L   -

            GACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG
        541 ---------+---------+---------+---------+---------+---------+---------+ 600
            CTGAGGCTGCCGAGGAAGAAGGAGATGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTC

a                D   S   D   G   S   F   F   L   Y   S   K   L   T   V   D   K   S   R   W   Q   -
```

FIG. 23B



CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACGCAG
601 ---------+---------+---------+---------+---------+---------+---------+ 660
GTCCCCTTGCAGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTGGTGATGTGCGTC
a Q G N V F S C S V M H E A L H N H Y T Q -
AAGAGCCTCTCCCTGTCTCCGGGTAAAGGTGGTGGTGGTGGTGTTGAACCGAACTGTGAC
661 ---------+---------+---------+---------+---------+---------+---------+ 720
TTCTCGGAGAGGGACAGAGGCCCATTTCCACCACCACCACCACAACTTGGCTTGACACTG
a K S L S L S P G K G G G G G V E P N C D -
BamHI
ATCCATGTTATGTGGGAATGGGAATGTTTTGAACGTCTGTAACTCGAGGATCC
721 ---------+---------+---------+---------+---------+---------+--- 773
TAGGTACAATACACCCTTACCCTTACAAAACTTGCAGACATTGAGCTCCTAGG
a I H V M W E W E C F E R L *

FIG. 24A

```
          NdeI
            |
            CATATGGTTGAACCGAACTGTGACATCCATGTTATGTGGGAATGGGAATGTTTTGAACGT
          1 ---------+---------+---------+---------+---------+---------+---------+ 60
            GTATACCAACTTGGCTTGACACTGTAGGTACAATACACCCTTACCCTTACAAAACTTGCA

a                M   V   E   P   N   C   D   I   H   V   M   W   E   W   E   C   F   E   R   -

            CTGGGTGGTGGTGGTGGTGACAAAACTCACACATGTCCACCGTGCCCAGCACCTGAACTC
         61 ---------+---------+---------+---------+---------+---------+---------+ 120
            GACCCACCACCACCACCACTGTTTTGAGTGTGTACAGGTGGCACGGGTCGTGGACTTGAG

a                L   G   G   G   G   G   D   K   T   H   T   C   P   P   C   P   A   P   E   L   -

            CTGGGGGGACCGTCAGTTTTCCTCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCC
        121 ---------+---------+---------+---------+---------+---------+---------+ 180
            GACCCCCCTGGCAGTCAAAAGGAGAAGGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGG

a                L   G   G   P   S   V   F   L   F   P   P   K   P   K   D   T   L   M   I   S   -

            CGGACCCCTGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAG
        181 ---------+---------+---------+---------+---------+---------+---------+ 240
            GCCTGGGGACTCCAGTGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTC

a                R   T   P   E   V   T   C   V   V   V   D   V   S   H   E   D   P   E   V   K   -

            TTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAG
        241 ---------+---------+---------+---------+---------+---------+---------+ 300
            AAGTTGACCATGCACCTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTC

a                F   N   W   Y   V   D   G   V   E   V   H   N   A   K   T   K   P   R   E   E   -

            CAGTACAACAGCACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTG
        301 ---------+---------+---------+---------+---------+---------+---------+ 360
            GTCATGTTGTCGTGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCCTGACCGAC

a                Q   Y   N   S   T   Y   R   V   V   S   V   L   T   V   L   H   Q   D   W   L   -

            AATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCCATCGAGAAA
        361 ---------+---------+---------+---------+---------+---------+---------+ 420
            TTACCGTTCCTCATGTTCACGTTCCAGAGGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTT

a                N   G   K   E   Y   K   C   K   V   S   N   K   A   L   P   A   P   I   E   K   -

            ACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCC
        421 ---------+---------+---------+---------+---------+---------+---------+ 480
            TGGTAGAGGTTTCGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGG

a                T   I   S   K   A   K   G   Q   P   R   E   P   Q   V   Y   T   L   P   P   S   -

            CGGGATGAGCTGACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCC
        481 ---------+---------+---------+---------+---------+---------+---------+ 540
            GCCCTACTCGACTGGTTCTTGGTCCAGTCGGACTGGACGGACCAGTTTCCGAAGATAGGG

a                R   D   E   L   T   K   N   Q   V   S   L   T   C   L   V   K   G   F   Y   P   -

            AGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACG
        541 ---------+---------+---------+---------+---------+---------+---------+ 600
            TCGCTGTAGCGGCACCTCACCCTCTCGTTACCCGTCGGCCTCTTGTTGATGTTCTGGTGC

a                S   D   I   A   V   E   W   E   S   N   G   Q   P   E   N   N   Y   K   T   T   -
```

FIG. 24B

```
    CCTCCCGTGCTGGACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAAG
601 ---------+---------+---------+---------+---------+---------+---------+ 660
    GGAGGGCACGACCTGAGGCTGCCGAGGAAGAAGGAGATGTCGTTCGAGTGGCACCTGTTC

a       P   P   V   L   D   S   D   G   S   F   F   L   Y   S   K   L   T   V   D   K   -

    AGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAAC
661 ---------+---------+---------+---------+---------+---------+---------+ 720
    TCGTCCACCGTCGTCCCCTTGCAGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTG

a       S   R   W   Q   Q   G   N   V   F   S   C   S   V   M   H   E   A   L   H   N   -

                                                          BamHI
                                                            |
    CACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGTAAATAACTCGAGGATCC
721 ---------+---------+---------+---------+---------+---------+--- 773
    GTGATGTGCGTCTTCTCGGAGAGGGACAGAGGCCCATTTATTGAGCTCCTAGG

a       H   Y   T   Q   K   S   L   S   L   S   P   G   K   *
```

FIG. 25A



NdeI
CATATGGACAAAACTCACACATGTCCACCTTGTCCAGCTCCGGAACTCCTGGGGGGACCG
GTATACCTGTTTTGAGTGTGTACAGGTGGAACAGGTCGAGGCCTTGAGGACCCCCCTGGC
a M D K T H T C P P C P A P E L L G G P -
TCAGTCTTCCTCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCCCGGACCCCTGAG
AGTCAGAAGGAGAAGGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGGGCCTGGGGACTC
a S V F L F P P K P K D T L M I S R T P E -
GTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTAC
CAGTGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTGACCATG
a V T C V V V D V S H E D P E V K F N W Y -
GTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTACAACAGC
CACCTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATGTTGTCG
a V D G V E V H N A K T K P R E E Q Y N S -
ACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGCAAGGAG
TGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCCTGACCGACTTACCGTTCCTC
a T Y R V V S V L T V L H Q D W L N G K E -
TACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCCATCGAGAAAACCATCTCCAAA
ATGTTCACGTTCCAGAGGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAGAGGTTT
a Y K C K V S N K A L P A P I E K T I S K -
GCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGATGAGCTG
CGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTACTCGAC
a A K G Q P R E P Q V Y T L P P S R D E L -
ACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGACATCGCC
TGGTTCTTGGTCCAGTCGGACTGGACGGACCAGTTTCCGAAGATAGGGTCGCTGTAGCGG
a T K N Q V S L T C L V K G F Y P S D I A -
GTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGTGCTG
CACCTCACCCTCTCGTTACCCGTCGGCCTCTTGTTGATGTTCTGGTGCGGAGGGCACGAC
a V E W E S N G Q P E N N Y K T T P P V L -
GACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAAGAGCAGGTGGCAG
CTGAGGCTGCCGAGGAAGAAGGAGATGTCGTTCGAGTGGCACCTGTTCTCGTCCACCGTC
a D S D G S F F L Y S K L T V D K S R W Q -

FIG. 25B



CAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTACACGCAG
601 660
GTCCCCTTGCAGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTGGTGATGTGCGTC
a Q G N V F S C S V M H E A L H N H Y T Q -
AAGAGCCTCTCCCTGTCTCCGGGTAAAGGTGGAGGTGGTGGTTGCACCACCCACTGGGGT
661 720
TTCTCGGAGAGGGACAGAGGCCCATTTCCACCTCCACCACCAACGTGGTGGGTGACCCCA
A K S L S L S P G K G G G G G C T T H W G -
BamHI
TTCACCCTGTGCTAATGGATCCCTCGAG
721 748
AAGTGGGACACGATTACCTAGGGAGCTC
a F T L C *

FIG. 26A

```
          NdeI
            |
            CATATGTGCACCACCCACTGGGGTTTCACCCTGTGCGGTGGAGGCGGTGGGGACAAAGGT
          1 ---------+---------+---------+---------+---------+---------+ 60
            GTATACACGTGGTGGGTGACCCCAAAGTGGGACACGCCACCTCCGCCACCCCTGTTTCCA

a                M   C   T   T   H   W   G   F   T   L   C   G   G   G   G   D   K   G   -

            GGAGGCGGTGGGGACAAAACTCACACATGTCCACCTTGCCCAGCACCTGAACTCCTGGGG
         61 ---------+---------+---------+---------+---------+---------+ 120
            CCTCCGCCACCCCTGTTTTGAGTGTGTACAGGTGGAACGGGTCGTGGACTTGAGGACCCC

a                G   G   G   G   D   K   T   H   T   C   P   P   C   P   A   P   E   L   L   G   -

            GGACCGTCAGTTTTCCTCTTCCCCCCAAAACCCAAGGACACCCTCATGATCTCCCGGACC
        121 ---------+---------+---------+---------+---------+---------+ 180
            CCTGGCAGTCAAAAGGAGAAGGGGGGTTTTGGGTTCCTGTGGGAGTACTAGAGGGCCTGG

a                G   P   S   V   F   L   F   P   P   K   P   K   D   T   L   M   I   S   R   T   -

            CCTGAGGTCACATGCGTGGTGGTGGACGTGAGCCACGAAGACCCTGAGGTCAAGTTCAAC
        181 ---------+---------+---------+---------+---------+---------+ 240
            GGACTCCAGTGTACGCACCACCACCTGCACTCGGTGCTTCTGGGACTCCAGTTCAAGTTG

a                P   E   V   T   C   V   V   V   D   V   S   H   E   D   P   E   V   K   F   N   -

            TGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTAC
        241 ---------+---------+---------+---------+---------+---------+ 300
            ACCATGCACCTGCCGCACCTCCACGTATTACGGTTCTGTTTCGGCGCCCTCCTCGTCATG

a                W   Y   V   D   G   V   E   V   H   N   A   K   T   K   P   R   E   E   Q   Y   -

            AACAGCACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGGCTGAATGGC
        301 ---------+---------+---------+---------+---------+---------+ 360
            TTGTCGTGCATGGCACACCAGTCGCAGGAGTGGCAGGACGTGGTCCTGACCGACTTACCG

a                N   S   T   Y   R   V   V   S   V   L   T   V   L   H   Q   D   W   L   N   G   -

            AAGGAGTACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAGCCCCCATCGAGAAAACCATC
        361 ---------+---------+---------+---------+---------+---------+ 420
            TTCCTCATGTTCACGTTCCAGAGGTTGTTTCGGGAGGGTCGGGGGTAGCTCTTTTGGTAG

a                K   E   Y   K   C   K   V   S   N   K   A   L   P   A   P   I   E   K   T   I   -

            TCCAAAGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACACCCTGCCCCCATCCCGGGAT
        421 ---------+---------+---------+---------+---------+---------+ 480
            AGGTTTCGGTTTCCCGTCGGGGCTCTTGGTGTCCACATGTGGGACGGGGGTAGGGCCCTA

a                S   K   A   K   G   Q   P   R   E   P   Q   V   Y   T   L   P   P   S   R   D   -


            GAGCTGACCAAGAACCAGGTCAGCCTGACCTGCCTGGTCAAAGGCTTCTATCCCAGCGAC
        481 ---------+---------+---------+---------+---------+---------+ 540
            CTCGACTGGTTCTTGGTCCAGTCGGACTGGACGGACCAGTTTCCGAAGATAGGGTCGCTG

a                E   L   T   K   N   Q   V   S   L   T   C   L   V   K   G   F   Y   P   S   D   -

            ATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCC
        541 ---------+---------+---------+---------+---------+---------+ 600
            TAGCGGCACCTCACCCTCTCGTTACCCGTCGGCCTCTTGTTGATGTTCTGGTGCGGAGGG

a                I   A   V   E   W   E   S   N   G   Q   P   E   N   N   Y   K   T   T   P   P   -
```

FIG. 26B


GTGCTGGACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAAGAGCAGG
601
CACGACCTGAGGCTGCCGAGGAAGAAGGAGATGTCGTTCGAGTGGCACCTGTTCTCGTCC
660
a V L D S D G S F F L Y S K L T V D K S R -
TGGCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGGCTCTGCACAACCACTAC
661
ACCGTCGTCCCCTTGCAGAAGAGTACGAGGCACTACGTACTCCGAGACGTGTTGGTGATG
720
a W Q Q G N V F S C S V M H E A L H N H Y -
BamHI
ACGCAGAAGAGCCTCTCCCTGTCTCCGGGTAAATAATGGATCC
721
TGCGTCTTCTCGGAGAGGGACAGAGGCCCATTTATTACCTAGG
763
a T Q K S L S L S P G K *

SEQUENCE LISTING

<110> LIU, CHUAN-FA
FEIGE, ULRICH
CHEETHAM, JANET
BOONE, THOMAS CHARLES

<120> MODIFIED PEPTIDES AS THERAPEUTIC AGENTS

<130> A-527

<140> NOT YET RECEIVED
<141> 1999-10-22

<150> 60/105,371
<151> 1998-10-23

<160> 1133

<170> PatentIn Ver. 2.1

<210> 1
<211> 684
<212> DNA
<213> HUMAN

<220>
<221> CDS
<222> (1)..(684)

<400> 1
atg gac aaa act cac aca tgt cca cct tgt cca gct ccg gaa ctc ctg 48
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu
1 5 10 15

ggg gga ccg tca gtc ttc ctc ttc ccc cca aaa ccc aag gac acc ctc 96
Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
20 25 30

atg atc tcc cgg acc cct gag gtc aca tgc gtg gtg gtg gac gtg agc 144
Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
35 40 45

cac gaa gac cct gag gtc aag ttc aac tgg tac gtg gac ggc gtg gag 192
His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
50 55 60

gtg cat aat gcc aag aca aag ccg cgg gag gag cag tac aac agc acg 240

```
Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr
 65                  70                  75                  80

tac cgt gtg gtc agc gtc ctc acc gtc ctg cac cag gac tgg ctg aat   288
Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
                85                  90                  95

ggc aag gag tac aag tgc aag gtc tcc aac aaa gcc ctc cca gcc ccc   336
Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro
            100                 105                 110

atc gag aaa acc atc tcc aaa gcc aaa ggg cag ccc cga gaa cca cag   384
Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
        115                 120                 125

gtg tac acc ctg ccc cca tcc cgg gat gag ctg acc aag aac cag gtc   432
Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val
    130                 135                 140

agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc agc gac atc gcc gtg   480
Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
145                 150                 155                 160

gag tgg gag agc aat ggg cag ccg gag aac aac tac aag acc acg cct   528
Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
                165                 170                 175

ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc tac agc aag ctc acc   576
Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
            180                 185                 190

gtg gac aag agc agg tgg cag cag ggg aac gtc ttc tca tgc tcc gtg   624
Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
        195                 200                 205

atg cat gag gct ctg cac aac cac tac acg cag aag agc ctc tcc ctg   672
Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
    210                 215                 220

tct ccg ggt aaa                                                  684
Ser Pro Gly Lys
225
```

<210> 2
<211> 228
<212> PRT
<213> HUMAN

<400> 2

```
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu
 1               5                  10                  15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
            20                  25                  30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
        35                  40                  45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
    50                  55                  60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr
65                  70                  75                  80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
                85                  90                  95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro
            100                 105                 110

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
        115                 120                 125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val
    130                 135                 140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
145                 150                 155                 160

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
                165                 170                 175

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
            180                 185                 190

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
        195                 200                 205

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
    210                 215                 220

Ser Pro Gly Lys
225
```

<210> 3
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEGYLATED
PEPTIDE

<400> 3
Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala
1 5 10 15

Arg Ala

<210> 4
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:PEGYLATED
PEPTIDE

<400> 4
Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala
1 5 10 15

Arg Ala

<210> 5
<211> 794
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TMP

<220>
<221> CDS
<222> (39)..(779)

<400> 5

```
tctagatttg ttttaactaa ttaaaggagg aataacat atg gac aaa act cac aca 56
                                          Met Asp Lys Thr His Thr
                                            1               5

tgt cca cct tgt cca gct ccg gaa ctc ctg ggg gga ccg tca gtc ttc   104
Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe
            10                  15                  20

ctc ttc ccc cca aaa ccc aag gac acc ctc atg atc tcc cgg acc cct   152
Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro
        25                  30                  35

gag gtc aca tgc gtg gtg gtg gac gtg agc cac gaa gac cct gag gtc   200
Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val
    40                  45                  50

aag ttc aac tgg tac gtg gac ggc gtg gag gtg cat aat gcc aag aca   248
Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr
55                  60                  65                  70

aag ccg cgg gag gag cag tac aac agc acg tac cgt gtg gtc agc gtc   296
Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val
                75                  80                  85

ctc acc gtc ctg cac cag gac tgg ctg aat ggc aag gag tac aag tgc   344
Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys
            90                  95                  100

aag gtc tcc aac aaa gcc ctc cca gcc ccc atc gag aaa acc atc tcc   392
Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser
        105                 110                 115

aaa gcc aaa ggg cag ccc cga gaa cca cag gtg tac acc ctg ccc cca   440
Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro
    120                 125                 130

tcc cgg gat gag ctg acc aag aac cag gtc agc ctg acc tgc ctg gtc   488
Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val
135                 140                 145                 150

aaa ggc ttc tat ccc agc gac atc gcc gtg gag tgg gag agc aat ggg   536
Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly
                155                 160                 165

cag ccg gag aac aac tac aag acc acg cct ccc gtg ctg gac tcc gac   584
Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp
```

170 175 180

ggc tcc ttc ttc ctc tac agc aag ctc acc gtg gac aag agc agg tgg 632
Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp
185 190 195

cag cag ggg aac gtc ttc tca tgc tcc gtg atg cat gag gct ctg cac 680
Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His
200 205 210

aac cac tac acg cag aag agc ctc tcc ctg tct ccg ggt aaa ggt gga 728
Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys Gly Gly
215 220 225 230

ggt ggt ggt atc gaa ggt ccg act ctg cgt cag tgg ctg gct gct cgt 776
Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg
235 240 245

gct taatctcgag gatcc 794
Ala

<210> 6
<211> 247
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:Fc-TMP

<400> 6
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu
1 5 10 15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
20 25 30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
35 40 45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
50 55 60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr
65 70 75 80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
85 90 95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro

100 105 110

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
115 120 125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val
130 135 140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
145 150 155 160

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
165 170 175

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
180 185 190

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
195 200 205

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
210 215 220

Ser Pro Gly Lys Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg
225 230 235 240

Gln Trp Leu Ala Ala Arg Ala
245

<210> 7
<211> 861
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TMP-TMP

<220>
<221> CDS
<222> (39)..(842)

<400> 7
tctagatttg ttttaactaa ttaaaggagg aataacat atg gac aaa act cac aca 56
Met Asp Lys Thr His Thr
1 5

```
tgt cca cct tgt cca gct ccg gaa ctc ctg ggg gga ccg tca gtc ttc   104
Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe
            10                  15                  20

ctc ttc ccc cca aaa ccc aag gac acc ctc atg atc tcc cgg acc cct   152
Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro
        25                  30                  35

gag gtc aca tgc gtg gtg gtg gac gtg agc cac gaa gac cct gag gtc   200
Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val
    40                  45                  50

aag ttc aac tgg tac gtg gac ggc gtg gag gtg cat aat gcc aag aca   248
Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr
55                  60                  65                  70

aag ccg cgg gag gag cag tac aac agc acg tac cgt gtg gtc agc gtc   296
Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val
                75                  80                  85

ctc acc gtc ctg cac cag gac tgg ctg aat ggc aag gag tac aag tgc   344
Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys
            90                  95                  100

aag gtc tcc aac aaa gcc ctc cca gcc ccc atc gag aaa acc atc tcc   392
Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser
        105                 110                 115

aaa gcc aaa ggg cag ccc cga gaa cca cag gtg tac acc ctg ccc cca   440
Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro
    120                 125                 130

tcc cgg gat gag ctg acc aag aac cag gtc agc ctg acc tgc ctg gtc   488
Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val
135                 140                 145                 150

aaa ggc ttc tat ccc agc gac atc gcc gtg gag tgg gag agc aat ggg   536
Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly
                155                 160                 165

cag ccg gag aac aac tac aag acc acg cct ccc gtg ctg gac tcc gac   584
Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp
            170                 175                 180

ggc tcc ttc ttc ctc tac agc aag ctc acc gtg gac aag agc agg tgg   632
Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp
        185                 190                 195
```

```
cag cag ggg aac gtc ttc tca tgc tcc gtg atg cat gag gct ctg cac   680
Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His
    200                 205                 210

aac cac tac acg cag aag agc ctc tcc ctg tct ccg ggt aaa ggt gga   728
Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys Gly Gly
215                 220                 225                 230

ggt ggt ggt atc gaa ggt ccg act ctg cgt cag tgg ctg gct gct cgt   776
Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg
                235                 240                 245

gct ggt ggt gga ggt ggc ggc gga ggt att gag ggc cca acc ctt cgc   824
Ala Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg
            250                 255                 260

caa tgg ctt gca gca cgc gcataatctc gaggatccg                     861
Gln Trp Leu Ala Ala Arg
        265
```

<210> 8
<211> 268
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:Fc-TMP-TMP

<400> 8

```
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu
  1               5                  10                  15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
            20                  25                  30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
        35                  40                  45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
    50                  55                  60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr
65                  70                  75                  80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
                85                  90                  95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro
            100                 105                 110
```

```
Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
        115                 120                 125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val
    130                 135                 140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
145                 150                 155                 160

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
                165                 170                 175

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
            180                 185                 190

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
        195                 200                 205

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
    210                 215                 220

Ser Pro Gly Lys Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg
225                 230                 235                 240

Gln Trp Leu Ala Ala Arg Ala Gly Gly Gly Gly Gly Gly Gly Gly Ile
                245                 250                 255

Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg
            260                 265
```

<210> 9
<211> 855
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TMP-TMP-Fc

<220>
<221> CDS
<222> (39)..(845)

<400> 9
tctagatttg ttttaactaa ttaaaggagg aataacat atg atc gaa ggt ccg act 56
                                                Met Ile Glu Gly Pro Thr

```
                                                  1               5

ctg cgt cag tgg ctg gct gct cgt gct ggc ggt ggt ggc gga ggg ggt   104
Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly Gly Gly Gly Gly Gly
            10                  15                  20

ggc att gag ggc cca acc ctt cgc caa tgg ctt gca gca cgc gca ggg   152
Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly
        25                  30                  35

gga ggc ggt ggg gac aaa act cac aca tgt cca cct tgc cca gca cct   200
Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
    40                  45                  50

gaa ctc ctg ggg gga ccg tca gtt ttc ctc ttc ccc cca aaa ccc aag   248
Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
55                  60                  65                  70

gac acc ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg gtg gtg   296
Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
            75                  80                  85

gac gtg agc cac gaa gac cct gag gtc aag ttc aac tgg tac gtg gac   344
Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
            90                  95                  100

ggc gtg gag gtg cat aat gcc aag aca aag ccg cgg gag gag cag tac   392
Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
        105                 110                 115

aac agc acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac cag gac   440
Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
    120                 125                 130

tgg ctg aat ggc aag gag tac aag tgc aag gtc tcc aac aaa gcc ctc   488
Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu
135                 140                 145                 150

cca gcc ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag ccc cga   536
Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
                155                 160                 165

gaa cca cag gtg tac acc ctg ccc cca tcc cgg gat gag ctg acc aag   584
Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys
            170                 175                 180

aac cag gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc agc gac   632
Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
```

```
        185                 190                 195

atc gcc gtg gag tgg gag agc aat ggg cag ccg gag aac aac tac aag   680
Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
    200                 205                 210

acc acg cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc tac agc   728
Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
215                 220                 225                 230

aag ctc acc gtg gac aag agc agg tgg cag cag ggg aac gtc ttc tca   776
Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
                235                 240                 245

tgc tcc gtg atg cat gag gct ctg cac aac cac tac acg cag aag agc   824
Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
            250                 255                 260

ctc tcc ctg tct ccg ggt aaa taatggatcc                           855
Leu Ser Leu Ser Pro Gly Lys
        265
```

<210> 10
<211> 269
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:TMP-TMP-Fc

<400> 10

```
Met Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly
  1               5                  10                  15

Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp
             20                  25                  30

Leu Ala Ala Arg Ala Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys
         35                  40                  45

Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu
     50                  55                  60

Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu
 65                  70                  75                  80

Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys
                 85                  90                  95
```

Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys
100 105 110

Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu
115 120 125

Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys
130 135 140

Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys
145 150 155 160

Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser
165 170 175

Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys
180 185 190

Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln
195 200 205

Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly
210 215 220

Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln
225 230 235 240

Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn
245 250 255

His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
260 265

<210> 11
<211> 789
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TMP-Fc

<220>
<221> CDS
<222> (39)..(779)

<400> 11

```
tctagatttg ttttaactaa ttaaaggagg aataacat atg atc gaa ggt ccg act 56
                                        Met Ile Glu Gly Pro Thr
                                          1               5

ctg cgt cag tgg ctg gct gct cgt gct ggt gga ggc ggt ggg gac aaa  104
Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly Gly Gly Gly Asp Lys
            10                  15                  20

act cac aca tgt cca cct tgc cca gca cct gaa ctc ctg ggg gga ccg  152
Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro
        25                  30                  35

tca gtt ttc ctc ttc ccc cca aaa ccc aag gac acc ctc atg atc tcc  200
Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser
    40                  45                  50

cgg acc cct gag gtc aca tgc gtg gtg gtg gac gtg agc cac gaa gac  248
Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp
55                  60                  65                  70

cct gag gtc aag ttc aac tgg tac gtg gac ggc gtg gag gtg cat aat  296
Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn
                75                  80                  85

gcc aag aca aag ccg cgg gag gag cag tac aac agc acg tac cgt gtg  344
Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val
            90                  95                  100

gtc agc gtc ctc acc gtc ctg cac cag gac tgg ctg aat ggc aag gag  392
Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu
        105                 110                 115

tac aag tgc aag gtc tcc aac aaa gcc ctc cca gcc ccc atc gag aaa  440
Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys
    120                 125                 130

acc atc tcc aaa gcc aaa ggg cag ccc cga gaa cca cag gtg tac acc  488
Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr
135                 140                 145                 150

ctg ccc cca tcc cgg gat gag ctg acc aag aac cag gtc agc ctg acc  536
Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr
                155                 160                 165

tgc ctg gtc aaa ggc ttc tat ccc agc gac atc gcc gtg gag tgg gag  584
Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu
            170                 175                 180
```

```
agc aat ggg cag ccg gag aac aac tac aag acc acg cct ccc gtg ctg   632
Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu
        185                 190                 195

gac tcc gac ggc tcc ttc ttc ctc tac agc aag ctc acc gtg gac aag   680
Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys
    200                 205                 210

agc agg tgg cag cag ggg aac gtc ttc tca tgc tcc gtg atg cat gag   728
Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu
215                 220                 225                 230

gct ctg cac aac cac tac acg cag aag agc ctc tcc ctg tct ccg ggt   776
Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly
                235                 240                 245

aaa taatggatcc                                                   789
Lys
```

<210> 12
<211> 247
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:TMP-Fc

<400> 12

```
Met Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly
  1               5                  10                  15

Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
            20                  25                  30

Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
        35                  40                  45

Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
    50                  55                  60

Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
65                  70                  75                  80

Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
                85                  90                  95

Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
            100                 105                 110
```

Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu
115 120 125

Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
130 135 140

Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys
145 150 155 160

Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
165 170 175

Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
180 185 190

Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
195 200 205

Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
210 215 220

Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
225 230 235 240

Leu Ser Leu Ser Pro Gly Lys
245

<210> 13
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TMP

<400> 13
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
1 5 10

<210> 14
<211> 36
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TMP-TMP

<400> 14
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu
20 25 30

Ala Ala Arg Ala
35

<210> 15
<211> 812
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-EMP

<220>
<221> CDS
<222> (39)..(797)

<400> 15
tctagatttg ttttaactaa ttaaaggagg aataacat atg gac aaa act cac aca 56
Met Asp Lys Thr His Thr
1 5

tgt cca cct tgt cca gct ccg gaa ctc ctg ggg gga ccg tca gtc ttc 104
Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe
10 15 20

ctc ttc ccc cca aaa ccc aag gac acc ctc atg atc tcc cgg acc cct 152
Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro
25 30 35

gag gtc aca tgc gtg gtg gtg gac gtg agc cac gaa gac cct gag gtc 200
Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val
40 45 50

aag ttc aac tgg tac gtg gac ggc gtg gag gtg cat aat gcc aag aca 248
Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr
55 60 65 70

```
aag ccg cgg gag gag cag tac aac agc acg tac cgt gtg gtc agc gtc    296
Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val
                75                  80                  85

ctc acc gtc ctg cac cag gac tgg ctg aat ggc aag gag tac aag tgc    344
Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys
            90                  95                  100

aag gtc tcc aac aaa gcc ctc cca gcc ccc atc gag aaa acc atc tcc    392
Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser
        105                 110                 115

aaa gcc aaa ggg cag ccc cga gaa cca cag gtg tac acc ctg ccc cca    440
Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro
    120                 125                 130

tcc cgg gat gag ctg acc aag aac cag gtc agc ctg acc tgc ctg gtc    488
Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val
135                 140                 145                 150

aaa ggc ttc tat ccc agc gac atc gcc gtg gag tgg gag agc aat ggg    536
Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly
                155                 160                 165

cag ccg gag aac aac tac aag acc acg cct ccc gtg ctg gac tcc gac    584
Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp
            170                 175                 180

ggc tcc ttc ttc ctc tac agc aag ctc acc gtg gac aag agc agg tgg    632
Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp
        185                 190                 195

cag cag ggg aac gtc ttc tca tgc tcc gtg atg cat gag gct ctg cac    680
Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His
    200                 205                 210

aac cac tac acg cag aag agc ctc tcc ctg tct ccg ggt aaa ggt gga    728
Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys Gly Gly
215                 220                 225                 230

ggt ggt ggt gga ggt act tac tct tgc cac ttc ggc ccg ctg act tgg    776
Gly Gly Gly Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp
                235                 240                 245

gtt tgc aaa ccg cag ggt ggt taatctcgtg gatcc                      812
Val Cys Lys Pro Gln Gly Gly
            250
```

<210> 16
<211> 253
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:Fc-EMP

<400> 16

Met	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Leu	Leu
1				5				10					15		
Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr	Leu
			20				25					30			
Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val	Ser
		35					40					45			
His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val	Glu
	50					55					60				
Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser	Thr
65					70					75					80
Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu	Asn
				85					90					95	
Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Pro	Ala	Pro
			100					105					110		
Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro	Gln
		115					120					125			
Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu	Thr	Lys	Asn	Gln	Val
	130					135					140				
Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala	Val
145					150					155					160
Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr	Pro
				165					170					175	
Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	Lys	Leu	Thr
			180					185					190		
Val	Asp	Lys	Ser	Arg	Trp	Gln	Gln	Gly	Asn	Val	Phe	Ser	Cys	Ser	Val
		195					200					205			
Met	His	Glu	Ala	Leu	His	Asn	His	Tyr	Thr	Gln	Lys	Ser	Leu	Ser	Leu

210 215 220

Ser Pro Gly Lys Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His
225 230 235 240

Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly
245 250

<210> 17
<211> 807
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-Fc

<220>
<221> CDS
<222> (39)..(797)

<400> 17
tctagatttg ttttaactaa ttaaaggagg aataacat atg gga ggt act tac tct 56
Met Gly Gly Thr Tyr Ser
1 5

tgc cac ttc ggc ccg ctg act tgg gta tgt aag cca caa ggg ggt ggg 104
Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly
10 15 20

gga ggc ggg ggg gac aaa act cac aca tgt cca cct tgc cca gca cct 152
Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro
25 30 35

gaa ctc ctg ggg gga ccg tca gtt ttc ctc ttc ccc cca aaa ccc aag 200
Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys
40 45 50

gac acc ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg gtg gtg 248
Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val
55 60 65 70

gac gtg agc cac gaa gac cct gag gtc aag ttc aac tgg tac gtg gac 296
Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp
75 80 85

ggc gtg gag gtg cat aat gcc aag aca aag ccg cgg gag gag cag tac 344

```
Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr
                90                  95                 100

aac agc acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac cag gac   392
Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp
        105                 110                 115

tgg ctg aat ggc aag gag tac aag tgc aag gtc tcc aac aaa gcc ctc   440
Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu
    120                 125                 130

cca gcc ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag ccc cga   488
Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg
135                 140                 145                 150

gaa cca cag gtg tac acc ctg ccc cca tcc cgg gat gag ctg acc aag   536
Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys
                155                 160                 165

aac cag gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc agc gac   584
Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp
            170                 175                 180

atc gcc gtg gag tgg gag agc aat ggg cag ccg gag aac aac tac aag   632
Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys
        185                 190                 195

acc acg cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc tac agc   680
Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser
    200                 205                 210

aag ctc acc gtg gac aag agc agg tgg cag cag ggg aac gtc ttc tca   728
Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser
215                 220                 225                 230

tgc tcc gtg atg cat gag gct ctg cac aac cac tac acg cag aag agc   776
Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser
                235                 240                 245

ctc tcc ctg tct ccg ggt aaa taatggatcc                           807
Leu Ser Leu Ser Pro Gly Lys
            250
```

<210> 18
<211> 253
<212> PRT
<213> Artificial Sequence

<223> Description of Artificial Sequence:EMP-Fc

<400> 18

Met Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys
1 5 10 15

Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys
20 25 30

Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu
35 40 45

Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu
50 55 60

Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys
65 70 75 80

Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys
85 90 95

Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu
100 105 110

Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys
115 120 125

Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys
130 135 140

Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser
145 150 155 160

Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys
165 170 175

Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln
180 185 190

Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly
195 200 205

Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln
210 215 220

Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn
225 230 235 240

His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
245 250

<210> 19
<211> 881
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-EMP-Fc

<220>
<221> CDS
<222> (41)..(871)

<400> 19
tctagatttg agttttaact tttagaagga ggaataaaat atg gga ggt act tac 55
Met Gly Gly Thr Tyr
1 5

tct tgc cac ttc ggc cca ctg act tgg gtt tgc aaa ccg cag ggt ggc 103
Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly
10 15 20

ggc ggc ggc ggc ggt ggt acc tat tcc tgt cat ttt ggc ccg ctg acc 151
Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr
25 30 35

tgg gta tgt aag cca caa ggg ggt ggg gga ggc ggg ggg gac aaa act 199
Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly Asp Lys Thr
40 45 50

cac aca tgt cca cct tgc cca gca cct gaa ctc ctg ggg gga ccg tca 247
His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser
55 60 65

gtt ttc ctc ttc ccc cca aaa ccc aag gac acc ctc atg atc tcc cgg 295
Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg
70 75 80 85

acc cct gag gtc aca tgc gtg gtg gtg gac gtg agc cac gaa gac cct 343
Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro
90 95 100

gag gtc aag ttc aac tgg tac gtg gac ggc gtg gag gtg cat aat gcc 391
Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala

```
                105                 110                 115

aag aca aag ccg cgg gag gag cag tac aac agc acg tac cgt gtg gtc   439
Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val
        120                 125                 130

agc gtc ctc acc gtc ctg cac cag gac tgg ctg aat ggc aag gag tac   487
Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr
    135                 140                 145

aag tgc aag gtc tcc aac aaa gcc ctc cca gcc ccc atc gag aaa acc   535
Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr
150                 155                 160                 165

atc tcc aaa gcc aaa ggg cag ccc cga gaa cca cag gtg tac acc ctg   583
Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu
                170                 175                 180

ccc cca tcc cgg gat gag ctg acc aag aac cag gtc agc ctg acc tgc   631
Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys
            185                 190                 195

ctg gtc aaa ggc ttc tat ccc agc gac atc gcc gtg gag tgg gag agc   679
Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser
        200                 205                 210

aat ggg cag ccg gag aac aac tac aag acc acg cct ccc gtg ctg gac   727
Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp
    215                 220                 225

tcc gac ggc tcc ttc ttc ctc tac agc aag ctc acc gtg gac aag agc   775
Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser
230                 235                 240                 245

agg tgg cag cag ggg aac gtc ttc tca tgc tcc gtg atg cat gag gct   823
Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala
                250                 255                 260

ctg cac aac cac tac acg cag aag agc ctc tcc ctg tct ccg ggt aaa   871
Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
            265                 270                 275

taatggatcc                                                       881
```

<210> 20
<211> 277
<212> PRT

<213> Artificial Sequence
<223> Description of Artificial Sequence:EMP-EMP-Fc

<400> 20

Met	Gly	Gly	Thr	Tyr	Ser	Cys	His	Phe	Gly	Pro	Leu	Thr	Trp	Val	Cys
1				5				10						15	

Lys	Pro	Gln	Gly	Gly	Gly	Gly	Gly	Gly	Gly	Gly	Thr	Tyr	Ser	Cys	His
		20					25						30		

Phe	Gly	Pro	Leu	Thr	Trp	Val	Cys	Lys	Pro	Gln	Gly	Gly	Gly	Gly	Gly
		35					40					45			

Gly	Gly	Asp	Lys	Thr	His	Thr	Cys	Pro	Pro	Cys	Pro	Ala	Pro	Glu	Leu
	50					55					60				

Leu	Gly	Gly	Pro	Ser	Val	Phe	Leu	Phe	Pro	Pro	Lys	Pro	Lys	Asp	Thr
65					70					75					80

Leu	Met	Ile	Ser	Arg	Thr	Pro	Glu	Val	Thr	Cys	Val	Val	Val	Asp	Val
				85					90					95	

Ser	His	Glu	Asp	Pro	Glu	Val	Lys	Phe	Asn	Trp	Tyr	Val	Asp	Gly	Val
			100					105					110		

Glu	Val	His	Asn	Ala	Lys	Thr	Lys	Pro	Arg	Glu	Glu	Gln	Tyr	Asn	Ser
		115					120					125			

Thr	Tyr	Arg	Val	Val	Ser	Val	Leu	Thr	Val	Leu	His	Gln	Asp	Trp	Leu
	130					135					140				

Asn	Gly	Lys	Glu	Tyr	Lys	Cys	Lys	Val	Ser	Asn	Lys	Ala	Leu	Pro	Ala
145					150					155					160

Pro	Ile	Glu	Lys	Thr	Ile	Ser	Lys	Ala	Lys	Gly	Gln	Pro	Arg	Glu	Pro
				165					170					175	

Gln	Val	Tyr	Thr	Leu	Pro	Pro	Ser	Arg	Asp	Glu	Leu	Thr	Lys	Asn	Gln
			180					185					190		

Val	Ser	Leu	Thr	Cys	Leu	Val	Lys	Gly	Phe	Tyr	Pro	Ser	Asp	Ile	Ala
		195					200					205			

Val	Glu	Trp	Glu	Ser	Asn	Gly	Gln	Pro	Glu	Asn	Asn	Tyr	Lys	Thr	Thr
	210					215					220				

Pro	Pro	Val	Leu	Asp	Ser	Asp	Gly	Ser	Phe	Phe	Leu	Tyr	Ser	Lys	Leu
225					230					235					240

Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
245 250 255

Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
260 265 270

Leu Ser Pro Gly Lys
275

<210> 21
<211> 884
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-EMP-EMP

<220>
<221> CDS
<222> (39)..(869)

<400> 21
tctagatttg ttttaactaa ttaaaggagg aataacat atg gac aaa act cac aca 56
Met Asp Lys Thr His Thr
1 5

tgt cca cct tgc cca gca cct gaa ctc ctg ggg gga ccg tca gtt ttc 104
Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe
10 15 20

ctc ttc ccc cca aaa ccc aag gac acc ctc atg atc tcc cgg acc cct 152
Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro
25 30 35

gag gtc aca tgc gtg gtg gtg gac gtg agc cac gaa gac cct gag gtc 200
Glu Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val
40 45 50

aag ttc aac tgg tac gtg gac ggc gtg gag gtg cat aat gcc aag aca 248
Lys Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr
55 60 65 70

aag ccg cgg gag gag cag tac aac agc acg tac cgt gtg gtc agc gtc 296
Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val
75 80 85

```
ctc acc gtc ctg cac cag gac tgg ctg aat ggc aag gag tac aag tgc   344
Leu Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys
                90                  95                 100

aag gtc tcc aac aaa gcc ctc cca gcc ccc atc gag aaa acc atc tcc   392
Lys Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser
        105                 110                 115

aaa gcc aaa ggg cag ccc cga gaa cca cag gtg tac acc ctg cct cca   440
Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro
    120                 125                 130

tcc cgg gat gag ctg acc aag aac cag gtc agc ctg acc tgc ctg gtc   488
Ser Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val
135                 140                 145                 150

aaa ggc ttc tat ccc agc gac atc gcc gtg gag tgg gag agc aat ggg   536
Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly
                155                 160                 165

cag ccg gag aac aac tac aag acc acg cct ccc gtg ctg gac tcc gac   584
Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp
            170                 175                 180

ggc tcc ttc ttc ctc tac agc aag ctc acc gtg gac aag agc agg tgg   632
Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp
        185                 190                 195

cag cag ggg aac gtc ttc tca tgc tcc gtg atg cat gag gct ctg cac   680
Gln Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His
    200                 205                 210

aac cac tac acg cag aag agc ctc tcc ctg tct ccg ggt aaa ggt gga   728
Asn His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys Gly Gly
215                 220                 225                 230

ggt ggt ggc gga ggt act tac tct tgc cac ttc ggc cca ctg act tgg   776
Gly Gly Gly Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp
                235                 240                 245

gtt tgc aaa ccg cag ggt ggc ggc ggc ggc ggc ggt ggt acc tat tcc   824
Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser
            250                 255                 260

tgt cat ttt ggc ccg ctg acc tgg gta tgt aag cca caa ggg ggt       869
Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly
        265                 270                 275
```

taatctcgag gatcc 884

<210> 22
<211> 277
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:Fc-EMP-EMP

<400> 22
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu
1 5 10 15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
20 25 30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
35 40 45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
50 55 60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr
65 70 75 80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
85 90 95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro
100 105 110

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
115 120 125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val
130 135 140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
145 150 155 160

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
165 170 175

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
180 185 190

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val

195 200 205

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
210 215 220

Ser Pro Gly Lys Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His
225 230 235 240

Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly
245 250 255

Gly Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys
260 265 270

Lys Pro Gln Gly Gly
275

<210> 23
<211> 1545
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:pAMG216

<400> 23
cgtaacgtat gcatggtctc ccatgcgag agtagggaac tgccaggcat caaataaaac 60
gaaaggctca gtcgaaagac tgggcctttc gttttatctg ttgtttgtcg gtgaacgctc 120
tcctgagtag gacaaatccg ccgggagcgg atttgaacgt tgcgaagcaa cggcccggag 180
ggtggcgggc aggacgcccg ccataaactg ccaggcatca aattaagcag aaggccatcc 240
tgacggatgg cctttttgcg tttctacaaa ctcttttgtt tatttttcta aatacattca 300
aatatggacg tcgtacttaa ctttaaaagt atgggcaatc aattgctcct gttaaaattg 360
ctttagaaat actttggcag cggtttgttg tattgagttt catttgcgca ttggttaaat 420
ggaaagtgac cgtgcgctta ctacagccta atatttttga aatatcccaa gagcttttc 480
cttcgcatgc ccacgctaaa cattcttttt ctcttttggt taaatcgttg tttgatttat 540
tatttgctat atttatttt cgataattat caactagaga aggaacaatt aatggtatgt 600
tcatacacgc atgtaaaaat aaactatcta tatagttgtc tttctctgaa tgtgcaaaac 660
taagcattcc gaagccatta ttagcagtat gaatagggaa actaaaccca gtgataagac 720
ctgatgattt cgcttcttta attacatttg gagatttttt atttacagca ttgttttcaa 780
atatattcca attaatcggt gaatgattgg agttagaata atctactata ggatcatatt 840
ttattaaatt agcgtcatca taatattgcc tccatttttt agggtaatta tccagaattg 900
aaatatcaga tttaaccata gaatgaggat aaatgatcgc gagtaaataa tattcacaat 960
gtaccatttt agtcatatca gataagcatt gattaatatc attattgctt ctacaggctt 1020
taattttatt aattattctg taagtgtcgt cggcatttat gtctttcata cccatctctt 1080
tatccttacc tattgtttgt cgcaagtttt gcgtgttata tatcattaaa acggtaatag 1140
attgacattt gattctaata aattggattt ttgtcacact attatatcgc ttgaaataca 1200

attgtttaac ataagtacct gtaggatcgt acaggtttac gcaagaaaat ggtttgttat 1260
agtcgattaa tcgatttgat tctagatttg ttttaactaa ttaaaggagg aataacatat 1320
ggttaacgcg ttggaattcg agctcactag tgtcgacctg cagggtacca tggaagctta 1380
ctcgaggatc cgcggaaaga agaagaagaa gaagaaagcc cgaaaggaag ctgagttggc 1440
tgctgccacc gctgagcaat aactagcata acccccttggg gcctctaaac gggtcttgag 1500
gggttttttg ctgaaaggag gaaccgctct tcacgctctt cacgc 1545

<210> 24
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 24
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Lys Ala
1 5 10

<210> 25
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 25
Ile Glu Gly Pro Thr Leu Arg Glu Trp Leu Ala Ala Arg Ala
1 5 10

<210> 26
<211> 29
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<220>

<223> At position 15, Xaa=a linker sequence of 1 to 20
amino acids

<400> 26
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Xaa Ile
1 5 10 15

Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
20 25

<210> 27
<211> 29
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDE

<220>
<223> At position 15, Xaa=a linker sequence of 1 to 20
amino acids

<400> 27
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Lys Ala Xaa Ile
1 5 10 15

Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Lys Ala
20 25

<210> 28
<211> 29
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDE

<220>
<223> At position 9 disulfide linkage with residue 24

<220>
<223> At position 24 disulfide linkage with residue 9

<400> 28
Ile Glu Gly Pro Thr Leu Arg Gln Cys Leu Ala Ala Arg Ala Xaa Ile
1 5 10 15

Glu Gly Pro Thr Leu Arg Gln Cys Leu Ala Ala Arg Ala
20 25

<210> 29
<211> 31
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<220>
<223> At position 16 bromoacetyl group linked to sidechain

<400> 29
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Xaa Lys
1 5 10 15

Xaa Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
20 25 30

<210> 30
<211> 31
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<220>
<223> At position 16 polyethylene glycol linked to sidechain

<400> 30
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Xaa Lys
1 5 10 15

Xaa Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
20 25 30

<210> 31
<211> 29
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<220>
<223> At position 9 disulfide bond to residue 9 of a separate identical sequence

<400> 31
Ile Glu Gly Pro Thr Leu Arg Gln Cys Leu Ala Ala Arg Ala Xaa Ile
1 5 10 15

Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
20 25

<210> 32
<211> 29
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<220>
<223> At position 24 disulfide bond to residue 9 of a separate identical sequence

<400> 32
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Xaa Ile
1 5 10 15

Glu Gly Pro Thr Leu Arg Gln Cys Leu Ala Ala Arg Ala
20 25

<210> 33
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 33
Val Arg Asp Gln Ile Xaa Xaa Xaa Leu
1 5

<210> 34
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 34
Thr Leu Arg Glu Trp Leu
1 5

<210> 35
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 35
Gly Arg Val Arg Asp Gln Val Ala Gly Trp
1 5 10

<210> 36

<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 36
Gly Arg Val Lys Asp Gln Ile Ala Gln Leu
1 5 10

<210> 37
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Description of Artificial SequenceTPO-MIMETIC PEPTIDE

<400> 37
Gly Val Arg Asp Gln Val Ser Trp Ala Leu
1 5 10

<210> 38
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 38
Glu Ser Val Arg Glu Gln Val Met Lys Tyr
1 5 10

<210> 39
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDE

<400> 39
Ser Val Arg Ser Gln Ile Ser Ala Ser Leu
1 5 10

<210> 40
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDE

<400> 40
Gly Val Arg Glu Thr Val Tyr Arg His Met
1 5 10

<210> 41
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 41
Gly Val Arg Glu Val Ile Val Met His Met Leu
1 5 10

<210> 42
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC

PEPTIDE

<400> 42
Gly Arg Val Arg Asp Gln Ile Trp Ala Ala Leu
1 5 10

<210> 43
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDE

<400> 43
Ala Gly Val Arg Asp Gln Ile Leu Ile Trp Leu
1 5 10

<210> 44
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDE

<400> 44
Gly Arg Val Arg Asp Gln Ile Met Leu Ser Leu
1 5 10

<210> 45
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDE

<400> 45

Gly Arg Val Arg Asp Gln Ile Xaa Xaa Xaa Leu
1 5 10

<210> 46
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 46
Cys Thr Leu Arg Gln Trp Leu Gln Gly Cys
1 5 10

<210> 47
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 47
Cys Thr Leu Gln Glu Phe Leu Glu Gly Cys
1 5 10

<210> 48
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 48
Cys Thr Arg Thr Glu Trp Leu His Gly Cys
1 5 10

<210> 49
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 49
Cys Thr Leu Arg Glu Trp Leu His Gly Gly Phe Cys
1 5 10

<210> 50
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TMP

<400> 50
Cys Thr Leu Arg Glu Trp Val Phe Ala Gly Leu Cys
1 5 10

<210> 51
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TMP

<400> 51
Cys Thr Leu Arg Gln Trp Leu Ile Leu Leu Gly Met Cys
1 5 10

<210> 52
<211> 14
<212> PRT

<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 52
Cys Thr Leu Ala Glu Phe Leu Ala Ser Gly Val Glu Gln Cys
1 5 10

<210> 53
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TMP

<400> 53
Cys Ser Leu Gln Glu Phe Leu Ser His Gly Gly Tyr Val Cys
1 5 10

<210> 54
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TMP

<400> 54
Cys Thr Leu Arg Glu Phe Leu Asp Pro Thr Thr Ala Val Cys
1 5 10

<210> 55
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 55
Cys Thr Leu Lys Glu Trp Leu Val Ser His Glu Val Trp Cys
1 5 10

<210> 56
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 56
Cys Thr Leu Arg Glu Trp Leu Xaa Xaa Cys
1 5 10

<210> 57
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 57
Cys Thr Leu Arg Glu Trp Leu Xaa Xaa Xaa Cys
1 5 10

<210> 58
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 58
Cys Thr Leu Arg Glu Trp Leu Xaa Xaa Xaa Xaa Cys

1 5 10

<210> 59
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 59
Cys Thr Leu Arg Glu Trp Leu Xaa Xaa Xaa Xaa Xaa Cys
1 5 10

<210> 60
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 60
Cys Thr Leu Arg Glu Trp Leu Xaa Xaa Xaa Xaa Xaa Xaa Cys
1 5 10

<210> 61
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 61
Arg Glu Gly Pro Thr Leu Arg Gln Trp Met
1 5 10

<210> 62
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 62
Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala
1 5 10

<210> 63
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 63
Glu Arg Gly Pro Phe Trp Ala Lys Ala Cys
1 5 10

<210> 64
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 64
Arg Glu Gly Pro Arg Cys Val Met Trp Met
1 5 10

<210> 65
<211> 14

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 65
Cys Gly Thr Glu Gly Pro Thr Leu Ser Thr Trp Leu Asp Cys
1 5 10

<210> 66
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 66
Cys Glu Gln Asp Gly Pro Thr Leu Leu Glu Trp Leu Lys Cys
1 5 10

<210> 67
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 67
Cys Glu Leu Val Gly Pro Ser Leu Met Ser Trp Leu Thr Cys
1 5 10

<210> 68
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 68
Cys Leu Thr Gly Pro Phe Val Thr Gln Trp Leu Tyr Glu Cys
1 5 10

<210> 69
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 69
Cys Arg Ala Gly Pro Thr Leu Leu Glu Trp Leu Thr Leu Cys
1 5 10

<210> 70
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 70
Cys Ala Asp Gly Pro Thr Leu Arg Glu Trp Ile Ser Phe Cys
1 5 10

<210> 71
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 71
Cys Xaa Glu Gly Pro Thr Leu Arg Glu Trp Leu Xaa Cys
1 5 10

<210> 72
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 72
Cys Xaa Xaa Glu Gly Pro Thr Leu Arg Glu Trp Leu Xaa Cys
1 5 10

<210> 73
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 73
Cys Xaa Glu Gly Pro Thr Leu Arg Glu Trp Leu Xaa Xaa Cys
1 5 10

<210> 74
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 74
Cys Xaa Xaa Glu Gly Pro Thr Leu Arg Glu Trp Leu Xaa Xaa Cys

1 5 10 15

<210> 75
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDE

<400> 75
Gly Gly Cys Thr Leu Arg Glu Trp Leu His Gly Gly Phe Cys Gly Gly
1 5 10 15

<210> 76
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDE

<400> 76
Gly Gly Cys Ala Asp Gly Pro Thr Leu Arg Glu Trp Ile Ser Phe Cys
1 5 10 15

Gly Gly

<210> 77
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDE

<400> 77
Gly Asn Ala Asp Gly Pro Thr Leu Arg Gln Trp Leu Glu Gly Arg Arg

1 5 10 15

Pro Lys Asn

<210> 78
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 78
Leu Ala Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu His Gly Asn Gly
1 5 10 15

Arg Asp Thr

<210> 79
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 79
His Gly Arg Val Gly Pro Thr Leu Arg Glu Trp Lys Thr Gln Val Ala
1 5 10 15

Thr Lys Lys

<210> 80
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDE

<400> 80
Thr Ile Lys Gly Pro Thr Leu Arg Gln Trp Leu Lys Ser Arg Glu His
1 5 10 15

Thr Ser

<210> 81
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDE

<400> 81
Ile Ser Asp Gly Pro Thr Leu Lys Glu Trp Leu Ser Val Thr Arg Gly
1 5 10 15

Ala Ser

<210> 82
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDE

<400> 82
Ser Ile Glu Gly Pro Thr Leu Arg Glu Trp Leu Thr Ser Arg Thr Pro
1 5 10 15

His Ser

<210> 83
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 83
Tyr Xaa Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys Xaa Pro
1 5 10

<210> 84
<211> 28
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 84
Tyr Xaa Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys Xaa Pro Tyr Xaa
1 5 10 15

Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys Xaa Pro
20 25

<210> 85
<211> 29
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<220>
<223> At position 15, Xaa=a linker sequence of 1 to 20 amino acids

<400> 85

Tyr Xaa Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys Xaa Pro Xaa Tyr
1 5 10 15

Xaa Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys Xaa Pro
20 25

<210> 86
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<220>
<223> At position 15 linked through epsilon amine to lysyl, which is linked to a separate identical sequence through that sequence's alpha amine

<400> 86
Tyr Xaa Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys Xaa Pro
1 5 10

<210> 87
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 87
Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10 15

Pro Gln Gly Gly
20

<210> 88
<211> 20

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC
PEPTIDE

<400> 88
Gly Gly Asp Tyr His Cys Arg Met Gly Pro Leu Thr Trp Val Cys Lys
1 5 10 15

Pro Leu Gly Gly
20

<210> 89
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC
PEPTIDE

<400> 89
Gly Gly Val Tyr Ala Cys Arg Met Gly Pro Ile Thr Trp Val Cys Ser
1 5 10 15

Pro Leu Gly Gly
20

<210> 90
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC
PEPTIDE

<400> 90
Val Gly Asn Tyr Met Cys His Phe Gly Pro Ile Thr Trp Val Cys Arg
1 5 10 15

Pro Gly Gly Gly

20

<210> 91
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 91
Gly Gly Leu Tyr Leu Cys Arg Phe Gly Pro Val Thr Trp Asp Cys Gly
1 5 10 15

Tyr Lys Gly Gly
20

<210> 92
<211> 40
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 92
Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10 15

Pro Gln Gly Gly Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr
20 25 30

Trp Val Cys Lys Pro Gln Gly Gly
35 40

<210> 93
<211> 41
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<220>
<223> At position 21, Xaa=a linker sequence of 1 to 20 amino acids

<400> 93
Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10 15

Pro Gln Gly Gly Xaa Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu
20 25 30

Thr Trp Val Cys Lys Pro Gln Gly Gly
35 40

<210> 94
<211> 23
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 94
Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10 15

Pro Gln Gly Gly Ser Ser Lys
20

<210> 95
<211> 46
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<400> 95

Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10 15

Pro Gln Gly Gly Ser Ser Lys Gly Gly Thr Tyr Ser Cys His Phe Gly
20 25 30

Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Ser Ser Lys
35 40 45

<210> 96
<211> 47
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDE

<220>
<223> At position 24, Xaa=a linker sequence of 1 to 20 amino acids

<400> 96
Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10 15

Pro Gln Gly Gly Ser Ser Lys Xaa Gly Gly Thr Tyr Ser Cys His Phe
20 25 30

Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Ser Ser Lys
35 40 45

<210> 97
<211> 22
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<220>
<223> At position 22 linked through epsilon amine to lysyl, which is linked to a separate identical

sequence through that sequence's alpha amine

<400> 97
Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10 15

Pro Gln Gly Gly Ser Ser
20

<210> 98
<211> 23
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<220>
<223> At position 23 biotin linked to the sidechain through a linker

<400> 98
Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10 15

Pro Gln Gly Gly Ser Ser Lys
20

<210> 99
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:G-CSF MIMETIC PEPTIDE

<220>
<223> At position 4 disulfide bond to residue 4 of a separate identical sequence

<400> 99
Glu Glu Asp Cys Lys

1 5

<210> 100
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:G-CSF MIMETIC PEPTIDE

<220>
<223> At position 4, Xaa is an isoteric ethylene spacer linked to a separate identical sequence

<400> 100
Glu Glu Asp Xaa Lys
1 5

<210> 101
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:G-CSF MIMETIC PEPTIDE

<220>
<223> At position 1, Xaa is a pyroglutamic acid residue

<220>
<223> At position 4, Xaa is an isoteric ethylene spacer linked to a separate identical sequence

<400> 101
Xaa Glu Asp Xaa Lys
1 5

<210> 102
<211> 5
<212> PRT

<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<220>
<223> At position 1, Xaa is a picolinic acid residue

<220>
<223> At position 4, Xaa is an isoteric ethylene spacer linked to a separate identical sequence

<400> 102
Xaa Ser Asp Xaa Lys
1 5

<210> 103
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<220>
<223> At position 6, Xaa=a linker sequence of 1 to 20 amino acids

<400> 103
Glu Glu Asp Cys Lys Xaa Glu Glu Asp Cys Lys
1 5 10

<210> 104
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<220>

<223> At position 6, Xaa=a linker sequence of 1 to 20
amino acids

<400> 104
Glu Glu Asp Xaa Lys Xaa Glu Glu Asp Xaa Lys
1 5 10

<210> 105
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:ANTIVIRAL (HBV)
PEPTIDE

<400> 105
Leu Leu Gly Arg Met Lys
1 5

<210> 106
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST
PEPTIDE

<400> 106
Tyr Cys Phe Thr Ala Ser Glu Asn His Cys Tyr
1 5 10

<210> 107
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST
PEPTIDE

<400> 107
Tyr Cys Phe Thr Asn Ser Glu Asn His Cys Tyr
1 5 10

<210> 108
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST PEPTIDE

<400> 108
Tyr Cys Phe Thr Arg Ser Glu Asn His Cys Tyr
1 5 10

<210> 109
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONSIT PEPTIDE

<400> 109
Phe Cys Ala Ser Glu Asn His Cys Tyr
1 5

<210> 110
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONSIT PEPTIDE

<400> 110
Tyr Cys Ala Ser Glu Asn His Cys Tyr
1 5

<210> 111
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST PEPTIDE

<400> 111
Phe Cys Asn Ser Glu Asn His Cys Tyr
1 5

<210> 112
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST PEPTIDE

<400> 112
Phe Cys Asn Ser Glu Asn Arg Cys Tyr
1 5

<210> 113
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST PEPTIDE

<400> 113
Phe Cys Asn Ser Val Glu Asn Arg Cys Tyr
1 5 10

<210> 114
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST PEPTIDE

<400> 114
Tyr Cys Ser Gln Ser Val Ser Asn Asp Cys Phe
1 5 10

<210> 115
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST PEPTIDE

<400> 115
Phe Cys Val Ser Asn Asp Arg Cys Tyr
1 5

<210> 116
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST PEPTIDE

<400> 116
Tyr Cys Arg Lys Glu Leu Gly Gln Val Cys Tyr
1 5 10

<210> 117
<211> 9
<212> PRT

<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST

<400> 117
Tyr Cys Lys Glu Pro Gly Gln Cys Tyr
1 5

<210> 118
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST

<400> 118
Tyr Cys Arg Lys Glu Met Gly Cys Tyr
1 5

<210> 119
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST

<400> 119
Phe Cys Arg Lys Glu Met Gly Cys Tyr
1 5

<210> 120
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST

<400> 120

Tyr Cys Trp Ser Gln Asn Leu Cys Tyr
1 5

<210> 121
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST

<400> 121
Tyr Cys Glu Leu Ser Gln Tyr Leu Cys Tyr
1 5 10

<210> 122
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST

<400> 122
Tyr Cys Trp Ser Gln Asn Tyr Cys Tyr
1 5

<210> 123
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST

<400> 123
Tyr Cys Trp Ser Gln Tyr Leu Cys Tyr
1 5

<210> 124

<211> 37
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 124
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Gly Pro Xaa Xaa
1 5 10 15

Xaa Xaa Xaa Xaa Thr Trp Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

Xaa Xaa Xaa Xaa Xaa
35

<210> 125
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CTLA4-MIMETIC PEPTIDE

<400> 125
Gly Phe Val Cys Ser Gly Ile Phe Ala Val Gly Val Gly Arg Cys
1 5 10 15

<210> 126
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CTLA4-MIMETIC PEPTIDE

<400> 126
Ala Pro Gly Val Arg Leu Gly Cys Ala Val Leu Gly Arg Tyr Cys
1 5 10 15

<210> 127
<211> 27
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:C3B ANTAGONIST

<400> 127
Ile Cys Val Val Gln Asp Trp Gly His His Arg Cys Thr Ala Gly His
1 5 10 15

Met Ala Asn Leu Thr Ser His Ala Ser Ala Ile
20 25

<210> 128
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:C3B ANTAGONIST PEPTIDE

<400> 128
Ile Cys Val Val Gln Asp Trp Gly His His Arg Cys Thr
1 5 10

<210> 129
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:C3B ANTAGONIST PEPTIDE

<400> 129
Cys Val Val Gln Asp Trp Gly His His Ala Cys
1 5 10

<210> 130
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 130
Thr Phe Ser Asp Leu Trp
1 5

<210> 131
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 131
Gln Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro
1 5 10

<210> 132
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 132
Gln Pro Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro
1 5 10

<210> 133
<211> 12

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 133
Gln Glu Thr Phe Ser Asp Tyr Trp Lys Leu Leu Pro
1 5 10

<210> 134
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 134
Gln Pro Thr Phe Ser Asp Tyr Trp Lys Leu Leu Pro
1 5 10

<210> 135
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 135
Met Pro Arg Phe Met Asp Tyr Trp Glu Gly Leu Asn
1 5 10

<210> 136
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:C3B ANTAGONIST

<400> 136
Val Gln Asn Phe Ile Asp Tyr Trp Thr Gln Gln Phe
1 5 10

<210> 137
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 137
Thr Gly Pro Ala Phe Thr His Tyr Trp Ala Thr Phe
1 5 10

<210> 138
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 138
Ile Asp Arg Ala Pro Thr Phe Arg Asp His Trp Phe Ala Leu Val
1 5 10 15

<210> 139
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 139
Pro Arg Pro Ala Leu Val Phe Ala Asp Tyr Trp Glu Thr Leu Tyr
1 5 10 15

<210> 140
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 140
Pro Ala Phe Ser Arg Phe Trp Ser Asp Leu Ser Ala Gly Ala His
1 5 10 15

<210> 141
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 141
Pro Ala Phe Ser Arg Phe Trp Ser Lys Leu Ser Ala Gly Ala His
1 5 10 15

<210> 142
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 142
Pro Xaa Phe Xaa Asp Tyr Trp Xaa Xaa Leu
1 5 10

<210> 143
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 143
Gln Glu Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro
1 5 10

<210> 144
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 144
Gln Pro Thr Phe Ser Asp Leu Trp Lys Leu Leu Pro
1 5 10

<210> 145
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 145
Gln Glu Thr Phe Ser Asp Tyr Trp Lys Leu Leu Pro
1 5 10

<210> 146
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 146
Gln Pro Thr Phe Ser Asp Tyr Trp Lys Leu Leu Pro
1 5 10

<210> 147
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 147
Asp Ile Thr Trp Asp Gln Leu Trp Asp Leu Met Lys
1 5 10

<210> 148
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 148
Asp Ile Thr Trp Asp Glu Leu Trp Lys Ile Met Asn
1 5 10

<210> 149
<211> 12
<212> PRT

<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN ANTAGONIST PEPTIDE

<400> 149
Asp Tyr Thr Trp Phe Glu Leu Trp Asp Met Met Gln
1 5 10

<210> 150
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN ANTAGONIST PEPTIDE

<400> 150
Gln Ile Thr Trp Ala Gln Leu Trp Asn Met Met Lys
1 5 10

<210> 151
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM ANTAGONIST PEPTIDE

<400> 151
Asp Met Thr Trp His Asp Leu Trp Thr Leu Met Ser
1 5 10

<210> 152
<211> 12
<212> PRT
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 152
Asp Tyr Ser Trp His Asp Leu Trp Glu Met Met Ser
1 5 10

<210> 153
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 153
Glu Ile Thr Trp Asp Gln Leu Trp Glu Val Met Asn
1 5 10

<210> 154
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MDM/HDM
ANTAGONIST PEPTIDE

<400> 154
His Val Ser Trp Glu Gln Leu Trp Asp Ile Met Asn
1 5 10

<210> 155
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 155
His Ile Thr Trp Asp Gln Leu Trp Arg Ile Met Thr
1 5 10

<210> 156
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN ANTAGONIST PEPTIDE

<400> 156
Arg Asn Met Ser Trp Leu Glu Leu Trp Glu His Met Lys
1 5 10

<210> 157
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN

<400> 157
Ala Glu Trp Thr Trp Asp Gln Leu Trp His Val Met Asn Pro Ala Glu
1 5 10 15

Ser Gln

<210> 158
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN

<400> 158
His Arg Ala Glu Trp Leu Ala Leu Trp Glu Gln Met Ser Pro

1 5 10

<210> 159
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 159
Lys Lys Glu Asp Trp Leu Ala Leu Trp Arg Ile Met Ser Val
1 5 10

<210> 160
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN

<400> 160
Ile Thr Trp Asp Gln Leu Trp Asp Leu Met Lys
1 5 10

<210> 161
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN

<400> 161
Asp Ile Thr Trp Asp Gln Leu Trp Asp Leu Met Lys
1 5 10

<210> 162

<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN

<400> 162
Asp Ile Thr Trp Asp Gln Leu Trp Asp Leu Met Lys
1 5 10

<210> 163
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 163
Asp Ile Thr Trp Asp Gln Leu Trp Asp Leu Met Lys
1 5 10

<210> 164
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN
ANTAGONIST PEPTIDE

<400> 164
Ser Cys Val Lys Trp Gly Lys Lys Glu Phe Cys Gly Ser
1 5 10

<210> 165
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN

<400> 165
Ser Cys Trp Lys Tyr Trp Gly Lys Glu Cys Gly Ser
1 5 10

<210> 166
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN
ANTAGONIST PEPTIDE

<400> 166
Ser Cys Tyr Glu Trp Gly Lys Leu Arg Trp Cys Gly Ser
1 5 10

<210> 167
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: CALMODULIN
ANTAGONIST PEPTIDE

<400> 167
Ser Cys Leu Arg Trp Gly Lys Trp Ser Asn Cys Gly Ser
1 5 10

<210> 168
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN
ANTAGONIST PEPTIDE

<400> 168
Ser Cys Trp Arg Trp Gly Lys Tyr Gln Ile Cys Gly Ser
1 5 10

<210> 169
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN ANTAGONIST PEPTIDE

<400> 169
Ser Cys Val Ser Trp Gly Ala Leu Lys Leu Cys Gly Ser
1 5 10

<210> 170
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN ANTAGONIST PEPTIDE

<400> 170
Ser Cys Ile Arg Trp Gly Gln Asn Thr Phe Cys Gly Ser
1 5 10

<210> 171
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN ANTAGONIST PEPTIDE

<400> 171
Ser Cys Trp Gln Trp Gly Asn Leu Lys Ile Cys Gly Ser
1 5 10

<210> 172
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN ANTAGONIST PEPTIDE

<400> 172
Ser Cys Val Arg Trp Gly Gln Leu Ser Ile Cys Gly Ser
1 5 10

<210> 173
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN ANTAGONIST PEPTIDE

<400> 173
Leu Lys Lys Phe Asn Ala Arg Arg Lys Leu Lys Gly Ala Ile Leu Thr
1 5 10 15

Thr Met Leu Ala Lys
20

<210> 174
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN

<400> 174
Arg Arg Trp Lys Lys Asn Phe Ile Ala Val Ser Ala Ala Asn Arg Phe
1 5 10 15

Lys Lys

<210> 175
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN

<400> 175
Arg Lys Trp Gln Lys Thr Gly His Ala Val Arg Ala Ile Gly Arg Leu
1 5 10 15

Ser Ser

<210> 176
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN
ANTAGONIST PEPTIDE

<400> 176
Ile Asn Leu Lys Ala Leu Ala Ala Leu Ala Lys Lys Ile Leu
1 5 10

<210> 177
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN
ANTAGONIST PEPTIDE

<400> 177
Lys Ile Trp Ser Ile Leu Ala Pro Leu Gly Thr Thr Leu Val Lys Leu

1 5 10 15

Val Ala

<210> 178
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN ANTAGONIST PEPTIDE

<400> 178
Leu Lys Lys Leu Leu Lys Leu Leu Lys Lys Leu Leu Lys Leu
1 5 10

<210> 179
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN ANTAGONIST PEPTIDE

<400> 179
Leu Lys Trp Lys Lys Leu Leu Lys Leu Leu Lys Lys Leu Leu Lys Lys
1 5 10 15

Leu Leu

<210> 180
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN ANTAGONIST PEPTIDE

<400> 180
Ala Glu Trp Pro Ser Leu Thr Glu Ile Lys Thr Leu Ser His Phe Ser
1 5 10 15

Val

<210> 181
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN
ANTAGONIST PEPTIDE

<400> 181
Ala Glu Trp Pro Ser Pro Thr Arg Val Ile Ser Thr Thr Tyr Phe Gly
1 5 10 15

Ser

<210> 182
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN
ANTAGONIST PEPTIDE

<400> 182
Ala Glu Leu Ala His Trp Pro Pro Val Lys Thr Val Leu Arg Ser Phe
1 5 10 15

Thr

<210> 183
<211> 17

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN
ANTAGONIST PEPTIDE

<400> 183
Ala Glu Gly Ser Trp Leu Gln Leu Leu Asn Leu Met Lys Gln Met Asn
1 5 10 15

Asn

<210> 184
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CALMODULIN
ANTAGONIST PEPTIDE

<400> 184
Ala Glu Trp Pro Ser Leu Thr Glu Ile Lys
1 5 10

<210> 185
<211> 27
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial
Sequence:VINCULIN-BINDING PEPTIDE

<400> 185
Ser Thr Gly Gly Phe Asp Asp Val Tyr Asp Trp Ala Arg Gly Val Ser
1 5 10 15

Ser Ala Leu Thr Thr Thr Leu Val Ala Thr Arg
20 25

<210> 186
<211> 27
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VINCULIN-BINDING PEPTIDE

<400> 186
Ser Thr Gly Gly Phe Asp Asp Val Tyr Asp Trp Ala Arg Arg Val Ser
1 5 10 15

Ser Ala Leu Thr Thr Thr Leu Val Ala Thr Arg
20 25

<210> 187
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VINCULIN BINDING PEPTIDE

<400> 187
Ser Arg Gly Val Asn Phe Ser Glu Trp Leu Tyr Asp Met Ser Ala Ala
1 5 10 15

Met Lys Glu Ala Ser Asn Val Phe Pro Ser Arg Arg Ser Arg
20 25 30

<210> 188
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VINCULIN BINDING PEPTIDE

<400> 188
Ser Ser Gln Asn Trp Asp Met Glu Ala Gly Val Glu Asp Leu Thr Ala

1 5 10 15

Ala Met Leu Gly Leu Leu Ser Thr Ile His Ser Ser Ser Arg
20 25 30

<210> 189
<211> 31
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VINCULIN BINDING PEPTIDE

<400> 189
Ser Ser Pro Ser Leu Tyr Thr Gln Phe Leu Val Asn Tyr Glu Ser Ala
1 5 10 15

Ala Thr Arg Ile Gln Asp Leu Leu Ile Ala Ser Arg Pro Ser Arg
20 25 30

<210> 190
<211> 31
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VINCULIN BINDING PEPTIDE

<400> 190
Ser Ser Thr Gly Trp Val Asp Leu Leu Gly Ala Leu Gln Arg Ala Ala
1 5 10 15

Asp Ala Thr Arg Thr Ser Ile Pro Pro Ser Leu Gln Asn Ser Arg
20 25 30

<210> 191
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VINCULIN
BINDING PEPTIDE

<400> 191
Asp Val Tyr Thr Lys Lys Glu Leu Ile Glu Cys Ala Arg Arg Val Ser
1 5 10 15

Glu Lys

<210> 192
<211> 22
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:C4BP-BINDING
PEPTIDE

<400> 192
Glu Lys Gly Ser Tyr Tyr Pro Gly Ser Gly Ile Ala Gln Phe His Ile
1 5 10 15

Asp Tyr Asn Asn Val Ser
20

<210> 193
<211> 22
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:C4BP-BINDING
PEPTIDE

<400> 193
Ser Gly Ile Ala Gln Phe His Ile Asp Tyr Asn Asn Val Ser Ser Ala
1 5 10 15

Glu Gly Trp His Val Asn
20

<210> 194
<211> 34
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:C4BP-BINDING
PEPTIDE

<400> 194
Leu Val Thr Val Glu Lys Gly Ser Tyr Tyr Pro Gly Ser Gly Ile Ala
1 5 10 15

Gln Phe His Ile Asp Tyr Asn Asn Val Ser Ser Ala Glu Gly Trp His
20 25 30

Val Asn

<210> 195
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:C4BP-BINDING
PEPTIDE

<400> 195
Ser Gly Ile Ala Gln Phe His Ile Asp Tyr Asn Asn Val Ser
1 5 10

<210> 196
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 196
Ala Glu Pro Met Pro His Ser Leu Asn Phe Ser Gln Tyr Leu Trp Tyr

1 5 10 15

Thr

<210> 197
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST PEPTIDE

<400> 197
Ala Glu His Thr Tyr Ser Ser Leu Trp Asp Thr Tyr Ser Pro Leu Ala
1 5 10 15

Phe

<210> 198
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VINCULIN-BINDING PEPTIDE

<400> 198
Ala Glu Leu Asp Leu Trp Met Arg His Tyr Pro Leu Ser Phe Ser Asn
1 5 10 15

Arg

<210> 199
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 199
Ala Glu Ser Ser Leu Trp Thr Arg Tyr Ala Trp Pro Ser Met Pro Ser
1 5 10 15

Tyr

<210> 200
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 200
Ala Glu Trp His Pro Gly Leu Ser Phe Gly Ser Tyr Leu Trp Ser Lys
1 5 10 15

Thr

<210> 201
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 201
Ala Glu Pro Ala Leu Leu Asn Trp Ser Phe Phe Phe Asn Pro Gly Leu
1 5 10 15

His

<210> 202
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 202
Ala Glu Trp Ser Phe Tyr Asn Leu His Leu Pro Glu Pro Gln Thr Ile
1 5 10 15

Phe

<210> 203
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 203
Ala Glu Pro Leu Asp Leu Trp Ser Leu Tyr Ser Leu Pro Pro Leu Ala
1 5 10 15

Met

<210> 204
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 204
Ala Glu Pro Thr Leu Trp Gln Leu Tyr Gln Phe Pro Leu Arg Leu Ser

1 5 10 15

Gly

<210> 205
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST PEPTIDE

<400> 205
Ala Glu Ile Ser Phe Ser Glu Leu Met Trp Leu Arg Ser Thr Pro Ala
1 5 10 15

Phe

<210> 206
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST PEPTIDE

<400> 206
Ala Glu Leu Ser Glu Ala Asp Leu Trp Thr Thr Trp Phe Gly Met Gly
1 5 10 15

Ser

<210> 207
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 207
Ala Glu Ser Ser Leu Trp Arg Ile Phe Ser Pro Ser Ala Leu Met Met
1 5 10 15

Ser

<210> 208
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 208
Ala Glu Ser Leu Pro Thr Leu Thr Ser Ile Leu Trp Gly Lys Glu Ser
1 5 10 15

Val

<210> 209
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 209
Ala Glu Thr Leu Phe Met Asp Leu Trp His Asp Lys His Ile Leu Leu
1 5 10 15

Thr

<210> 210
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST PEPTIDE

<400> 210
Ala Glu Ile Leu Asn Phe Pro Leu Trp His Glu Pro Leu Trp Ser Thr
1 5 10 15

Glu

<210> 211
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST PEPTIDE

<400> 211
Ala Glu Ser Gln Thr Gly Thr Leu Asn Thr Leu Phe Trp Asn Thr Leu
1 5 10 15

Arg

<210> 212
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa is V, L, I, E, P, G, Y, M, T,

or D

<220>
<223> At position 2, Xaa is Y, W or F

<220>
<223> At position 3, Xaa is E, F, V, W or Y

<220>
<223> At position 5, Xaa is P or azetidine

<220>
<223> At position 7, Xaa is S, A, V or L

<220>
<223> At position 8, Xaa is M, F, V, R, Q, K, T, S, D, L, I or E

<220>
<223> At position 9, Xaa is E, L, W, V, H, I, G, A, D, L, Y, N, Q or P

<400> 212
Xaa Xaa Xaa Gln Xaa Tyr Xaa Xaa Xaa
1 5

<210> 213
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 213
Thr Ala Asn Val Ser Ser Phe Glu Trp Thr Pro Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 214
<211> 18

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 214
Ser Trp Thr Asp Tyr Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Ile Ser
1 5 10 15

Gly Leu

<210> 215
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 215
Glu Thr Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 216
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 216
Glu Asn Thr Tyr Ser Pro Asn Trp Ala Asp Ser Met Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu

20

<210> 217
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 217
Ser Val Gly Glu Asp His Asn Phe Trp Thr Ser Glu Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 218
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 218
Asp Gly Tyr Asp Arg Trp Arg Gln Ser Gly Glu Arg Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 219
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 219
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr
1 5 10

<210> 220
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 220
Phe Glu Trp Thr Pro Gly Tyr Trp Gln His Tyr
1 5 10

<210> 221
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa=azetidine

<400> 221
Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr
1 5 10

<210> 222
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, optionally acetylated at N-terminus

<220>
<223> At position 10, Xaa=azetidine

<400> 222
Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr
1 5 10

<210> 223
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 11, Xaa=azetidine

<400> 223
Phe Glu Trp Thr Pro Gly Trp Pro Tyr Gln Xaa Tyr
1 5 10

<210> 224
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa=azetidine

<400> 224
Phe Ala Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 225
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 10, Xaa=azetidine

<400> 225
Phe Glu Trp Ala Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 226
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 10, Xaa=azetidine

<400> 226
Phe Glu Trp Val Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 227
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 10, Xaa=azetidine

<400> 227
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 228
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, optionally acetylated at N-terminus

<220>
<223> At position 10, Xaa=azetidine

<400> 228
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 229
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 6, products="MeGly"

<220>
<223> At position 10, Xaa=azetidine

<400> 229
Phe Glu Trp Thr Pro Xaa Trp Tyr Gln Xaa Tyr
1 5 10

<210> 230
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 6, Xaa=MeGly

<220>
<223> At position 10, Xaa=azetidine

<400> 230
Phe Glu Trp Thr Pro Xaa Trp Tyr Gln Xaa Tyr
1 5 10

<210> 231
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 231
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Pro Tyr
1 5 10

<210> 232
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 232
Phe Glu Trp Thr Pro Gly Trp Trp Gln Pro Tyr

1 5 10

<210> 233
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 233
Phe Glu Trp Thr Pro Asn Tyr Trp Gln Pro Tyr
1 5 10

<210> 234
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 5, Xaa=pipecolic acid

<220>
<223> At position 10, Xaa=azetidine

<400> 234
Phe Glu Trp Thr Xaa Val Tyr Trp Gln Xaa Tyr
1 5 10

<210> 235
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 5, Xaa=pipecolic acid

<220>
<223> At position 10, Xaa=azetidine

<400> 235
Phe Glu Trp Thr Xaa Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 236
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 6, Xaa=Aib

<220>
<223> At position 10, Xaa=azetidine

<400> 236
Phe Glu Trp Thr Pro Xaa Tyr Trp Gln Xaa Tyr
1 5 10

<210> 237
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 5, Xaa=MeGly

<220>
<223> At position 10, Xaa=azetidine

<400> 237
Phe Glu Trp Thr Xaa Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 238
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 11, amino group added at C-terminus

<400> 238
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr
1 5 10

<210> 239
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 11, amino group added at C-terminus

<400> 239
Phe Glu Trp Thr Pro Gly Tyr Trp Gln His Tyr
1 5 10

<210> 240
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11 amino group added at C-terminus

<400> 240
Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr
1 5 10

<210> 241
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, optionally acetylated at N-terminus

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11 amino group added at C-terminus

<400> 241
Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr
1 5 10

<210> 242
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST

PEPTIDE

<220>
<223> At position 8, Xaa is a phyosphotyrosyl residue

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11, amino group added at C-terminus

<400> 242
Phe Glu Trp Thr Pro Gly Trp Xaa Gln Xaa Tyr
1 5 10

<210> 243
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11 amino group added at C-terminus

<400> 243
Phe Ala Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 244
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>

<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11 amino group added at C-terminus

<400> 244
Phe Glu Trp Ala Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 245
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11 amino group added at C-terminus

<400> 245
Phe Glu Trp Val Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 246
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11 amino group added at C-terminus

<400> 246

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 247
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1 acetylated at N-terminus

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11 amino group added at C-terminus

<400> 247
Xaa Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 248
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 6, D amino acid residue

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11 amino group added at C-terminus

<400> 248

Phe Glu Trp Thr Pro Ala Trp Tyr Gln Xaa Tyr
1 5 10

<210> 249
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 6, Xaa is a sarcosine residue

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11 amino group added at C-terminus

<400> 249
Phe Glu Trp Thr Pro Xaa Trp Tyr Gln Xaa Tyr
1 5 10

<210> 250
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 11 amino group added at C-terminus

<400> 250
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Pro Tyr
1 5 10

<210> 251

<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 11 amino group added at C-terminus

<400> 251
Phe Glu Trp Thr Pro Gly Trp Trp Gln Pro Tyr
1 5 10

<210> 252
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 11 amino group added at C-terminus

<400> 252
Phe Glu Trp Thr Pro Asn Tyr Trp Gln Pro Tyr
1 5 10

<210> 253
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 6, D amino acid residue

<220>

<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11, amino group added at C-terminus

<400> 253
Phe Glu Trp Thr Pro Val Tyr Trp Gln Xaa Tyr
1 5 10

<210> 254
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 5, Xaa is a pipecolic acid residue

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11, amino group added at C-terminus

<400> 254
Phe Glu Trp Thr Xaa Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 255
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 6, Xaa=pipecolic acid

<220>

<223> At position 10, Xaa=azetidine

<400> 255
Phe Glu Trp Thr Pro Xaa Tyr Trp Gln Xaa Tyr
1 5 10

<210> 256
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 5, Xaa=MeGly

<220>
<223> At position 10, Xaa=azetidine

<400> 256
Phe Glu Trp Thr Xaa Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 257
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN BINDING PEPTIDE

<400> 257
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 258
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa is a 1-naphthylalanine residue

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11, amino group added at C-terminus

<400> 258
Xaa Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 259
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is a azetidine residue

<220>
<223> At position 11, amino group added at C-terminus

<400> 259
Tyr Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 260
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST

PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11, amino group added at C-terminus

<400> 260
Phe Glu Trp Val Pro Gly Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 261
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 6, D amino acid residue

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11, amino group added at C-terminus

<400> 261
Phe Glu Trp Thr Pro Ser Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 262
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>

<223> At position 6, D amino acid residue

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11, amino group added at C-terminus

<400> 262
Phe Glu Trp Thr Pro Asn Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 263
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 263
Thr Lys Pro Arg
1

<210> 264
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 264
Arg Lys Ser Ser Lys
1 5

<210> 265
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 265
Arg Lys Gln Asp Lys
1 5

<210> 266
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 266
Asn Arg Lys Gln Asp Lys
1 5

<210> 267
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 267
Arg Lys Gln Asp Lys Arg
1 5

<210> 268
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST

PEPTIDE

<400> 268
Glu Asn Arg Lys Gln Asp Lys Arg Phe
1 5

<210> 269
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 269
Val Thr Lys Phe Tyr Phe
1 5

<210> 270
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 270
Val Thr Lys Phe Tyr
1 5

<210> 271
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 271

Val Thr Asp Phe Tyr
1 5

<210> 272
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 272
Ser Gly Ser Gly Val Leu Lys Arg Pro Leu Pro Ile Leu Pro Val Thr
1 5 10 15

Arg

<210> 273
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MCA/MCP PROTEASE INHIBITOR PEPTIDE

<400> 273
Arg Trp Leu Ser Ser Arg Pro Leu Pro Pro Leu Pro Leu Pro Pro Arg
1 5 10 15

Thr

<210> 274
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MCA/MCPPROTEASE

INHIBITOR PEPTIDE

<400> 274
Gly Ser Gly Ser Tyr Asp Thr Leu Ala Leu Pro Ser Leu Pro Leu His
1 5 10 15

Pro Met Ser Ser
20

<210> 275
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MCA/MCP
PROTEASE INHIBITOR PEPTIDE

<400> 275
Gly Ser Gly Ser Tyr Asp Thr Arg Ala Leu Pro Ser Leu Pro Leu His
1 5 10 15

Pro Met Ser Ser
20

<210> 276
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MCA/MCP
PROTEASE INHIBITOR PEPTIDE

<400> 276
Gly Ser Gly Ser Ser Gly Val Thr Met Tyr Pro Lys Leu Pro Pro His
1 5 10 15

Trp Ser Met Ala
20

<210> 277

<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MCA/MCP
PROTEASE INHIBITOR PEPTIDE

<400> 277
Gly Ser Gly Ser Ser Gly Val Arg Met Tyr Pro Lys Leu Pro Pro His
1 5 10 15

Trp Ser Met Ala
20

<210> 278
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MCA/MCP
PROTEASE INHIBITOR PEPTIDE

<400> 278
Gly Ser Gly Ser Ser Ser Met Arg Met Val Pro Thr Ile Pro Gly Ser
1 5 10 15

Ala Lys His Gly
20

<210> 279
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:ANTI-HBV
PEPTIDE

<400> 279
Leu Leu Gly Arg Met Lys
1 5

<210> 280
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:ANTI-HBV
PEPTIDE

<400> 280
Ala Leu Leu Gly Arg Met Lys Gly
1 5

<210> 281
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:ANTI-HBV
PEPTIDE

<400> 281
Leu Asp Pro Ala Phe Arg
1 5

<210> 282
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 282
Arg Pro Leu Pro Pro Leu Pro
1 5

<210> 283
<211> 7

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 283
Arg Glu Leu Pro Pro Leu Pro
1 5

<210> 284
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MSH3 ANTAGONIST

<400> 284
Ser Pro Leu Pro Pro Leu Pro
1 5

<210> 285
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 285
Gly Pro Leu Pro Pro Leu Pro
1 5

<210> 286
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 286
Arg Pro Leu Pro Ile Pro Pro
1 5

<210> 287
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MAST CELL ANTAGONISTS/MAST CELL PROTEASE INHIBITOR

<400> 287
Arg Pro Leu Pro Ile Pro Pro
1 5

<210> 288
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 288
Arg Arg Leu Pro Pro Thr Pro
1 5

<210> 289
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 289
Arg Gln Leu Pro Pro Thr Pro
1 5

<210> 290
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 290
Arg Pro Leu Pro Ser Arg Pro
1 5

<210> 291
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 291
Arg Pro Leu Pro Thr Arg Pro
1 5

<210> 292
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 292
Ser Arg Leu Pro Pro Leu Pro
1 5

<210> 293
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 293
Arg Ala Leu Pro Ser Pro Pro
1 5

<210> 294
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 294
Arg Arg Leu Pro Arg Thr Pro
1 5

<210> 295
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 295
Arg Pro Val Pro Pro Ile Thr
1 5

<210> 296
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 296
Ile Leu Ala Pro Pro Val Pro
1 5

<210> 297
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 297
Arg Pro Leu Pro Met Leu Pro
1 5

<210> 298
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 298
Arg Pro Leu Pro Ile Leu Pro
1 5

<210> 299
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 299
Arg Pro Leu Pro Ser Leu Pro
1 5

<210> 300
<211> 7
<212> PRT

<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 300
Arg Pro Leu Pro Ser Leu Pro
1 5

<210> 301
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 301
Arg Pro Leu Pro Met Ile Pro
1 5

<210> 302
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 302
Arg Pro Leu Pro Leu Ile Pro
1 5

<210> 303
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 303

Arg Pro Leu Pro Pro Thr Pro
1 5

<210> 304
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 304
Arg Ser Leu Pro Pro Leu Pro
1 5

<210> 305
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 305
Arg Pro Gln Pro Pro Pro Pro
1 5

<210> 306
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 306
Arg Gln Leu Pro Ile Pro Pro
1 5

<210> 307

<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 307
Xaa Xaa Xaa Arg Pro Leu Pro Pro Leu Pro Xaa Pro
1 5 10

<210> 308
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 308
Xaa Xaa Xaa Arg Pro Leu Pro Pro Ile Pro Xaa Xaa
1 5 10

<210> 309
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 309
Xaa Xaa Xaa Arg Pro Leu Pro Pro Leu Pro Xaa Xaa
1 5 10

<210> 310
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 310
Arg Xaa Xaa Arg Pro Leu Pro Pro Leu Pro Xaa Pro
1 5 10

<210> 311
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 311
Arg Xaa Xaa Arg Pro Leu Pro Pro Leu Pro Pro Pro
1 5 10

<210> 312
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 312
Pro Pro Pro Tyr Pro Pro Pro Pro Ile Pro Xaa Xaa
1 5 10

<210> 313
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 313
Pro Pro Pro Tyr Pro Pro Pro Pro Val Pro Xaa Xaa
1 5 10

<210> 314
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 314
Leu Xaa Xaa Arg Pro Leu Pro Xaa Xaa Pro
1 5 10

<210> 315
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<220>
<223> At position 1, Xaa is an aliphatic amino acid residue

<400> 315
Xaa Xaa Xaa Arg Pro Leu Pro Xaa Leu Pro
1 5 10

<210> 316
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<220>
<223> At position 4, Xaa is an aromatic amino acid residue

<220>
<223> At position 9, Xaa is an aliphatic amino acid residue

<400> 316
Pro Pro Xaa Xaa Tyr Pro Pro Pro Xaa Pro
1 5 10

<210> 317
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<220>
<223> At position 1, Xaa is a basic amino acid residue

<220>
<223> At position 4, Xaa is an aliphatic amino acid residue

<400> 317
Xaa Pro Pro Xaa Pro Xaa Lys Pro Xaa Trp Leu
1 5 10

<210> 318
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<220>
<223> At position 4, Xaa is an aliphatic amino acid residue

<220>
<223> At position 6, Xaa is an aliphatic amino acid residue

<220>
<223> At position 8, Xaa is a basic amino acid residue

<400> 318

Arg Pro Xaa Xaa Pro Xaa Arg Xaa Ser Xaa Pro
1 5 10

<210> 319
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 319
Pro Pro Val Pro Pro Arg Pro Xaa Xaa Thr Leu
1 5 10

<210> 320
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<220>
<223> At positions 1, 3 and 6, Xaa is an aliphatic amino acid residue

<400> 320
Xaa Pro Xaa Leu Pro Xaa Lys
1 5

<210> 321
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<220>
<223> At position 1, Xaa is a basic amino acid residue

<220>
<223> At position 2, Xaa is an aromatic amino acid residue

<400> 321
Xaa Xaa Asp Xaa Pro Leu Pro Xaa Leu Pro
1 5 10

<210> 322
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INHIBITOR OF PLATELET AGGREGATION

<400> 322
Cys Xaa Xaa Arg Gly Asp Cys
1 5

<210> 323
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SRC ANTAGONIST

<400> 323
Arg Pro Leu Pro Pro Leu Pro
1 5

<210> 324
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SRC ANTAGONIST

<400> 324

Pro Pro Val Pro Pro Arg
1 5

<210> 325
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:ANTI-CANCER PEPTIDE

<400> 325
Xaa Phe Xaa Asp Xaa Trp Xaa Xaa Leu Xaa Xaa
1 5 10

<210> 326
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:p16-MIMETIC PEPTIDE

<400> 326
Lys Ala Cys Arg Arg Leu Phe Gly Pro Val Asp Ser Glu Gln Leu Ser
1 5 10 15

Arg Asp Cys Asp
20

<210> 327
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:p16-MIMETIC PEPTIDE

<400> 327

Arg Glu Arg Trp Asn Phe Asp Phe Val Thr Glu Thr Pro Leu Glu Gly
1 5 10 15

Asp Phe Ala Trp
20

<210> 328
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:p16-MIMETIC PEPTIDE

<400> 328
Lys Arg Arg Gln Thr Ser Met Thr Asp Phe Tyr His Ser Lys Arg Arg
1 5 10 15

Leu Ile Phe Ser
20

<210> 329
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SH3 ANTAGONIST

<400> 329
Thr Ser Met Thr Asp Phe Tyr His Ser Lys Arg Arg Leu Ile Phe Ser
1 5 10 15

Lys Arg Lys Pro
20

<210> 330
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:p16-MIMETIC PEPTIDE

<400> 330
Arg Arg Leu Ile Phe
1 5

<210> 331
<211> 36
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:p16-MIMETIC PEPTIDE

<400> 331
Lys Arg Arg Gln Thr Ser Ala Thr Asp Phe Tyr His Ser Lys Arg Arg
1 5 10 15

Leu Ile Phe Ser Arg Gln Ile Lys Ile Trp Phe Gln Asn Arg Arg Met
20 25 30

Lys Trp Lys Lys
35

<210> 332
<211> 24
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:p16-MIMETIC PEPTIDE

<400> 332
Lys Arg Arg Leu Ile Phe Ser Lys Arg Gln Ile Lys Ile Trp Phe Gln
1 5 10 15

Asn Arg Arg Met Lys Trp Lys Lys
20

<210> 333
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:POLYGLYCINE LINKER

<400> 333
Gly Gly Gly Lys Gly Gly Gly Gly
1 5

<210> 334
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:POLYGLYCINE LINKER

<400> 334
Gly Gly Gly Asn Gly Ser Gly Gly
1 5

<210> 335
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:POLYGLYCINE LINKER

<400> 335
Gly Gly Gly Cys Gly Gly Gly Gly
1 5

<210> 336
<211> 5

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:FC PCR PRIMER

<400> 336
Gly Pro Asn Gly Gly
1 5

<210> 337
<211> 42
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 337
Phe Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu
1 5 10 15

Ala Ala Arg Ala Gly Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro
20 25 30

Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
35 40

<210> 338
<211> 42
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 338
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu
20 25 30

Ala Ala Arg Ala Gly Gly Gly Gly Gly Phe

35 40

<210> 339
<211> 50
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 339
Phe Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His Phe Gly Pro
1 5 10 15

Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Gly
20 25 30

Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln
35 40 45

Gly Gly
50

<210> 340
<211> 50
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC

<400> 340
Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10 15

Pro Gln Gly Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His Phe
20 25 30

Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly
35 40 45

Gly Phe
50

<210> 341
<211> 28
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDES

<400> 341
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Ile Glu
1 5 10 15

Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
20 25

<210> 342
<211> 29
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 342
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Ile
1 5 10 15

Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
20 25

<210> 343
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 343
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
20 25 30

<210> 344
<211> 31
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 344
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
20 25 30

<210> 345
<211> 32
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 345
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
20 25 30

<210> 346
<211> 33
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 346
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg
20 25 30

Ala

<210> 347
<211> 34
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 347
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala
20 25 30

Arg Ala

<210> 348
<211> 35
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 348
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala

20 25 30

Ala Arg Ala
35

<210> 349
<211> 36
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC

<400> 349
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu
20 25 30

Ala Ala Arg Ala
35

<210> 350
<211> 37
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC
PEPTIDES

<400> 350
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp
20 25 30

Leu Ala Ala Arg Ala
35

<210> 351
<211> 38
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDES

<400> 351
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln
20 25 30

Trp Leu Ala Ala Arg Ala
35

<210> 352
<211> 42
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDES

<400> 352
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Gly Gly Gly Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro
20 25 30

Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
35 40

<210> 353
<211> 32
<212> PRT
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDES

<400> 353
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Pro
1 5 10 15

Asn Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
20 25 30

<210> 354
<211> 36
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDES

<400> 354
Ile Glu Gly Pro Thr Leu Arg Gln Cys Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Cys Leu
20 25 30

Ala Ala Arg Ala
35

<210> 355
<211> 36
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDES

<400> 355
Ile Glu Gly Pro Thr Leu Arg Gln Cys Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Cys Leu
20 25 30

Ala Ala Arg Ala
35

<210> 356
<211> 36
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDES

<400> 356
Ile Glu Gly Pro Thr Leu Arg Gln Ala Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Ala Leu
20 25 30

Ala Ala Arg Ala
35

<210> 357
<211> 36
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDES

<400> 357
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Lys Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu
20 25 30

Ala Ala Arg Ala
35

<210> 358
<211> 40
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDES

<400> 358
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Lys Asx Arg Ala Cys Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu
20 25 30

Arg Gln Trp Leu Ala Ala Arg Ala
35 40

<210> 359
<211> 36
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDES

<400> 359
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Cys Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu
20 25 30

Ala Ala Arg Ala
35

<210> 360
<211> 39
<212> PRT

<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDES

<400> 360
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Lys Pro Glu Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg
20 25 30

Gln Trp Leu Ala Ala Arg Ala
35

<210> 361
<211> 39
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDES

<400> 361
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Cys Pro Glu Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg
20 25 30

Gln Trp Leu Ala Ala Arg Ala
35

<210> 362
<211> 36
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDES

<400> 362
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Asn Gly Ser Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu
20 25 30

Ala Ala Arg Ala
35

<210> 363
<211> 36
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO-MIMETIC PEPTIDES

<400> 363
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Cys Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu
20 25 30

Ala Ala Arg Ala
35

<210> 364
<211> 57
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TMP PCR PRIMER

<400> 364
aaaaaaggat cctcgagatt aagcacgagc agccagccac tgacgcagag tcggacc 57

<210> 365
<211> 39

<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TMP PCR
PRIMER

<400> 365
aaaggtggag gtggtggtat cgaaggtccg actctgcgt 39

<210> 366
<211> 42
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 366
cagtggctgg ctgctcgtgc ttaatctcga ggatcctttt tt 42

<210> 367
<211> 81
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TMP

<400> 367
aaaggtggag gtggtggtat cgaaggtccg actctgcgtc agtggctggc tgctcgtgct 60
taatctcgag gatcctttt t 81

<210> 368
<211> 52
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TMP

<400> 368
ttcgatacca ccacctccac ctttacccgg agacagggag aggctcttct gc 52

<210> 369
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TMP-TMP

<400> 369
aaaggtggag gtggtggtat cgaaggtccg actctgcgtc agtggctggc tgctcgtgct 60

<210> 370
<211> 48
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:FC PCR PRIMER

<400> 370
acctccacca ccagcacgag cagccagcca ctgacgcaga gtcggacc 48

<210> 371
<211> 66
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TMP-TMP
OLIGONUCLEOTIDE

<400> 371
ggtggtggag gtggcggcgg aggtattgag ggcccaaccc ttcgccaatg gcttgcagca 60
cgcgca 66

<210> 372
<211> 76
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TMP-TMP
OLIGONUCLEOTIDE

<400> 372
aaaaaaagga tcctcgagat tatgcgcgtg ctgcaagcca ttggcgaagg gttgggccct 60
caatacctcc gccgcc 76

<210> 373
<211> 126
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TNF ALPHA
PCR PRIMER

<220>
<221> CDS
<222> (1)..(126)

<400> 373
aaa ggt gga ggt ggt ggt atc gaa ggt ccg act ctg cgt cag tgg ctg 48
Lys Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu
1 5 10 15

gct gct cgt gct ggt ggt gga ggt ggc ggc gga ggt att gag ggc cca 96
Ala Ala Arg Ala Gly Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro
20 25 30

acc ctt cgc caa tgg ctt gca gca cgc gca 126
Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
35 40

<210> 374
<211> 42
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:Fc-TNF ALPHA
PCR PRIMER

<400> 374
Lys Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu
1 5 10 15

Ala Ala Arg Ala Gly Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro
20 25 30

Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala
35 40

<210> 375
<211> 39
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-MMP
INHIBITOR

<220>
<221> CDS
<222> (4)..(732)

<400> 375
ttt ttt cat atg atc gaa ggt ccg act ctg cgt cag tgg 39
Phe His Met Ile Glu Gly Pro Thr Leu Arg Gln Trp
1 5 10

<210> 376
<211> 12
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:Fc-MMP
INHIBITOR

<400> 376
Phe His Met Ile Glu Gly Pro Thr Leu Arg Gln Trp
1 5 10

<210> 377
<211> 48
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MMP INHIBITOR
Fc

<220>
<221> CDS
<222> (4)..(753)

<400> 377
agc acg agc agc cag cca ctg acg cag agt cgg acc ttc gat cat atg 48
Thr Ser Ser Gln Pro Leu Thr Gln Ser Arg Thr Phe Asp His Met
1 5 10 15

<210> 378
<211> 15
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:MMP INHIBITOR
Fc

<400> 378
Thr Ser Ser Gln Pro Leu Thr Gln Ser Arg Thr Phe Asp His Met
1 5 10 15

<210> 379
<211> 45
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TMP-TMP-Fc
OLIGONUCLEOTIDE

<400> 379
ctggctgctc gtgctggtgg aggcggtggg gacaaaactc acaca 45

<210> 380
<211> 51
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 380
ctggctgctc gtgctggcgg tggtggcgga gggggtggca ttgagggccc a 51

<210> 381
<211> 54
<212> DNA

<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 381
aagccattgg cgaagggttg ggccctcaat gccacccccct ccgccaccac cgcc 54

<210> 382
<211> 54
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 382
acccttcgcc aatggcttgc agcacgcgca gggggaggcg gtggggacaa aact 54

<210> 383
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 383
cccaccgcct ccccctgcgc gtgctgc 27

<210> 384
<211> 189
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<220>
<221> CDS
<222> (10)..(189)

<400> 384
ttttttcat atg atc gaa ggt ccg act ctg cgt cag tgg ctg gct gct cgt 51
Met Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg
1 5 10

gct ggc ggt ggt ggc gga ggg ggt ggc att gag ggc cca acc ctt cgc 99
Ala Gly Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg
15 20 25 30

caa tgg ctg gct gct cgt gct ggt gga ggc ggt ggg gac aaa act ctg 147
Gln Trp Leu Ala Ala Arg Ala Gly Gly Gly Gly Gly Asp Lys Thr Leu
35 40 45

gct gct cgt gct ggt gga ggc ggt ggg gac aaa act cac aca 189
Ala Ala Arg Ala Gly Gly Gly Gly Gly Asp Lys Thr His Thr
50 55 60

<210> 385
<211> 60
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 385
Met Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly
1 5 10 15

Gly Gly Gly Gly Gly Gly Gly Ile Glu Gly Pro Thr Leu Arg Gln Trp
20 25 30

Leu Ala Ala Arg Ala Gly Gly Gly Gly Gly Asp Lys Thr Leu Ala Ala
35 40 45

Arg Ala Gly Gly Gly Gly Gly Asp Lys Thr His Thr
50 55 60

<210> 386
<211> 141
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN

BINDING PEPTIDE

<400> 386
ctaattccgc tctcacctac caaacaatgc ccccctgcaa aaaataaatt catataaaaa 60
acatacagat aaccatctgc ggtgataaat tatctctggc ggtgttgaca taaataccac 120
tggcggtgat actgagcaca t 141

<210> 387
<211> 55
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 387
cgatttgatt ctagaaggag gaataacata tggttaacgc gttggaattc ggtac 55

<210> 388
<211> 872
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 388
ttattttcgt gcggccgcac cattatcacc gccagaggta aactagtcaa cacgcacggt 60
gttagatatt tatcccttgc ggtgatagat tgagcacatc gatttgattc tagaaggagg 120
gataatatat gagcacaaaa aagaaaccat taacacaaga gcagcttgag gacgcacgtc 180
gccttaaagc aatttatgaa aaaaagaaaa atgaacttgg cttatcccag gaatctgtcg 240
cagacaagat ggggatgggg cagtcaggcg ttggtgcttt atttaatggc atcaatgcat 300
taaatgctta taacgccgca ttgcttacaa aaattctcaa agttagcgtt gaagaattta 360
gcccttcaat cgccagagaa tctacgagat gtatgaagcg gttagtatgc agccgtcact 420
tagaagtgag tatgagtacc ctgtttttc tcatgttcag gcagggatgt tctcacctaa 480
gcttagaacc tttaccaaag gtgatgcgga gagatgggta agcacaacca aaaaagccag 540
tgattctgca ttctggcttg aggttgaagg taattccatg accgcaccaa caggctccaa 600
gccaagcttt cctgacggaa tgttaattct cgttgaccct gagcaggctg ttgagccagg 660
tgatttctgc atagccagac ttgggggtga tgagtttacc ttcaagaaac tgatcaggga 720
tagcggtcag gtgtttttac aaccactaaa cccacagtac ccaatgatcc catgcaatga 780
gagttgttcc gttgtgggga aagttatcgc tagtcagtgg cctgaagaga cgtttggctg 840
atagactagt ggatccacta gtgtttctgc cc 872

<210> 389
<211> 1197
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 389
ggcggaaacc gacgtccatc gaatggtgca aaacctttcg cggtatggca tgatagcgcc 60
cggaagagag tcaattcagg gtggtgaatg tgaaaccagt aacgttatac gatgtcgcag 120
agtatgccgg tgtctcttat cagaccgttt cccgcgtggt gaaccaggcc agccacgttt 180
ctgcgaaaac gcgggaaaaa gtcgaagcgg cgatggcgga gctgaattac attcccaacc 240
gcgtggcaca acaactggcg ggcaaacagt cgctcctgat tggcgttgcc acctccagtc 300
tggccctgca cgcgccgtcg caaattgtcg cggcgattaa atctcgcgcc gatcaactgg 360
gtgccagcgt ggtggtgtcg atggtagaac gaagcggcgt cgaagcctgt aaagcggcgg 420
tgcacaatct tctcgcgcaa cgcgtcagtg ggctgatcat taactatccg ctggatgacc 480
aggatgccat tgctgtggaa gctgcctgca ctaatgttcc ggcgttattt cttgatgtct 540
ctgaccagac acccatcaac agtattattt tctcccatga agacggtacg cgactgggcg 600
tggagcatct ggtcgcattg ggtcaccagc aaatcgcgct gttagcgggc ccattaagtt 660
ctgtctcggc gcgtctgcgt ctggctggct ggcataaata tctcactcgc aatcaaattc 720
agccgatagc ggaacgggaa ggcgactgga gtgccatgtc cggttttcaa caaaccatgc 780
aaatgctgaa tgagggcatc gttcccactg cgatgctggt tgccaacgat cagatggcgc 840
tgggcgcaat gcgcgccatt accgagtccg ggctgcgcgt tggtgcggat atctcggtag 900
tgggatacga cgataccgaa gacagctcat gttatatccc gccgttaacc accatcaaac 960
aggattttcg cctgctgggg caaaccagcg tggaccgctt gctgcaactc tctcagggcc 1020
aggcggtgaa gggcaatcag ctgttgcccg tctcactggt gaaaagaaaa accaccctgg 1080
cgcccaatac gcaaaccgcc tctccccgcg cgttggccga ttcattaatg cagctggcac 1140
gacaggtttc ccgactggaa agcggacagt aaggtaccat aggatccagg cacagga 1197

<210> 390
<211> 61
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-EMP
OLIGONUCLEOTIDE

<400> 390
tatgaaaggt ggaggtggtg gtggaggtac ttactcttgc cacttcggcc cgctgacttg 60
g 61

<210> 391
<211> 72

<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-EMP
OLIGONUCLEOTIDE

<400> 391
cggtttgcaa acccaagtca gcgggccgaa gtggcaagag taagtacctc caccaccacc 60
tccacctttc at 72

<210> 392
<211> 57
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-EMP
OLIGONUCLEOTIDE

<400> 392
gtttgcaaac cgcagggtgg cggcggcggc ggcggtggta cctattcctg tcatttt 57

<210> 393
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-EMP
OLIGONUCLEOTIDE

<400> 393
ccaggtcagc gggccaaaat gacaggaata ggtaccaccg ccgccgccgc cgccaccctg 60

<210> 394
<211> 118
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-EMP PCR
TEMPLATE

<220>

<221> CDS
<222> (2)..(118)

<400> 394
t atg aaa ggt gga ggt ggt ggt gga ggt act tac tct tgc cac ttc ggc 49
Met Lys Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His Phe Gly
1 5 10 15

ccg ctg act tgg gtt tgc aaa ccg cag ggt ggc ggc ggc ggc ggc ggt 97
Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly
20 25 30

ggt acc tat tcc tgt cat ttt 118
Gly Thr Tyr Ser Cys His Phe
35

<210> 395
<211> 39
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:Fc-EMP PCR TEMPLATE

<400> 395
Met Lys Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His Phe Gly
1 5 10 15

Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly
20 25 30

Gly Thr Tyr Ser Cys His Phe
35

<210> 396
<211> 61
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-EMP PCR PRIMER

<400> 396
gcagaagagc ctctccctgt ctccgggtaa aggtggaggt ggtggtggag gtacttactc 60
t 61

<210> 397
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-EMP PCR PRIMER

<400> 397
ctaattggat ccacgagatt aaccaccctg cggtttgcaa 40

<210> 398
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc PRIMER

<400> 398
aacataagta cctgtaggat cg 22

<210> 399
<211> 61
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc PRIMER

<400> 399
agagtaagta cctccaccac cacctccacc tttacccgga gacagggaga ggctcttctg 60
c 61

<210> 400
<211> 61
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-Fc OLIGONUCLEOTIDE

<400> 400
ggcccgctga cctgggtatg taagccacaa gggggtgggg gaggcggggg gtaatctcga 60
g 61

<210> 401
<211> 50
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-Fc
OLIGONUCLEOTIDE

<400> 401
gatcctcgag attacccccc gcctccccca ccccccttgtg gcttacatac 50

<210> 402
<211> 118
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-Fc PCR
TEMPLATE

<220>
<221> CDS
<222> (1)..(108)

<400> 402
gtt tgc aaa ccg cag ggt ggc ggc ggc ggc ggt ggt acc tat tcc 48
Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser
1 5 10 15

tgt cat ttt ggc ccg ctg acc tgg gta tgt aag cca caa ggg ggt ggg 96
Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly
20 25 30

gga ggc ggg ggg taatctcgag 118
Gly Gly Gly Gly
35

<210> 403
<211> 36

<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:EMP-Fc PCR
TEMPLATE

<400> 403
Val Cys Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser
1 5 10 15

Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly
20 25 30

Gly Gly Gly Gly
35

<210> 404
<211> 39
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-Fc PCR
PRIMER

<400> 404
ttatttcata tgaaaggtgg taactattcc tgtcatttt 39

<210> 405
<211> 43
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-Fc PCR
PRIMER

<400> 405
tggacatgtg tgagttttgt ccccccccgcc tcccccaccc cct 43

<210> 406
<211> 43
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc PRIMER

<400> 406
aggggtggg ggaggcgggg gggacaaaac tcacacatgt cca 43

<210> 407
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc PRIMER

<400> 407
gttattgctc agcggtggca 20

<210> 408
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-EMP-Fc
OLIGONUCLEOTIDE

<400> 408
ttttttatcg atttgattct agatttgagt tttaactttt agaaggagga ataaaatatg 60

<210> 409
<211> 41
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-EMP-Fc
OLIGONUCLEOTIDE

<400> 409
taaaagttaa aactcaaatc tagaatcaaa tcgataaaaa a 41

<210> 410
<211> 51
<212> DNA

<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-EMP-Fc
OLIGONUCLEOTIDE

<400> 410
ggaggtactt actcttgcca cttcggcccg ctgacttggg tttgcaaacc g 51

<210> 411
<211> 55
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-EMP-Fc
OLIGONUCLEOTIDE

<400> 411
agtcagcggg ccgaagtggc aagagtaagt acctcccata ttttattcct ccttc 55

<210> 412
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-EMP-Fc
OLIGONUCLEOTIDE

<400> 412
cagggtggcg gcggcggcgg cggtggtacc tattcctgtc attttggccc gctgacctgg 60

<210> 413
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-EMP-Fc
OLIGONUCLEOTIDE

<400> 413
aaaatgacag gaataggtac caccgccgcc gccgccgcca ccctgcggtt tgcaaaccca 60

<210> 414
<211> 57
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-EMP-Fc
OLIGONUCLEOTIDE

<400> 414
gtatgtaagc cacaaggggg tgggggaggc ggggggggaca aaactcacac atgtcca 57

<210> 415
<211> 60
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-EMP-Fc
OLIGONUCLEOTIDE

<400> 415
agttttgtcc cccccgcctc ccccaccccc ttgtggctta catacccagg tcagcgggcc 60

<210> 416
<211> 228
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EMP-EMP-Fc PCR
TEMPLATE

<220>
<221> CDS
<222> (58)..(228)

<400> 416
ttttttatcg atttgattct agatttgagt tttaactttt agaaggagga ataaaat 57

atg gga ggt act tac tct tgc cac ttc ggc ccg ctg act tgg gtt tgc 105
Met Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys
1 5 10 15

aaa ccg cag ggt ggc ggc ggc ggc ggc ggt ggt acc tat tcc tgt cat 153

Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His
20 25 30

ttt ggc ccg ctg acc tgg gta tgt aag cca caa ggg ggt ggg gga ggc 201
Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly
35 40 45

ggg ggg gac aaa act cac aca tgt cca 228
Gly Gly Asp Lys Thr His Thr Cys Pro
50 55

<210> 417
<211> 57
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:EMP-EMP-Fc PCR TEMPLATE

<400> 417
Met Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys
1 5 10 15

Lys Pro Gln Gly Gly Gly Gly Gly Gly Gly Gly Thr Tyr Ser Cys His
20 25 30

Phe Gly Pro Leu Thr Trp Val Cys Lys Pro Gln Gly Gly Gly Gly Gly
35 40 45

Gly Gly Asp Lys Thr His Thr Cys Pro
50 55

<210> 418
<211> 40
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-EMP-EMP PCR PRIMER

<400> 418
ctaattggat cctcgagatt aacccccttg tggcttacat 40

<210> 419

<211> 72
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 419
Xaa Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Gly Pro Xaa Xaa Xaa Xaa Xaa Xaa Thr Trp Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
35 40 45

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
50 55 60

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
65 70

<210> 420
<211> 62
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 420
Xaa Tyr Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Gly Pro
1 5 10 15

Xaa Xaa Xaa Xaa Xaa Xaa Thr Trp Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
35 40 45

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
50 55 60

<210> 421
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<220>
<223> At position 2, Xaa is R, H, L or W

<220>
<223> At position 3, Xaa is M, F or I

<220>
<223> At position 6, Xaa is any of the 20 genetically encoded amino acid residues or a D-stereoisomer thereof

<220>
<223> At position 9, Xaa is D, E, I, L or V

<400> 421
Cys Xaa Xaa Gly Pro Xaa Thr Trp Xaa Cys
1 5 10

<210> 422
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 422
Gly Gly Thr Tyr Ser Cys His Gly Pro Leu Thr Trp Val Cys Lys Pro
1 5 10 15

Gln Gly Gly

<210> 423
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC
PEPTIDE

<400> 423
Val Gly Asn Tyr Met Ala His Met Gly Pro Ile Thr Trp Val Cys Arg
1 5 10 15

Pro Gly Gly

<210> 424
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC
PEPTIDE

<400> 424
Gly Gly Pro His His Val Tyr Ala Cys Arg Met Gly Pro Leu Thr Trp
1 5 10 15

Ile Cys

<210> 425
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC
PEPTIDE

<400> 425
Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys

1 5 10 15

Pro Gln

<210> 426
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 426
Gly Gly Leu Tyr Ala Cys His Met Gly Pro Met Thr Trp Val Cys Gln
1 5 10 15

Pro Leu Arg Gly
20

<210> 427
<211> 22
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 427
Thr Ile Ala Gln Tyr Ile Cys Tyr Met Gly Pro Glu Thr Trp Glu Cys
1 5 10 15

Arg Pro Ser Pro Lys Ala
20

<210> 428
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 428
Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10

<210> 429
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC PEPTIDE

<400> 429
Tyr Cys His Phe Gly Pro Leu Thr Trp Val Cys
1 5 10

<210> 430
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST PEPTIDE

<400> 430
Ala Glu Pro Val Tyr Gln Tyr Glu Leu Asp Ser Tyr Leu Arg Ser Tyr
1 5 10 15
Tyr

<210> 431
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 431
Ala Glu Leu Asp Leu Ser Thr Phe Tyr Asp Ile Gln Tyr Leu Leu Arg
1 5 10 15

Thr

<210> 432
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 432
Ala Glu Phe Phe Lys Leu Gly Pro Asn Gly Tyr Val Tyr Leu His Ser
1 5 10 15

Ala

<210> 433
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 433
Phe Lys Leu Xaa Xaa Xaa Gly Tyr Val Tyr Leu
1 5 10

<210> 434
<211> 17

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 434
Ala Glu Ser Thr Tyr His His Leu Ser Leu Gly Tyr Met Tyr Thr Leu
1 5 10 15

Asn

<210> 435
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:UKR ANTAGONIST
PEPTIDE

<400> 435
Tyr His Xaa Leu Xaa Xaa Gly Tyr Met Tyr Thr
1 5 10

<210> 436
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MCA/MCP
INHIBITOR

<400> 436
Arg Asn Arg Gln Lys Thr
1 5

<210> 437
<211> 4

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MCA/MCP
INHIBITOR

<400> 437
Arg Asn Arg Gln
1

<210> 438
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MCA/MCP
INHIBITOR

<400> 438
Arg Asn Arg Gln Lys
1 5

<210> 439
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MCA/MCP
INHIBITOR

<400> 439
Asn Arg Gln Lys Thr
1 5

<210> 440
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MCA/MCP
INHIBITOR

<400> 440
Arg Gln Lys Thr
1

<210> 441
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 441
Arg Xaa Glu Thr Xaa Trp Xaa
1 5

<210> 442
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 442
Arg Xaa Glu Thr Xaa Trp Xaa
1 5

<210> 443
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 443
Arg Gly Asp Gly Xaa
1 5

<210> 444
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 444
Cys Arg Gly Asp Gly Xaa Cys
1 5

<210> 445
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 445
Cys Xaa Xaa Arg Leu Asp Xaa Xaa Cys
1 5

<210> 446
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 446
Cys Ala Arg Arg Leu Asp Ala Pro Cys

1 5

<210> 447
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 447
Cys Pro Ser Arg Leu Asp Ser Pro Cys
1 5

<210> 448
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 448
Xaa Xaa Xaa Arg Gly Asp Xaa Xaa Xaa
1 5

<210> 449
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 449
Cys Xaa Cys Arg Gly Asp Cys Xaa Cys
1 5

<210> 450
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 450
Cys Asp Cys Arg Gly Asp Cys Phe Cys
1 5

<210> 451
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 451
Cys Asp Cys Arg Gly Asp Cys Leu Cys
1 5

<210> 452
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 452
Cys Leu Cys Arg Gly Asp Cys Ile Cys
1 5

<210> 453
<211> 8

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 453
Xaa Xaa Asp Asp Xaa Xaa Xaa Xaa
1 5

<210> 454
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 454
Xaa Xaa Xaa Asp Asp Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 455
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 455
Cys Trp Asp Asp Gly Trp Leu Cys
1 5

<210> 456
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 456
Cys Trp Asp Asp Leu Trp Trp Leu Cys
1 5

<210> 457
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 457
Cys Trp Asp Asp Gly Leu Met Cys
1 5

<210> 458
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 458
Cys Trp Asp Asp Gly Trp Met Cys
1 5

<210> 459
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial
Sequence:INTEGRIN-BINDING PEPTIDE

<400> 459
Cys Ser Trp Asp Asp Gly Trp Leu Cys
1 5

<210> 460
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 460
Cys Pro Asp Asp Leu Trp Trp Leu Cys
1 5

<210> 461
<211> 40
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 461
Tyr Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Gly
1 5 10 15

Pro Xaa Xaa Xaa Xaa Xaa Xaa Thr Trp Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
35 40

<210> 462
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 462
Cys Gln Asn Arg Tyr Thr Asp Leu Val Ala Ile Gln Asn Lys Asn Glu
1 5 10 15

<210> 463
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial
Sequence:SELECTIN-ANTAGONIST PEPTIDE

<400> 463
Ala Glu Asn Trp Ala Asp Asn Glu Pro Asn Asn Lys Arg Asn Asn Glu
1 5 10 15

Asp

<210> 464
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 464
Arg Lys Asn Asn Lys Thr Trp Thr Trp Val Gly Thr Lys Lys Ala Leu
1 5 10 15

Thr Asn Glu

<210> 465
<211> 13

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 465
Lys Lys Ala Leu Thr Asn Glu Ala Glu Asn Trp Ala Asp
1 5 10

<210> 466
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 466
Cys Gln Xaa Arg Tyr Thr Asp Leu Val Ala Ile Gln Asn Lys Xaa Glu
1 5 10 15

<210> 467
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 467
Arg Lys Xaa Asn Xaa Xaa Trp Thr Trp Val Gly Thr Xaa Lys Xaa Leu
1 5 10 15

Thr Glu Glu

<210> 468
<211> 17

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 468
Ala Glu Asn Trp Ala Asp Gly Glu Pro Asn Asn Lys Xaa Asn Xaa Glu
1 5 10 15

Asp

<210> 469
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 469
Cys Xaa Xaa Xaa Tyr Thr Xaa Leu Val Ala Ile Gln Asn Lys Xaa Glu
1 5 10 15

<210> 470
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 470
Arg Lys Xaa Xaa Xaa Xaa Trp Xaa Trp Val Gly Thr Xaa Lys Xaa Leu
1 5 10 15

Thr Xaa Glu

<210> 471
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 471
Ala Xaa Asn Trp Xaa Xaa Xaa Glu Pro Asn Asn Xaa Xaa Xaa Glu Asp
1 5 10 15

<210> 472
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SELECTIN
ANTAGONIST PEPTIDE

<400> 472
Xaa Lys Xaa Lys Thr Xaa Glu Ala Xaa Asn Trp Xaa Xaa
1 5 10

<210> 473
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN-MIMETIC PEPTIDE

<220>
<223> At position 1, Xaa is asp-arg-met-pro-cys,
arg-met-pro-cys, met-pro-cys, pro-cys, or cys

<220>
<223> At position 2, Xaa is arg or lys

<220>

<223> At position 10, Xaa is ser or thr

<220>
<223> At position 12, xaa is cys·lys or cys

<400> 473
Xaa Xaa Asn Phe Phe Trp Lys Thr Phe Xaa Ser Xaa
1 5 10

<210> 474
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN-MIMETIC PEPTIDE

<400> 474
Asp Arg Met Pro Cys Arg Asn Phe Phe Phe Trp Lys Thr Phe Ser Ser
1 5 10 15

Cys Lys

<210> 475
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN-MIMETIC PEPTIDE

<400> 475
Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys
1 5 10 15

<210> 476
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN-MIMETIC PEPTIDE

<400> 476
Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys
1 5 10

<210> 477
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN-MIMETIC PEPTIDE

<400> 477
Asp Arg Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys
1 5 10 15

<210> 478
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 478
Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys
1 5 10

<210> 479
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/

CORTISTATIN MIMETIC PEPTIDE

<400> 479
Cys Arg Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys
1 5 10

<210> 480
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 480
Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys
1 5 10 15

<210> 481
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 481
Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys
1 5 10 15

<210> 482
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 482

Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys Lys
1 5 10

<210> 483
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 483
Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys
1 5 10 15

<210> 484
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TMP

<400> 484
Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys
1 5 10

<210> 485
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 485
Cys Lys Asn Phe Phe Trp Lys Thr Phe Ser Ser Cys
1 5 10

<210> 486
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 486
Asp Arg Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys
1 5 10 15

Lys

<210> 487
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 487
Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys
1 5 10 15

<210> 488
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 488
Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys
1 5 10

<210> 489
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 489
Asp Arg Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys
1 5 10 15

<210> 490
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 490
Met Pro Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys
1 5 10

<210> 491
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 491
Cys Arg Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys
1 5 10

<210> 492
<211> 17

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 492
Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys
1 5 10 15

Lys

<210> 493
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 493
Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys
1 5 10 15

<210> 494
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 494
Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys Lys
1 5 10

<210> 495
<211> 16

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 495
Asp Arg Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys
1 5 10 15

<210> 496
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 496
Met Pro Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys
1 5 10

<210> 497
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:SOMATOSTATIN/
CORTISTATIN MIMETIC PEPTIDE

<400> 497
Cys Lys Asn Phe Phe Trp Lys Thr Phe Thr Ser Cys
1 5 10

<210> 498
<211> 25
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CAP37
MIMETIC/LPS BINDING PEPTIDE

<400> 498
Asn Gln Gly Arg His Phe Cys Gly Gly Ala Leu Ile His Ala Arg Phe
1 5 10 15

Val Met Thr Ala Ala Ser Cys Phe Gln
20 25

<210> 499
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CAP37
MIMETIC/LPS BINDING PEPTIDE

<400> 499
Arg His Phe Cys Gly Gly Ala Leu Ile His Ala Arg Phe Val Met Thr
1 5 10 15

Ala Ala Ser Cys
20

<210> 500
<211> 27
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CAP37
MIMETIC/LPS BINDING PEPTIDE

<400> 500
Gly Thr Arg Cys Gln Val Ala Gly Trp Gly Ser Gln Arg Ser Gly Gly
1 5 10 15

Arg Leu Ser Arg Phe Pro Arg Phe Val Asn Val
20 25

<210> 501
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VEGF-ANTAGONIST
PEPTIDE

<400> 501
Gly Glu Arg Trp Cys Phe Asp Gly Pro Arg Ala Trp Val Cys Gly Trp
1 5 10 15

Glu Ile

<210> 502
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VEGF ANTAGONIST
PEPTIDE

<400> 502
Glu Glu Leu Trp Cys Phe Asp Gly Pro Arg Ala Trp Val Cys Gly Tyr
1 5 10 15

Val Lys

<210> 503
<211> 33
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:ANTIPATHOGENIC
PEPTIDE

<400> 503
Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro Leu Phe Lys

1 5 10 15

Thr Leu Leu Ser Ala Val Gly Ser Ala Leu Ser Ser Ser Gly Gly Gln
20 25 30

Gln

<210> 504
<211> 33
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:ANTIPATHOGENIC PEPTIDE

<220>
<223> At positions 7, 18 and 19, D amino acid residue

<400> 504
Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro Leu Phe Lys
1 5 10 15

Thr Leu Leu Ser Ala Val Gly Ser Ala Leu Ser Ser Ser Gly Gly Gln
20 25 30

Glu

<210> 505
<211> 22
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:ANTIPATHOGENIC PEPTIDE

<220>
<223> At positions 18 and 19, D amino acid residues

<400> 505
Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro Leu Phe Lys

1 5 10 15

Thr Leu Leu Ser Ala Val
20

<210> 506
<211> 22
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At positions 7, 18 and 19, D amino acid residues

<400> 506
Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro Leu Phe Lys
1 5 10 15

Thr Leu Leu Ser Ala Val
20

<210> 507
<211> 23
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At positions 8, 19 and 20, D amino acid residues

<400> 507
Lys Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro Leu Phe
1 5 10 15

Lys Thr Leu Leu Ser Ala Val
20

<210> 508
<211> 24
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At positions 9, 20 and 21, D amino acid residues

<400> 508
Lys Lys Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro Leu
1 5 10 15

Phe Lys Thr Leu Leu Ser Ala Val
20

<210> 509
<211> 24
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At positions 9, 20 and 21, D amino acid residues

<400> 509
Lys Lys Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro Leu
1 5 10 15

Phe Lys Thr Leu Leu Ser Ala Val
20

<210> 510
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At position 7, D amino acid residue

<400> 510
Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser
1 5 10

<210> 511
<211> 26
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 511
Gly Ile Gly Ala Val Leu Lys Val Leu Thr Thr Gly Leu Pro Ala Leu
1 5 10 15

Ile Ser Trp Ile Lys Arg Lys Arg Gln Gln
20 25

<210> 512
<211> 26
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At positions 5, 8, 17 and 23, D amino acid residues

<400> 512
Gly Ile Gly Ala Val Leu Lys Val Leu Thr Thr Gly Leu Pro Ala Leu
1 5 10 15

Ile Ser Trp Ile Lys Arg Lys Arg Gln Gln
20 25

<210> 513
<211> 26
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At positions 5, 8, 17 and 23, D amino acid residues

<400> 513
Gly Ile Gly Ala Val Leu Lys Val Leu Thr Thr Gly Leu Pro Ala Leu
1 5 10 15

Ile Ser Trp Ile Lys Arg Lys Arg Gln Gln
20 25

<210> 514
<211> 22
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At positions 5, 8, 17 and 21, D amino acid residues

<400> 514
Gly Ile Gly Ala Val Leu Lys Val Leu Thr Thr Gly Leu Pro Ala Leu
1 5 10 15

Ile Ser Trp Ile Lys Arg
20

<210> 515
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At positions 2, 5, 14 and 18, D amino acid residues

<400> 515
Ala Val Leu Lys Val Leu Thr Thr Gly Leu Pro Ala Leu Ile Ser Trp
1 5 10 15

Ile Lys Arg

<210> 516
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At positions 3, 4, 8 and 10, D amino acid residues

<400> 516
Lys Leu Leu Leu Leu Leu Lys Leu Leu Leu Lys
1 5 10

<210> 517
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC

PEPTIDE

<220>
<223> At positions 3, 4, 8 and 10, D amino acid residues

<400> 517
Lys Leu Leu Leu Lys Leu Leu Leu Lys Leu Leu Lys
1 5 10

<210> 518
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<220>
<223> At positions 3, 4, 8 and 10, D amino acid residues

<400> 518
Lys Leu Leu Leu Lys Leu Lys Leu Lys Leu Leu Lys
1 5 10

<210> 519
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 519
Lys Lys Leu Leu Lys Leu Lys Leu Lys Leu Lys Lys
1 5 10

<210> 520
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 520
Lys Leu Leu Leu Lys Leu Leu Leu Lys Leu Leu Lys
1 5 10

<210> 521
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 521
Lys Leu Leu Leu Lys Leu Lys Leu Lys Leu Leu Lys
1 5 10

<210> 522
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 522
Lys Leu Leu Leu Leu Lys
1 5

<210> 523
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC

PEPTIDE

<400> 523
Lys Leu Leu Leu Lys Leu Leu Lys
1 5

<210> 524
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 524
Lys Leu Leu Leu Lys Leu Lys Leu Lys Leu Leu Lys
1 5 10

<210> 525
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 525
Lys Leu Leu Leu Lys Leu Lys Leu Lys Leu Leu Lys
1 5 10

<210> 526
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 526

Lys Leu Leu Leu Lys Leu Lys Leu Lys Leu Leu Lys
1 5 10

<210> 527
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 527
Lys Ala Ala Ala Lys Ala Ala Ala Lys Ala Ala Lys
1 5 10

<210> 528
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 528
Lys Val Val Val Lys Val Val Val Lys Val Val Lys
1 5 10

<210> 529
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 529
Lys Val Val Val Lys Val Lys Val Lys Val Val Lys
1 5 10

<210> 530
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 530
Lys Val Val Val Lys Val Lys Val Lys Val Lys
1 5 10

<210> 531
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 531
Lys Val Val Val Lys Val Lys Val Lys Val Val Lys
1 5 10

<210> 532
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 532
Lys Leu Ile Leu Lys Leu
1 5

<210> 533

<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 533
Lys Val Leu His Leu Leu
1 5

<210> 534
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 534
Leu Lys Leu Arg Leu Leu
1 5

<210> 535
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 535
Lys Pro Leu His Leu Leu
1 5

<210> 536
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 536
Lys Leu Ile Leu Lys Leu Val Arg
1 5

<210> 537
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 537
Lys Val Phe His Leu Leu His Leu
1 5

<210> 538
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 538
His Lys Phe Arg Ile Leu Lys Leu
1 5

<210> 539
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC

PEPTIDE

<400> 539
Lys Pro Phe His Ile Leu His Leu
1 5

<210> 540
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 540
Lys Ile Ile Ile Lys Ile Lys Ile Lys Ile Ile Lys
1 5 10

<210> 541
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 541
Lys Ile Ile Ile Lys Ile Lys Ile Lys Ile Ile Lys
1 5 10

<210> 542
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 542

Lys Ile Ile Ile Lys Ile Lys Ile Lys Ile Ile Lys
1 5 10

<210> 543
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 543
Lys Ile Pro Ile Lys Ile Lys Ile Lys Ile Pro Lys
1 5 10

<210> 544
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 544
Lys Ile Pro Ile Lys Ile Lys Ile Lys Ile Val Lys
1 5 10

<210> 545
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 545
Arg Ile Ile Ile Arg Ile Arg Ile Arg Ile Ile Arg
1 5 10

<210> 546
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 546
Arg Ile Ile Ile Arg Ile Arg Ile Arg Ile Ile Arg
1 5 10

<210> 547
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 547
Arg Ile Ile Ile Arg Ile Arg Ile Arg Ile Ile Arg
1 5 10

<210> 548
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 548
Arg Ile Val Ile Arg Ile Arg Ile Arg Leu Ile Arg
1 5 10

<210> 549

<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 549
Arg Ile Ile Val Arg Ile Arg Leu Arg Ile Ile Arg
1 5 10

<210> 550
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 550
Arg Ile Gly Ile Arg Leu Arg Val Arg Ile Ile Arg
1 5 10

<210> 551
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 551
Lys Ile Val Ile Arg Ile Arg Ile Arg Leu Ile Arg
1 5 10

<210> 552
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 552
Arg Ile Ala Val Lys Trp Arg Leu Arg Phe Ile Lys
1 5 10

<210> 553
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 553
Lys Ile Gly Trp Lys Leu Arg Val Arg Ile Ile Arg
1 5 10

<210> 554
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 554
Lys Lys Ile Gly Trp Leu Ile Ile Arg Val Arg Arg
1 5 10

<210> 555
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC

PEPTIDE

<400> 555
Arg Ile Val Ile Arg Ile Arg Ile Arg Leu Ile Arg Ile Arg
1 5 10

<210> 556
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 556
Arg Ile Ile Val Arg Ile Arg Leu Arg Ile Ile Arg Val Arg
1 5 10

<210> 557
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 557
Arg Ile Gly Ile Arg Leu Arg Val Arg Ile Ile Arg Arg Val
1 5 10

<210> 558
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 558

Lys Ile Val Ile Arg Ile Arg Ala Arg Leu Ile Arg Ile Arg Ile Arg
1 5 10 15

<210> 559
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 559
Arg Ile Ile Val Lys Ile Arg Leu Arg Ile Ile Lys Lys Ile Arg Leu
1 5 10 15

<210> 560
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 560
Lys Ile Gly Ile Lys Ala Arg Val Arg Ile Ile Arg Val Lys Ile Ile
1 5 10 15

<210> 561
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 561
Arg Ile Ile Val His Ile Arg Leu Arg Ile Ile His His Ile Arg Leu
1 5 10 15

<210> 562
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 562
His Ile Gly Ile Lys Ala His Val Arg Ile Ile Arg Val His Ile Ile
1 5 10 15

<210> 563
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 563
Arg Ile Tyr Val Lys Ile His Leu Arg Tyr Ile Lys Lys Ile Arg Leu
1 5 10 15

<210> 564
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 564
Lys Ile Gly His Lys Ala Arg Val His Ile Ile Arg Tyr Lys Ile Ile
1 5 10 15

<210> 565

<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 565
Arg Ile Tyr Val Lys Pro His Pro Arg Tyr Ile Lys Lys Ile Arg Leu
1 5 10 15

<210> 566
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 566
Lys Pro Gly His Lys Ala Arg Pro His Ile Ile Arg Tyr Lys Ile Ile
1 5 10 15

<210> 567
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 567
Lys Ile Val Ile Arg Ile Arg Ile Arg Leu Ile Arg Ile Arg Ile Arg
1 5 10 15

Lys Ile Val

<210> 568

<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 568
Arg Ile Ile Val Lys Ile Arg Leu Arg Ile Ile Lys Lys Ile Arg Leu
1 5 10 15

Ile Lys Lys

<210> 569
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 569
Lys Ile Gly Trp Lys Leu Arg Val Arg Ile Ile Arg Val Lys Ile Gly
1 5 10 15

Arg Leu Arg

<210> 570
<211> 25
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 570
Lys Ile Val Ile Arg Ile Arg Ile Arg Leu Ile Arg Ile Arg Ile Arg
1 5 10 15

Lys Ile Val Lys Val Lys Arg Ile Arg
20 25

<210> 571
<211> 26
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 571
Arg Phe Ala Val Lys Ile Arg Leu Arg Ile Ile Lys Lys Ile Arg Leu
1 5 10 15

Ile Lys Lys Ile Arg Lys Arg Val Ile Lys
20 25

<210> 572
<211> 30
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 572
Lys Ala Gly Trp Lys Leu Arg Val Arg Ile Ile Arg Val Lys Ile Gly
1 5 10 15

Arg Leu Arg Lys Ile Gly Trp Lys Lys Arg Val Arg Ile Lys
20 25 30

<210> 573
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC

PEPTIDE

<400> 573
Arg Ile Tyr Val Lys Pro His Pro Arg Tyr Ile Lys Lys Ile Arg Leu
1 5 10 15

<210> 574
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 574
Lys Pro Gly His Lys Ala Arg Pro His Ile Ile Arg Tyr Lys Ile Ile
1 5 10 15

<210> 575
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 575
Lys Ile Val Ile Arg Ile Arg Ile Arg Leu Ile Arg Ile Arg Ile Arg
1 5 10 15

Lys Ile Val

<210> 576
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC

PEPTIDE

<400> 576
Arg Ile Ile Val Lys Ile Arg Leu Arg Ile Ile Lys Lys Ile Arg Leu
1 5 10 15

Ile Lys Lys

<210> 577
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 577
Arg Ile Tyr Val Ser Lys Ile Ser Ile Tyr Ile Lys Lys Ile Arg Leu
1 5 10 15

<210> 578
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 578
Lys Ile Val Ile Phe Thr Arg Ile Arg Leu Thr Ser Ile Arg Ile Arg
1 5 10 15

Ser Ile Val

<210> 579
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 579
Lys Pro Ile His Lys Ala Arg Pro Thr Ile Ile Arg Tyr Lys Met Ile
1 5 10 15

<210> 580
<211> 26
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<220>
<223> At position 1, disulfide bond to position 26

<220>
<223> At position 26, disulfide bond to position 1

<400> 580
Xaa Cys Lys Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro
1 5 10 15

Leu Phe Lys Thr Leu Leu Ser Ala Val Cys
20 25

<210> 581
<211> 26
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 581
Cys Lys Lys Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser Pro
1 5 10 15

Leu Phe Lys Thr Leu Leu Ser Ala Val Cys
20 25

<210> 582
<211> 27
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 582
Cys Lys Lys Lys Gly Phe Phe Ala Leu Ile Pro Lys Ile Ile Ser Ser
1 5 10 15

Pro Leu Phe Lys Thr Leu Leu Ser Ala Val Cys
20 25

<210> 583
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At position 1, disulfide bond to position 17

<220>
<223> At position 17, disulfide bond to position 1

<400> 583
Xaa Cys Arg Ile Val Ile Arg Ile Arg Ile Arg Leu Ile Arg Ile Arg
1 5 10 15

Cys

<210> 584

<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At position 1, disulfide bond to position 19

<220>
<223> At position 19, disulfide bond to position 1

<400> 584
Xaa Cys Lys Pro Gly His Lys Ala Arg Pro His Ile Ile Arg Tyr Lys
1 5 10 15

Ile Ile Cys

<210> 585
<211> 29
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At position 1, disulfide bond to position 29

<220>
<223> At position 29, disulfide bond to position 1

<400> 585
Xaa Cys Arg Phe Ala Val Lys Ile Arg Leu Arg Ile Ile Lys Lys Ile
1 5 10 15

Arg Leu Ile Lys Lys Ile Arg Lys Arg Val Ile Lys Cys
20 25

<210> 586

<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 586
Lys Leu Leu Leu Lys Leu Leu Leu Lys Leu Leu Lys Cys
1 5 10

<210> 587
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 587
Lys Leu Leu Leu Lys Leu Leu Leu Lys Leu Leu Lys
1 5 10

<210> 588
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 588
Lys Leu Leu Leu Lys Leu Lys Leu Lys Leu Leu Lys Cys
1 5 10

<210> 589
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 589
Lys Leu Leu Leu Lys Leu Leu Leu Lys Leu Leu Lys
1 5 10

<210> 590
<211> 28
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 590
His Ser Asp Ala Val Phe Tyr Asp Asn Tyr Thr Arg Leu Arg Lys Gln
1 5 10 15

Met Ala Val Lys Lys Tyr Leu Asn Ser Ile Leu Asn
20 25

<210> 591
<211> 31
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 591
Asn Leu Glu His Ser Asp Ala Val Phe Tyr Asp Asn Tyr Thr Arg Leu
1 5 10 15

Arg Lys Gln Met Ala Val Lys Lys Tyr Leu Asn Ser Ile Leu Asn
20 25 30

<210> 592

<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At position 1, Xaa is absent or is ala, val, ala-val, val-ala, L-lys, D-lys, ala-lys, val-lys, ala-val-lys, val-ala-lys, or an ornithinyl residue

<220>
<223> At position 2, Xaa is L-lys, D-lys or an ornithinyl residue

<220>
<223> At position 3, Xaa is L-tyr, D-tyr, phe, trp or a p-aminophenylalanyl residue

<220>
<223> At position 4, Xaa is a hydrophobic aliphatic amino acid residue (X5), X5-leu, X5-norleucyl, X5-D-ala, X5-asn-ser, X5-asn-ser-ile, X5-asn-ser-tyr, X5-asn-ser-ile-leu, X5-asn-ser-tyr-leu,

<220>
<223> or X5-asn-ser-tyr-leu-asn

<400> 592
Xaa Xaa Xaa Xaa
1

<210> 593
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At position 1, Xaa is either absent, a hydrophobic

aliphatic residue (X5), X5-asn, tyr-X5, lys-X5, lyx-S5-asn, lys-tyr-X5, lys-tyr-X5-as, lys-lys-tyr-X5, lys-lys-tyr-X5-asn, val-lys-lys-tyr-X5,

<220>
<223> val-ala-lys-lys-tyr-X5-asn, or ala-val-lys-lys-tyr-X5-asn

<220>
<223> At position 3, Xaa is ile or tyr

<400> 593
Xaa Ser Xaa Leu Asn
1 5

<210> 594
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At positions 1 and 6, Xaa are cross-linked amino acid residues in which the sidechain linker group is (CH2)m-Z-(CH2)n wherein Z is -CONH-, -NHCO-, -S-S-, -S(CH2)tCO-NH or -NH-CO(CH2)tS-; m is 1 or 2

<220>
<223> when Z is -NH-CO- or -NH-CO(CH2)tS-; n is 1 or 2 when Z is -NH-CO-, -S-S- or -NH-CO(CH2)tS, or n is 2, 3 or 4 when Z is -CONH- or -S(CH2)tCO-NH-

<220>
<223> At position 5, Xaa is a hydrophobic aliphatic amino acid residue

<220>
<223> At position 7, Xaa is a covalent bond or Asn, Ser, Ile, Tyr, Leu, Asn-Ser, Asn-Ser-Ile, Asn-Ser-Tyr, Asn-Ser-Ile-Leu, Asn-Ser-Tyr-Leu, Asn-Ser-Ile-Leu-Asn or Asn-Ser-Tyr-Leu-Asn

<400> 594
Xaa Lys Lys Tyr Xaa Xaa Xaa
1 5

<210> 595
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 595
Lys Lys Tyr Leu
1

<210> 596
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 596
Asn Ser Ile Leu Asn
1 5

<210> 597
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 597
Lys Lys Tyr Leu

<210> 598
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<220>
<223> At position 4, D amino acid residue

<400> 598
Lys Lys Tyr Ala
1

<210> 599
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 599
Ala Val Lys Lys Tyr Leu
1 5

<210> 600
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 600
Asn Ser Ile Leu Asn

1 5

<210> 601
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 601
Lys Lys Tyr Val
1

<210> 602
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At position 3, Xaa is a lauric acid residue

<400> 602
Ser Ile Xaa Asn
1

<210> 603
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At position 5, Xaa is a norleucyl residue

<400> 603
Lys Lys Tyr Leu Xaa
1 5

<210> 604
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 604
Asn Ser Tyr Leu Asn
1 5

<210> 605
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 605
Asn Ser Ile Tyr Asn
1 5

<210> 606
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 606
Lys Lys Tyr Leu Pro Pro Asn Ser Ile Leu Asn

1 5 10

<210> 607
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At position 1, Xaa is a lauric acid residue

<400> 607
Xaa Lys Lys Tyr Leu
1 5

<210> 608
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At position 1, Xaa is a caproic acid residue

<400> 608
Xaa Lys Lys Tyr Leu
1 5

<210> 609
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At position 4, Xaa is a norleucyl residue

<400> 609
Lys Lys Tyr Xaa
1

<210> 610
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 610
Val Lys Lys Tyr Leu
1 5

<210> 611
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 611
Leu Asn Ser Ile Leu Asn
1 5

<210> 612
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 612
Tyr Leu Asn Ser Ile Leu Asn
1 5

<210> 613
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 613
Lys Lys Tyr Leu Asn
1 5

<210> 614
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 614
Lys Lys Tyr Leu Asn Ser
1 5

<210> 615
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 615
Lys Lys Tyr Leu Asn Ser Ile

1 5

<210> 616
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 616
Lys Lys Tyr Leu Asn Ser Ile Leu
1 5

<210> 617
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 617
Lys Lys Tyr Leu
1

<210> 618
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 618
Lys Lys Tyr Asp Ala
1 5

<210> 619
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 619
Ala Val Lys Lys Tyr Leu
1 5

<210> 620
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 620
Asn Ser Ile Leu Asn
1 5

<210> 621
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 621
Lys Lys Tyr Val
1

<210> 622
<211> 4

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<220>
<223> At position 3, Xaa is a lauric acid residue

<400> 622
Ser Ile Xaa Asn
1

<210> 623
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 623
Asn Ser Tyr Leu Asn
1 5

<210> 624
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 624
Asn Ser Ile Tyr Asn
1 5

<210> 625
<211> 5

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<220>
<223> At position 5, Xaa is a norleucyl residue

<400> 625
Lys Lys Tyr Leu Xaa
1 5

<210> 626
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 626
Lys Lys Tyr Leu Pro Pro Asn Ser Ile Leu Asn
1 5 10

<210> 627
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 627
Lys Lys Tyr Leu
1

<210> 628
<211> 5

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 628
Lys Lys Tyr Asp Ala
1 5

<210> 629
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 629
Ala Val Lys Lys Tyr Leu
1 5

<210> 630
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 630
Asn Ser Ile Leu Asn
1 5

<210> 631
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 631
Lys Lys Tyr Val
1

<210> 632
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At position 3, Xaa is a lauric acid residue

<400> 632
Ser Ile Xaa Asn
1

<210> 633
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 633
Leu Ala Lys Lys Tyr Leu
1 5

<210> 634
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 634
Cys Ala Pro Lys Lys Tyr Leu
1 5

<210> 635
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<220>
<223> At position 4, Xaa is a norleucyl residue

<400> 635
Lys Lys Tyr Xaa
1

<210> 636
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 636
Val Lys Lys Tyr Leu
1 5

<210> 637
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 637
Leu Asn Ser Ile Leu Asn
1 5

<210> 638
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 638
Tyr Leu Asn Ser Ile Leu Asn
1 5

<210> 639
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<220>
<223> At position 5, Xaa is a norleucyl residue

<400> 639
Lys Lys Tyr Leu Xaa
1 5

<210> 640
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 640
Lys Lys Tyr Leu Asn
1 5

<210> 641
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 641
Lys Lys Tyr Leu Asn Ser
1 5

<210> 642
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 642
Lys Lys Tyr Leu Asn Ser Ile
1 5

<210> 643
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 643
Lys Lys Tyr Leu Asn Ser Ile Leu
1 5

<210> 644
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 644
Lys Lys Lys Tyr Leu Asp
1 5

<210> 645
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At positions 1, 6 disulfide cross-linked

<400> 645
Xaa Cys Lys Lys Tyr Leu Cys
1 5

<210> 646
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At positions 1, 6 cross-linked by S-CH2-CO

<400> 646
Cys Lys Lys Tyr Leu Lys
1 5

<210> 647
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<220>
<223> At position 4., D amino acid residue

<400> 647
Lys Lys Tyr Ala
1

<210> 648
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 648
Trp Trp Thr Asp Thr Gly Leu Trp
1 5

<210> 649
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 649
Trp Trp Thr Asp Asp Gly Leu Trp
1 5

<210> 650
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 650
Trp Trp Asp Thr Arg Gly Leu Trp Val Trp Thr Ile
1 5 10

<210> 651
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 651
Phe Trp Gly Asn Asp Gly Ile Trp Leu Glu Ser Gly
1 5 10

<210> 652
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 652
Asp Trp Asp Gln Phe Gly Leu Trp Arg Gly Ala Ala
1 5 10

<210> 653
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 653
Arg Trp Asp Asp Asn Gly Leu Trp Val Val Val Leu
1 5 10

<210> 654
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 654
Ser Gly Met Trp Ser His Tyr Gly Ile Trp Met Gly
1 5 10

<210> 655
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 655
Gly Gly Arg Trp Asp Gln Ala Gly Leu Trp Val Ala

1 5 10

<210> 656
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 656
Lys Leu Trp Ser Glu Gln Gly Ile Trp Met Gly Glu
1 5 10

<210> 657
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 657
Cys Trp Ser Met His Gly Leu Trp Leu Cys
1 5 10

<210> 658
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 658
Gly Cys Trp Asp Asn Thr Gly Ile Trp Val Pro Cys
1 5 10

<210> 659
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 659
Asp Trp Asp Thr Arg Gly Leu Trp Val Tyr
1 5 10

<210> 660
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 660
Ser Leu Trp Asp Glu Asn Gly Ala Trp Ile
1 5 10

<210> 661
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 661
Lys Trp Asp Asp Arg Gly Leu Trp Met His
1 5 10

<210> 662
<211> 10

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 662
Gln Ala Trp Asn Glu Arg Gly Leu Trp Thr
1 5 10

<210> 663
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 663
Gln Trp Asp Thr Arg Gly Leu Trp Val Ala
1 5 10

<210> 664
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 664
Trp Asn Val His Gly Ile Trp Gln Glu
1 5

<210> 665
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 665
Ser Trp Asp Thr Arg Gly Leu Trp Val Glu
1 5 10

<210> 666
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 666
Asp Trp Asp Thr Arg Gly Leu Trp Val Ala
1 5 10

<210> 667
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 667
Ser Trp Gly Arg Asp Gly Leu Trp Ile Glu
1 5 10

<210> 668
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC
PEPTIDE

<400> 668
Glu Trp Thr Asp Asn Gly Leu Trp Ala Leu
1 5 10

<210> 669
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 669
Ser Trp Asp Glu Lys Gly Leu Trp Ser Ala
1 5 10

<210> 670
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VIP MIMETIC PEPTIDE

<400> 670
Ser Trp Asp Ser Ser Gly Leu Trp Met Asp
1 5 10

<210> 671
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 671
Ser His Leu Tyr Trp Gln Pro Tyr Ser Val Gln

1 5 10

<210> 672
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 672
Thr Leu Val Tyr Trp Gln Pro Tyr Ser Leu Gln Thr
1 5 10

<210> 673
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 673
Arg Gly Asp Tyr Trp Gln Pro Tyr Ser Val Gln Ser
1 5 10

<210> 674
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 674
Val His Val Tyr Trp Gln Pro Tyr Ser Val Gln Thr
1 5 10

<210> 675
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 675
Arg Leu Val Tyr Trp Gln Pro Tyr Ser Val Gln Thr
1 5 10

<210> 676
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 676
Ser Arg Val Trp Phe Gln Pro Tyr Ser Leu Gln Ser
1 5 10

<210> 677
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 677
Asn Met Val Tyr Trp Gln Pro Tyr Ser Ile Gln Thr
1 5 10

<210> 678
<211> 12

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 678
Ser Val Val Phe Trp Gln Pro Tyr Ser Val Gln Thr
1 5 10

<210> 679
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 679
Thr Phe Val Tyr Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 680
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 680
Thr Leu Val Tyr Trp Gln Pro Tyr Ser Ile Gln Arg
1 5 10

<210> 681
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 681
Arg Leu Val Tyr Trp Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 682
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 682
Ser Pro Val Phe Trp Gln Pro Tyr Ser Ile Gln Ile
1 5 10

<210> 683
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 683
Trp Ile Glu Trp Trp Gln Pro Tyr Ser Val Gln Ser
1 5 10

<210> 684
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 684
Ser Leu Ile Tyr Trp Gln Pro Tyr Ser Leu Gln Met
1 5 10

<210> 685
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 685
Thr Arg Leu Tyr Trp Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 686
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 686
Arg Cys Asp Tyr Trp Gln Pro Tyr Ser Val Gln Thr
1 5 10

<210> 687
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 687
Met Arg Val Phe Trp Gln Pro Tyr Ser Val Gln Asn

1 5 10

<210> 688
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 688
Lys Ile Val Tyr Trp Gln Pro Tyr Ser Val Gln Thr
1 5 10

<210> 689
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 689
Arg His Leu Tyr Trp Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 690
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 690
Ala Leu Val Trp Trp Gln Pro Tyr Ser Glu Gln Ile
1 5 10

<210> 691
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 691
Ser Arg Val Trp Phe Gln Pro Tyr Ser Leu Gln Ser
1 5 10

<210> 692
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 692
Trp Glu Gln Pro Tyr Ala Leu Pro Leu Glu
1 5 10

<210> 693
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 693
Gln Leu Val Trp Trp Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 694
<211> 12

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 694
Asp Leu Arg Tyr Trp Gln Pro Tyr Ser Val Gln Val
1 5 10

<210> 695
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 695
Glu Leu Val Trp Trp Gln Pro Tyr Ser Leu Gln Leu
1 5 10

<210> 696
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 696
Asp Leu Val Trp Trp Gln Pro Tyr Ser Val Gln Trp
1 5 10

<210> 697
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 697
Asn Gly Asn Tyr Trp Gln Pro Tyr Ser Phe Gln Val
1 5 10

<210> 698
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 698
Glu Leu Val Tyr Trp Gln Pro Tyr Ser Ile Gln Arg
1 5 10

<210> 699
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 699
Glu Leu Met Tyr Trp Gln Pro Tyr Ser Val Gln Glu
1 5 10

<210> 700
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 700
Asn Leu Leu Tyr Trp Gln Pro Tyr Ser Met Gln Asp
1 5 10

<210> 701
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 701
Gly Tyr Glu Trp Tyr Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 702
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 702
Ser Arg Val Trp Tyr Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 703
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 703
Leu Ser Glu Gln Tyr Gln Pro Tyr Ser Val Gln Arg

1 5 10

<210> 704
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 704
Gly Gly Gly Trp Trp Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 705
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 705
Val Gly Arg Trp Tyr Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 706
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 706
Val His Val Tyr Trp Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 707
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 707
Gln Ala Arg Trp Tyr Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 708
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 708
Val His Val Tyr Trp Gln Pro Tyr Ser Val Gln Thr
1 5 10

<210> 709
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 709
Arg Ser Val Tyr Trp Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 710
<211> 12

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 710
Thr Arg Val Trp Phe Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 711
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 711
Gly Arg Ile Trp Phe Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 712
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 712
Gly Arg Val Trp Phe Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 713
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 713
Ala Arg Thr Trp Tyr Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 714
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 714
Ala Arg Val Trp Trp Gln Pro Tyr Ser Val Gln Met
1 5 10

<210> 715
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 715
Arg Leu Met Phe Tyr Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 716
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 716
Glu Ser Met Trp Tyr Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 717
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 717
His Phe Gly Trp Trp Gln Pro Tyr Ser Val His Met
1 5 10

<210> 718
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 718
Ala Arg Phe Trp Trp Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 719
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 719
Arg Leu Val Tyr Trp Gln Pro Tyr Ala Pro Ile Tyr

1 5 10

<210> 720
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 720
Arg Leu Val Tyr Trp Gln Pro Tyr Ser Tyr Gln Thr
1 5 10

<210> 721
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 721
Arg Leu Val Tyr Trp Gln Pro Tyr Ser Leu Pro Ile
1 5 10

<210> 722
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 722
Arg Leu Val Tyr Trp Gln Pro Tyr Ser Val Gln Ala
1 5 10

<210> 723
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 723
Ser Arg Val Trp Tyr Gln Pro Tyr Ala Lys Gly Leu
1 5 10

<210> 724
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 724
Ser Arg Val Trp Tyr Gln Pro Tyr Ala Gln Gly Leu
1 5 10

<210> 725
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 725
Ser Arg Val Trp Tyr Gln Pro Tyr Ala Met Pro Leu
1 5 10

<210> 726
<211> 12

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 726
Ser Arg Val Trp Tyr Gln Pro Tyr Ser Val Gln Ala
1 5 10

<210> 727
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 727
Ser Arg Val Trp Tyr Gln Pro Tyr Ser Leu Gly Leu
1 5 10

<210> 728
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 728
Ser Arg Val Trp Tyr Gln Pro Tyr Ala Arg Glu Leu
1 5 10

<210> 729
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 729
Ser Arg Val Trp Tyr Gln Pro Tyr Ser Arg Gln Pro
1 5 10

<210> 730
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 730
Ser Arg Val Trp Tyr Gln Pro Tyr Phe Val Gln Pro
1 5 10

<210> 731
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 731
Glu Tyr Glu Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 732
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 732
Ile Pro Glu Tyr Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 733
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 733
Ser Arg Ile Trp Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 734
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 734
Asp Pro Leu Phe Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 735
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 735
Ser Arg Gln Trp Val Gln Pro Tyr Ala Leu Pro Leu

1 5 10

<210> 736
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 736
Ile Arg Ser Trp Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 737
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 737
Arg Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 738
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 738
Arg Leu Leu Trp Val Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 739
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 739
Glu Tyr Arg Trp Phe Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 740
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 740
Asp Ala Tyr Trp Val Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 741
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 741
Trp Ser Gly Tyr Phe Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 742
<211> 12

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 742
Asn Ile Glu Phe Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 743
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 743
Thr Arg Asp Trp Val Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 744
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 744
Asp Ser Ser Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 745
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 745
Ile Gly Asn Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 746
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 746
Asn Leu Arg Trp Asp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 747
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 747
Leu Pro Glu Phe Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 748
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 748
Asp Ser Tyr Trp Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 749
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 749
Arg Ser Gln Tyr Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 750
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 750
Ala Arg Phe Trp Leu Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 751
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 751
Asn Ser Tyr Phe Trp Gln Pro Tyr Ala Leu Pro Leu

1 5 10

<210> 752
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 752
Arg Phe Met Tyr Trp Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 753
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 753
Ala His Leu Phe Trp Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 754
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 754
Trp Trp Gln Pro Tyr Ala Leu Pro Leu
1 5

<210> 755
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 755
Tyr Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5

<210> 756
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 756
Tyr Phe Gln Pro Tyr Ala Leu Gly Leu
1 5

<210> 757
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 757
Tyr Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 758
<211> 10

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 758
Arg Trp Trp Gln Pro Tyr Ala Thr Pro Leu
1 5 10

<210> 759
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 759
Gly Trp Tyr Gln Pro Tyr Ala Leu Gly Phe
1 5 10

<210> 760
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 760
Tyr Trp Tyr Gln Pro Tyr Ala Leu Gly Leu
1 5 10

<210> 761
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 761
Ile Trp Tyr Gln Pro Tyr Ala Met Pro Leu
1 5 10

<210> 762
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 762
Ser Asn Met Gln Pro Tyr Gln Arg Leu Ser
1 5 10

<210> 763
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 763
Thr Phe Val Tyr Trp Gln Pro Tyr Ala Val Gly Leu Pro Ala Ala Glu
1 5 10 15
Thr Ala Cys Asn
20

<210> 764
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 764
Thr Phe Val Tyr Trp Gln Pro Tyr Ser Val Gln Met Thr Ile Thr Gly
1 5 10 15

Lys Val Thr Met
20

<210> 765
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 765
Thr Phe Val Tyr Trp Gln Pro Tyr Ser Ser His Xaa Xaa Val Pro Xaa
1 5 10 15

Gly Phe Pro Leu
20

<210> 766
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 766
Thr Phe Val Tyr Trp Gln Pro Tyr Tyr Gly Asn Pro Gln Trp Ala Ile
1 5 10 15

His Val Arg His
20

<210> 767
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 767
Thr Phe Val Tyr Trp Gln Pro Tyr Val Leu Leu Glu Leu Pro Glu Gly
1 5 10 15

Ala Val Arg Ala
20

<210> 768
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 768
Thr Phe Val Tyr Trp Gln Pro Tyr Val Asp Tyr Val Trp Pro Ile Pro
1 5 10 15

Ile Ala Gln Val
20

<210> 769
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 769
Gly Trp Tyr Gln Pro Tyr Val Asp Gly Trp Arg

1 5 10

<210> 770
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 770
Arg Trp Glu Gln Pro Tyr Val Lys Asp Gly Trp Ser
1 5 10

<210> 771
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 771
Glu Trp Tyr Gln Pro Tyr Ala Leu Gly Trp Ala Arg
1 5 10

<210> 772
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 772
Gly Trp Trp Gln Pro Tyr Ala Arg Gly Leu
1 5 10

<210> 773
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 773
Leu Phe Glu Gln Pro Tyr Ala Lys Ala Leu Gly Leu
1 5 10

<210> 774
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 774
Gly Trp Glu Gln Pro Tyr Ala Arg Gly Leu Ala Gly
1 5 10

<210> 775
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 775
Ala Trp Val Gln Pro Tyr Ala Thr Pro Leu Asp Glu
1 5 10

<210> 776
<211> 12

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 776
Met Trp Tyr Gln Pro Tyr Ser Ser Gln Pro Ala Glu
1 5 10

<210> 777
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 777
Gly Trp Thr Gln Pro Tyr Ser Gln Gln Gly Glu Val
1 5 10

<210> 778
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 778
Asp Trp Phe Gln Pro Tyr Ser Ile Gln Ser Asp Glu
1 5 10

<210> 779
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 779
Pro Trp Ile Gln Pro Tyr Ala Arg Gly Phe Gly
1 5 10

<210> 780
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 780
Arg Pro Leu Tyr Trp Gln Pro Tyr Ser Val Gln Val
1 5 10

<210> 781
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 781
Thr Leu Ile Tyr Trp Gln Pro Tyr Ser Val Gln Ile
1 5 10

<210> 782
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 782
Arg Phe Asp Tyr Trp Gln Pro Tyr Ser Asp Gln Thr
1 5 10

<210> 783
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 783
Trp His Gln Phe Val Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 784
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 784
Glu Trp Asp Ser Val Tyr Trp Gln Pro Tyr Ser Val Gln Thr Leu Leu
1 5 10 15

Arg

<210> 785
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 785
Trp Glu Gln Asn Val Tyr Trp Gln Pro Tyr Ser Val Gln Ser Phe Ala
1 5 10 15

Asp

<210> 786
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 786
Ser Asp Val Val Tyr Trp Gln Pro Tyr Ser Val Gln Ser Leu Glu Met
1 5 10 15

<210> 787
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 787
Tyr Tyr Asp Gly Val Tyr Trp Gln Pro Tyr Ser Val Gln Val Met Pro
1 5 10 15

Ala

<210> 788
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 788
Ser Asp Ile Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 789
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 789
Gln Arg Ile Trp Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 790
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 790
Ser Arg Ile Trp Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 791
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 791
Arg Ser Leu Tyr Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 792
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 792
Thr Ile Ile Trp Glu Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 793
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 793
Trp Glu Thr Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 794
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 794
Ser Tyr Asp Trp Glu Gln Pro Tyr Ala Leu Pro Leu

1 5 10

<210> 795
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 795
Ser Arg Ile Trp Cys Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 796
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 796
Glu Ile Met Phe Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 797
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 797
Asp Tyr Val Trp Gln Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 798
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 798
Met Asp Leu Leu Val Gln Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 799
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 799
Gly Ser Lys Val Ile Leu Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 800
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 800
Arg Gln Gly Ala Asn Ile Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 801
<211> 15

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 801
Gly Gly Gly Asp Glu Pro Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 802
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 802
Ser Gln Leu Glu Arg Thr Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 803
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 803
Glu Thr Trp Val Arg Glu Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 804
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 804
Lys Lys Gly Ser Thr Gln Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 805
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 805
Leu Gln Ala Arg Met Asn Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 806
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 806
Glu Pro Arg Ser Gln Lys Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 807
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 807
Val Lys Gln Lys Trp Arg Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 808
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 808
Leu Arg Arg His Asp Val Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 809
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 809
Arg Ser Thr Ala Ser Ile Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 810
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 810
Glu Ser Lys Glu Asp Gln Trp Tyr Gln Pro Tyr Ala Leu Pro Leu

1 5 10 15

<210> 811
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 811
Glu Gly Ser Arg Glu Gly Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 812
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 812
Glu Gly Ser Arg Glu Gly Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 813
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 813
Val Ile Glu Trp Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 814
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 814
Val Trp Tyr Trp Glu Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 815
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 815
Ala Ser Glu Trp Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 816
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 816
Phe Tyr Glu Trp Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 817
<211> 12

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 817
Glu Gly Trp Trp Val Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 818
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 818
Trp Gly Glu Trp Leu Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 819
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 819
Asp Tyr Val Trp Glu Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 820
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 820
Ala His Thr Trp Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 821
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 821
Phe Ile Glu Trp Phe Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 822
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 822
Trp Leu Ala Trp Glu Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 823
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 823
Val Met Glu Trp Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 824
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 824
Glu Arg Met Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 825
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 825
Asn Xaa Xaa Trp Xaa Xaa Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 826
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 826
Trp Gly Asn Trp Tyr Gln Pro Tyr Ala Leu Pro Leu

1 5 10

<210> 827
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 827
Thr Leu Tyr Trp Glu Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 828
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 828
Val Trp Arg Trp Glu Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 829
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 829
Leu Leu Trp Thr Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 830
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 830
Ser Arg Ile Trp Xaa Xaa Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 831
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 831
Ser Asp Ile Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 832
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 832
Trp Gly Tyr Tyr Xaa Xaa Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 833
<211> 12

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 833
Thr Ser Gly Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 834
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 834
Val His Pro Tyr Xaa Xaa Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 835
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 835
Glu His Ser Tyr Phe Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 836
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 836
Xaa Xaa Ile Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 837
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 837
Ala Gln Leu His Ser Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 838
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 838
Trp Ala Asn Trp Phe Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 839
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 839
Ser Arg Leu Tyr Ser Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 840
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 840
Gly Val Thr Phe Ser Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 841
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 841
Ser Ile Val Trp Ser Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 842
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 842
Ser Arg Asp Leu Val Gln Pro Tyr Ala Leu Pro Leu

1 5 10

<210> 843
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 843
His Trp Gly His Val Tyr Trp Gln Pro Tyr Ser Val Gln Asp Asp Leu
1 5 10 15

Gly

<210> 844
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 844
Ser Trp His Ser Val Tyr Trp Gln Pro Tyr Ser Val Gln Ser Val Pro
1 5 10 15

Glu

<210> 845
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 845
Trp Arg Asp Ser Val Tyr Trp Gln Pro Tyr Ser Val Gln Pro Glu Ser
1 5 10 15

Ala

<210> 846
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 846
Thr Trp Asp Ala Val Tyr Trp Gln Pro Tyr Ser Val Gln Lys Trp Leu
1 5 10 15

Asp

<210> 847
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 847
Thr Pro Pro Trp Val Tyr Trp Gln Pro Tyr Ser Val Gln Ser Leu Asp
1 5 10 15

Pro

<210> 848
<211> 17

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 848
Tyr Trp Ser Ser Val Tyr Trp Gln Pro Tyr Ser Val Gln Ser Val His
1 5 10 15

Ser

<210> 849
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 849
Tyr Trp Tyr Gln Pro Tyr Ala Leu Gly Leu
1 5 10

<210> 850
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 850
Tyr Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 851
<211> 10

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 851
Glu Trp Ile Gln Pro Tyr Ala Thr Gly Leu
1 5 10

<210> 852
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 852
Asn Trp Glu Gln Pro Tyr Ala Lys Pro Leu
1 5 10

<210> 853
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 853
Ala Phe Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 854
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 854
Phe Leu Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10

<210> 855
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 855
Val Cys Lys Gln Pro Tyr Leu Glu Trp Cys
1 5 10

<210> 856
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 856
Glu Thr Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 857
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 857
Gln Gly Trp Leu Thr Trp Gln Asp Ser Val Asp Met Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 858
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 858
Phe Ser Glu Ala Gly Tyr Thr Trp Pro Glu Asn Thr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 859
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 859
Thr Glu Ser Pro Gly Gly Leu Asp Trp Ala Lys Ile Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 860
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 860
Asp Gly Tyr Asp Arg Trp Arg Gln Ser Gly Glu Arg Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 861
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 861
Thr Ala Asn Val Ser Ser Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 862
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 862
Ser Val Gly Glu Asp His Asn Phe Trp Thr Ser Glu Tyr Trp Gln Pro

1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 863
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 863
Met Asn Asp Gln Thr Ser Glu Val Ser Thr Phe Pro Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 864
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 864
Ser Trp Ser Glu Ala Phe Glu Gln Pro Arg Asn Leu Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 865
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 865
Gln Tyr Ala Glu Pro Ser Ala Leu Asn Asp Trp Gly Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 866
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 866
Asn Gly Asp Trp Ala Thr Ala Asp Trp Ser Asn Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 867
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 867
Thr His Asp Glu His Ile Tyr Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 868
<211> 21

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 868
Met Leu Glu Lys Thr Tyr Thr Thr Trp Thr Pro Gly Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 869
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 869
Trp Ser Asp Pro Leu Thr Arg Asp Ala Asp Leu Tyr Trp Gln Pro Tyr
1 5 10 15

Ala Leu Pro Leu
20

<210> 870
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 870
Ser Asp Ala Phe Thr Thr Gln Asp Ser Gln Ala Met Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu

20

<210> 871
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 871
Gly Asp Asp Ala Ala Trp Arg Thr Asp Ser Leu Thr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 872
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 872
Ala Ile Ile Arg Gln Leu Tyr Arg Trp Ser Glu Met Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 873
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 873
Glu Asn Thr Tyr Ser Pro Asn Trp Ala Asp Ser Met Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 874
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 874
Met Asn Asp Gln Thr Ser Glu Val Ser Thr Phe Pro Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 875
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 875
Ser Val Gly Glu Asp His Asn Phe Trp Thr Ser Glu Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 876
<211> 21

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 876
Gln Thr Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 877
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 877
Glu Asn Pro Phe Thr Trp Gln Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 878
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 878
Val Thr Pro Phe Thr Trp Glu Asp Ser Asn Val Phe Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu

<210> 879
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 879
Gln Ile Pro Phe Thr Trp Glu Gln Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 880
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 880
Gln Ala Pro Leu Thr Trp Gln Glu Ser Ala Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 881
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 881
Glu Pro Thr Phe Thr Trp Glu Glu Ser Lys Ala Thr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 882
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 882
Thr Thr Thr Leu Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 883
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 883
Glu Ser Pro Leu Thr Trp Glu Glu Ser Ser Ala Leu Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 884
<211> 21

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 884
Glu Thr Pro Leu Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 885
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 885
Glu Ala Thr Phe Thr Trp Ala Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 886
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 886
Glu Ala Leu Phe Thr Trp Lys Glu Ser Thr Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu

20

<210> 887
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 887
Ser Thr Pro Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro Tyr
1 5 10 15

Ala Leu Pro Leu
20

<210> 888
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 888
Glu Thr Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 889
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 889
Lys Ala Pro Phe Thr Trp Glu Glu Ser Gln Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 890
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 890
Ser Thr Ser Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 891
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 891
Asp Ser Thr Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 892
<211> 21

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 892
Tyr Ile Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 893
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 893
Gln Thr Ala Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 894
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 894
Glu Thr Leu Phe Thr Trp Glu Glu Ser Asn Ala Thr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu

<210> 895
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 895
Val Ser Ser Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 896
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 896
Gln Pro Tyr Ala Leu Pro Leu
1 5

<210> 897
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 1, Xaa is a phosphotyrosyl residue

<220>
<223> At position 2, Xaa is a 1-napthylalanyl residue

<220>
<223> At position 6, Xaa is an azetidine residue

<400> 897
Xaa Xaa Pro Tyr Gln Xaa Tyr Ala Leu Pro Leu
1 5 10

<210> 898
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 898
Thr Ala Asn Val Ser Ser Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 899
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 899
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 900
<211> 15

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 900
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr Ala Leu Pro Leu
1 5 10 15

<210> 901
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 901
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr Ala Leu Pro Leu
1 5 10 15

<210> 902
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 902
Glu Thr Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu

<210> 903
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 13, Xaa is an azetidine residue

<400> 903
Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Xaa Tyr Ala Leu
1 5 10 15

Pro Leu

<210> 904
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 904
Ala Asp Val Leu Tyr Trp Gln Pro Tyr Ala Pro Val Thr Leu Trp Val
1 5 10 15

<210> 905
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 905
Gly Asp Val Ala Glu Tyr Trp Gln Pro Tyr Ala Leu Pro Leu Thr Ser
1 5 10 15

Leu

<210> 906
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 906
Ser Trp Thr Asp Tyr Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Ile Ser
1 5 10 15

Gly Leu

<210> 907
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 4, Xaa is prolyl or an azetidine residue

<220>
<223> At position 6, Xaa is S, A, V or L

<400> 907
Xaa Xaa Gln Xaa Tyr Xaa Xaa Xaa
1 5

<210> 908
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa is Y, W or F

<220>
<223> At position 4, Xaa is prolyl or an azetidine residue

<220>
<223> At position 6, Xaa is S, A, V or L

<400> 908
Xaa Xaa Gln Xaa Tyr Xaa Xaa Xaa
1 5

<210> 909
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa is Y, W or F

<220>
<223> At position 2, Xaa is E, F, V, W or Y

<220>
<223> At position 4, Xaa is prolyl or an azetidine residue

<220>
<223> At position 6, Xaa is S, A, V or L

<220>
<223> At position 7, Xaa is M, F, V, R, Q, K, T, S, D, L, I or E

<220>
<223> At position 8, Xaa is E, L, W, V, H, I, G, A, D, L, Y, N, Q or P

<400> 909
Xaa Xaa Gln Xaa Tyr Xaa Xaa Xaa
1 5

<210> 910
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa is V, L, I, E, P, G, Y, M, T or D

<220>
<223> At position 2, Xaa is Y, W or F

<220>
<223> At position 3, Xaa is E, F, V, W or Y

<220>
<223> At position 5, Xaa is prolyl or an azetidine residue

<220>
<223> At position 7, Xaa is S, A, V or L

<220>
<223> At position 8, Xaa is M, F, V, R, Q, K, T, S, D, L, I or E

<220>
<223> At position 9, Xaa is E, L, W, V, H, I, G, A, D, L, Y, N, Q or P

<400> 910
Xaa Xaa Xaa Gln Xaa Tyr Xaa Xaa Xaa
1 5

<210> 911
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 911
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 912
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 912
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr Ala Leu Pro Leu
1 5 10 15

<210> 913
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 913
Phe Glu Trp Thr Pro Gly Trp Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 914
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 914
Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr Ala Leu Pro Leu
1 5 10 15

<210> 915
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 915
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 916
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 916
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr Ala Leu Pro Leu
1 5 10 15

<210> 917
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa is A, D, E, F, G, K, Q, S, T, V or Y

<220>
<223> At position 2, Xaa is A, D, G, I, N, P, S, T, V or W

<220>
<223> At position 3, Xaa is A, D, G, L, N, P, S, T, W or Y

<220>
<223> At position 4, Xaa is A, D, E, F, L, N, R, V or Y

<220>
<223> At position 5, Xaa is A, D, E, Q, R, S or T

<220>
<223> At position 6, Xaa is H, I, L, P, S, T or W

<220>
<223> At position 7, Xaa is A, E, F, K, N, Q, R, S or Y

<220>
<223> At position 8, Xaa is D, E, F, Q, R, T or W

<220>
<223> At position 9, Xaa is A, D, P, S, T or W

<220>
<223> At position 10, Xaa is A, D, G, K, N, Q, S or T

<220>
<223> At position 11, Xaa is A, E, L, P, S, T, V or Y

<220>
<223> At position 12, Xaa is V, L, I, E, P, G, Y, M, T
or D

<220>
<223> At position 13, Xaa is Y, W or F

<220>
<223> At position 14, Xaa is E, F, V, W or Y

<220>
<223> At position 16, Xaa is P or an azetidine residue

<220>
<223> At position 18, Xaa is S, A, V or L

<220>
<223> At position 19, Xaa is M, F, V, R, Q, K, T, S, D,
L, I or E

<220>
<223> At position 20, Xaa is Q or P

<400> 917
Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Gln Xaa
1 5 10 15

Tyr Xaa Xaa Xaa Leu
20

<210> 918
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 918
Thr Ala Asn Val Ser Ser Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 919
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 919
Ser Trp Thr Asp Tyr Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Ile Ser
1 5 10 15

Gly Leu

<210> 920
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 920
Glu Thr Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 921
<211> 21
<212> PRT

<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 921
Glu Asn Thr Tyr Ser Pro Asn Trp Ala Asp Ser Met Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 922
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 922
Ser Val Gly Glu Asp His Asn Phe Trp Thr Ser Glu Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 923
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 923
Asp Gly Tyr Asp Arg Trp Arg Gln Ser Gly Glu Arg Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 924
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 924
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

<210> 925
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 925
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Asn His
1 5 10

<210> 926
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 926
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr Asn His
1 5 10

<210> 927
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 927
Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Asn His
1 5 10

<210> 928
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 928
Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr
1 5 10

<210> 929
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 929
Ala Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 930
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 930
Phe Ala Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 931
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 931
Phe Glu Ala Thr Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 932
<211> 11
<212> PRT
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 932
Phe Glu Trp Ala Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 933
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 933
Phe Glu Trp Thr Ala Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 934
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 934
Phe Glu Trp Thr Pro Ala Tyr Trp Gln Xaa Tyr
1 5 10

<210> 935
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 935
Phe Glu Trp Thr Pro Gly Ala Trp Gln Xaa Tyr
1 5 10

<210> 936
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 936
Phe Glu Trp Thr Pro Gly Tyr Ala Gln Xaa Tyr
1 5 10

<210> 937
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 937
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Ala
1 5 10

<210> 938
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 938
Phe Glu Trp Thr Gly Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 939
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 5, D amino acid residue

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 939
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 940
<211> 10
<212> PRT

<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 940
Phe Glu Trp Thr Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 941
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 5, Xaa is a pipecolic acid residue

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 941
Phe Glu Trp Thr Xaa Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 942
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 6, Xaa is an aminoisobutyric acid residue

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 942
Phe Glu Trp Thr Pro Xaa Tyr Trp Gln Xaa Tyr
1 5 10

<210> 943
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 6, Xaa is a sarcosine residue

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 943
Phe Glu Trp Thr Pro Xaa Trp Tyr Gln Xaa Tyr
1 5 10

<210> 944
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 5, Xaa is a sarcosine residue

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 944
Phe Glu Trp Thr Xaa Gly Tyr Trp Gln Xaa Tyr

1 5 10

<210> 945
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 945
Phe Glu Trp Thr Pro Asn Tyr Trp Gln Xaa Tyr
1 5 10

<210> 946
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 5, D amino acid residue

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 946
Phe Glu Trp Thr Pro Val Tyr Trp Gln Xaa Tyr
1 5 10

<210> 947
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 947
Phe Glu Trp Thr Val Pro Tyr Trp Gln Xaa Tyr
1 5 10

<210> 948
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa is acetylated phe

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 948
Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr
1 5 10

<210> 949
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa is acetylated phe

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 949
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 950
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=1-naphthylalanine

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 950
Xaa Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 951
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 951
Tyr Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 952
<211> 11

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 952
Phe Glu Trp Val Pro Gly Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 953
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 953
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 954
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 954
Phe Glu Trp Thr Pro Ser Tyr Tyr Gln Xaa Tyr

1 5 10

<210> 955
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 955
Phe Glu Trp Thr Pro Asn Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 956
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 5, Xaa=naphthylalanine

<400> 956
Ser His Leu Tyr Xaa Gln Pro Tyr Ser Val Gln Met
1 5 10

<210> 957
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 5, Xaa=naphthylalanine

<400> 957
Thr Leu Val Tyr Xaa Gln Pro Tyr Ser Leu Gln Thr
1 5 10

<210> 958
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 5, Xaa=naphthylalanine

<400> 958
Arg Gly Asp Tyr Xaa Gln Pro Tyr Ser Val Gln Ser
1 5 10

<210> 959
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 5, Xaa=naphthylalanine

<400> 959
Asn Met Val Tyr Xaa Gln Pro Tyr Ser Ile Gln Thr
1 5 10

<210> 960
<211> 9

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 960
Val Tyr Trp Gln Pro Tyr Ser Val Gln
1 5

<210> 961
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 3, Xaa=naphthylalanine

<400> 961
Val Tyr Xaa Gln Pro Tyr Ser Val Gln
1 5

<210> 962
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 7, Xaa is an azetidine residue

<400> 962
Thr Phe Val Tyr Trp Gln Xaa Tyr Ala Leu Pro Leu
1 5 10

<210> 963
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11, Xaa =p-benzoyl-L-phenylalanine

<400> 963
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Xaa
1 5 10

<210> 964
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 10, Xaa is an azetidine residue

<220>
<223> At position 11, Xaa=p-benzoyl-L-phenylalanine

<400> 964
Xaa Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Xaa
1 5 10

<210> 965
<211> 11

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 8, Xaa=p-benzoyl-L-phenylalanine

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 965
Phe Glu Trp Thr Pro Gly Tyr Xaa Gln Xaa Tyr
1 5 10

<210> 966
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 8, Xaa=p-benzoyl-L-phenylalanine

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 966
Phe Glu Trp Thr Pro Gly Tyr Xaa Gln Xaa Tyr
1 5 10

<210> 967
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 7, Xaa=p-benzoyl-L-phenylalanine

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 967
Phe Glu Trp Thr Pro Gly Xaa Tyr Gln Xaa Tyr
1 5 10

<210> 968
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 7, Xaa=p-benzoyl-L-phenylalanine

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 968
Phe Glu Trp Thr Pro Gly Xaa Tyr Gln Xaa Tyr
1 5 10

<210> 969
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 3, Xaa=p-benzoyl-L-phenylalanine

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 969
Phe Glu Xaa Thr Pro Gly Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 970
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 3, Xaa=p-benzoyl-L-phenylalanine

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 970
Phe Glu Xaa Thr Pro Gly Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 971
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=p-benzoyl-L-phenylalanine

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 971
Xaa Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 972
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated p-benzoyl-L-phenylalanine

<220>
<223> At position 10, Xaa is an azetidine residue

<400> 972
Xaa Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 973
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 973
Val Tyr Trp Gln Pro Tyr Ser Val Gln
1 5

<210> 974
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 974
Arg Leu Val Tyr Trp Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 975
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 5, Xaa=naphthylalanine

<400> 975
Arg Leu Val Tyr Xaa Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 976
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 976
Arg Leu Asp Tyr Trp Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 977
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 977
Arg Leu Val Trp Phe Gln Pro Tyr Ser Val Gln Arg
1 5 10

<210> 978
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 978
Arg Leu Val Tyr Trp Gln Pro Tyr Ser Ile Gln Arg
1 5 10

<210> 979
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 1, Xaa=D or Y

<220>
<223> At position 3, Xaa=D or S

<220>

<223> At position 4, Xaa=S, T or A

<220>
<223> At position 5, Xaa=S or W

<220>
<223> At position 6, Xaa=S or Y

<220>
<223> At position 7, Xaa=D, Q, E or V

<220>
<223> At position 8, Xaa=N, S, K, H or W

<220>
<223> At position 9, Xaa=F or L

<220>
<223> At position 10, Xaa=D, N, S or L

<220>
<223> At position 11, Xaa=L, I, Q, M or A

<400> 979
Xaa Asn Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10

<210> 980
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 980
Asp Asn Ser Ser Trp Tyr Asp Ser Phe Leu Leu
1 5 10

<210> 981
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 981
Asp Asn Thr Ala Trp Tyr Glu Ser Phe Leu Ala
1 5 10

<210> 982
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 982
Asp Asn Thr Ala Trp Tyr Glu Asn Phe Leu Leu
1 5 10

<210> 983
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 983
Pro Ala Arg Glu Asp Asn Thr Ala Trp Tyr Asp Ser Phe Leu Ile Trp
1 5 10 15

Cys

<210> 984
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 984
Thr Ser Glu Tyr Asp Asn Thr Thr Trp Tyr Glu Lys Phe Leu Ala Ser
1 5 10 15

Gln

<210> 985
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 985
Ser Gln Ile Pro Asp Asn Thr Ala Trp Tyr Gln Ser Phe Leu Leu His
1 5 10 15

Gly

<210> 986
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 986
Ser Pro Phe Ile Asp Asn Thr Ala Trp Tyr Glu Asn Phe Leu Leu Thr
1 5 10 15

Tyr

<210> 987
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 987
Glu Gln Ile Tyr Asp Asn Thr Ala Trp Tyr Asp His Phe Leu Leu Ser
1 5 10 15

Tyr

<210> 988
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 988
Thr Pro Phe Ile Asp Asn Thr Ala Trp Tyr Glu Asn Phe Leu Leu Thr
1 5 10 15

Tyr

<210> 989
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 989

Thr Tyr Thr Tyr Asp Asn Thr Ala Trp Tyr Glu Arg Phe Leu Met Ser
1 5 10 15

Tyr

<210> 990
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 990
Thr Met Thr Gln Asp Asn Thr Ala Trp Tyr Glu Asn Phe Leu Leu Ser
1 5 10 15

Tyr

<210> 991
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 991
Thr Ile Asp Asn Thr Ala Trp Tyr Ala Asn Leu Val Gln Thr Tyr Pro
1 5 10 15

Gln

<210> 992
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 992
Thr Ile Asp Asn Thr Ala Trp Tyr Glu Arg Phe Leu Ala Gln Tyr Pro
1 5 10 15

Asp

<210> 993
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 993
His Ile Asp Asn Thr Ala Trp Tyr Glu Asn Phe Leu Leu Thr Tyr Thr
1 5 10 15

Pro

<210> 994
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 994
Ser Gln Asp Asn Thr Ala Trp Tyr Glu Asn Phe Leu Leu Ser Tyr Lys
1 5 10 15

Ala

<210> 995
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 995
Gln Ile Asp Asn Thr Ala Trp Tyr Glu Arg Phe Leu Leu Gln Tyr Asn
1 5 10 15

Ala

<210> 996
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 996
Asn Gln Asp Asn Thr Ala Trp Tyr Glu Ser Phe Leu Leu Gln Tyr Asn
1 5 10 15

Thr

<210> 997
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 997

Thr Ile Asp Asn Thr Ala Trp Tyr Glu Asn Phe Leu Leu Asn His Asn
1 5 10 15

Leu

<210> 998
<211> 17
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 998
His Tyr Asp Asn Thr Ala Trp Tyr Glu Arg Phe Leu Gln Gln Gly Trp
1 5 10 15

His

<210> 999
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 999
Glu Thr Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 1000
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 1000
Tyr Ile Pro Phe Thr Trp Glu Glu Ser Asn Ala Tyr Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 1001
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 1001
Asp Gly Tyr Asp Arg Trp Arg Gln Ser Gly Glu Arg Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 1002
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 1, Xaa=phosphotyrosine

<220>
<223> At position 2, Xaa=naphthylalanine

<220>

<223> At position 3, Xaa=phosphotyrosine

<220>
<223> At position 5, Xaa is an azetidine residue

<400> 1002
Xaa Xaa Xaa Gln Xaa Tyr Ala Leu Pro Leu
1 5 10

<210> 1003
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<400> 1003
Thr Ala Asn Val Ser Ser Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 1004
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa=azetidine

<400> 1004
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr Ala Leu Pro Leu
1 5 10 15

<210> 1005

<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<400> 1005
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu Ser
1 5 10 15

Asp Asn His

<210> 1006
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 10, Xaa=azetidine

<400> 1006
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr Ala Leu Pro Leu
1 5 10 15

<210> 1007
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 10, Xaa=azetidine

<400> 1007

Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 1008
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 10, Xaa=azetidine

<400> 1008
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 1009
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 10, Xaa=azetidine

<400> 1009
Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr
1 5 10

<210> 1010

<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 10, Xaa=azetidine

<400> 1010
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 1011
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 10, Xaa=azetidine

<400> 1011
Phe Glu Trp Thr Pro Ala Tyr Trp Gln Xaa Tyr
1 5 10

<210> 1012
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST

PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 10, Xaa=azetidine

<400> 1012
Phe Glu Trp Thr Pro Ala Trp Tyr Gln Xaa Tyr
1 5 10

<210> 1013
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 10, Xaa=azetidine

<400> 1013
Phe Glu Trp Thr Pro Ala Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 1014
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa=azetidine

<400> 1014

Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr Ala Leu Pro Leu
1 5 10 15

<210> 1015
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa=azetidine

<400> 1015
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr Ala Leu Pro Leu
1 5 10 15

<210> 1016
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 10, Xaa=azetidine

<400> 1016
Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr Ala Leu Pro Leu
1 5 10 15

<210> 1017
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST

PEPTIDE

<400> 1017
Thr Ala Asn Val Ser Ser Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 1018
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 10, Xaa=azetidine

<400> 1018
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Xaa Tyr
1 5 10

<210> 1019
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 10, Xaa=azetidine

<400> 1019

Phe Glu Trp Thr Pro Gly Trp Tyr Gln Xaa Tyr
1 5 10

<210> 1020
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 10, Xaa=azetidine

<400> 1020
Phe Glu Trp Thr Pro Gly Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 1021
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 6, D amino acid residue

<220>
<223> At position 10, Xaa=azetidine

<400> 1021
Phe Glu Trp Thr Pro Ala Tyr Trp Gln Xaa Tyr
1 5 10

<210> 1022
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 6, D amino acid residue

<220>
<223> At position 10, Xaa=azetidine

<400> 1022
Phe Glu Trp Thr Pro Ala Trp Tyr Gln Xaa Tyr
1 5 10

<210> 1023
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST PEPTIDE

<220>
<223> At position 1, Xaa=acetylated phe

<220>
<223> At position 6, D amino acid residue

<220>
<223> At position 10, Xaa=azetidine

<400> 1023
Phe Glu Trp Thr Pro Ala Tyr Tyr Gln Xaa Tyr
1 5 10

<210> 1024
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC PEPTIDE

<400> 1024
Gly Gly Leu Tyr Leu Cys Arg Phe Gly Pro Val Thr Trp Asp Cys Gly
1 5 10 15

Tyr Lys Gly Gly
20

<210> 1025
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC PEPTIDE

<400> 1025
Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10 15

Pro Gln Gly Gly
20

<210> 1026
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO-MIMETIC PEPTIDE

<400> 1026

Gly Gly Asp Tyr His Cys Arg Met Gly Pro Leu Thr Trp Val Cys Lys
1 5 10 15

Pro Leu Gly Gly
20

<210> 1027
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC
PEPTIDE

<400> 1027
Cys Gly Arg Glu Cys Pro Arg Leu Cys Gln Ser Ser Cys
1 5 10

<210> 1028
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC
PEPTIDE

<400> 1028
Cys Asn Gly Arg Cys Val Ser Gly Cys Ala Gly Arg Cys
1 5 10

<210> 1029
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC
PEPTIDE

<400> 1029

Val Gly Asn Tyr Met Cys His Phe Gly Pro Ile Thr Trp Val Cys Arg
1 5 10 15

Pro Gly Gly Gly
20

<210> 1030
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC
PEPTIDE

<400> 1030
Gly Gly Val Tyr Ala Cys Arg Met Gly Pro Ile Thr Trp Val Cys Ser
1 5 10 15

Pro Leu Gly Gly
20

<210> 1031
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VEGF ANTAGONIST
PEPTIDE

<400> 1031
Cys Asn Gly Arg Cys
1 5

<210> 1032
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TPO MIMETIC

<400> 1032
Cys Asp Cys Arg Gly Asp Cys Phe Cys
1 5

<210> 1033
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC

<400> 1033
Ile Glu Gly Pro Thr Leu Arg Gln Trp Leu Ala Ala Arg Ala Gly Gly
1 5 10 15

Gly Gly Gly Phe
20

<210> 1034
<211> 26
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC

<400> 1034
Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10 15

Pro Gln Gly Gly Gly Gly Gly Gly Gly Phe
20 25

<210> 1035
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC

<400> 1035
Val Gly Asn Tyr Met Ala His Met Gly Pro Ile Thr Trp Val Cys Arg
1 5 10 15

Pro Gly Gly

<210> 1036
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC

<400> 1036
Gly Gly Thr Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10 15

Pro Gln

<210> 1037
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC

<400> 1037
Gly Gly Leu Tyr Ala Cys His Met Gly Pro Met Thr Trp Val Cys Gln
1 5 10 15

Pro Leu Arg Gly
20

<210> 1038
<211> 22
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC

<400> 1038
Thr Ile Ala Gln Tyr Ile Cys Tyr Met Gly Pro Glu Thr Trp Glu Cys
1 5 10 15

Arg Pro Ser Pro Lys Ala
20

<210> 1039
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC

<400> 1039
Tyr Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10

<210> 1040
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC
PEPTIDE

<400> 1040
Tyr Cys His Phe Gly Pro Leu Thr Trp Val Cys
1 5 10

<210> 1041
<211> 12
<212> PRT
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:EPO MIMETIC
PEPTIDE

<400> 1041
Ser Cys His Phe Gly Pro Leu Thr Trp Val Cys Lys
1 5 10

<210> 1042
<211> 40
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC
PEPTIDE

<400> 1042
Ala Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Gly
1 5 10 15

Pro Xaa Xaa Xaa Xaa Xaa Xaa Thr Trp Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25 30

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
35 40

<210> 1043
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:EPO MIMETIC
PEPTIDE

<400> 1043
Asp Leu Xaa Xaa Leu
1 5

<210> 1044
<211> 12
<212> PRT

<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 1044
Arg Thr Asp Leu Asp Ser Leu Arg Thr Tyr Thr Leu
1 5 10

<210> 1045
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF ANTAGONIST

<400> 1045
Phe Gly Gly Gly Gly Gly Asp Phe Leu Pro His Tyr Lys Asn Thr Ser
1 5 10 15

Leu Gly His Arg Pro
20

<210> 1046
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF ANTAGONIST

<400> 1046
Asp Phe Leu Pro His Tyr Lys Asn Thr Ser Leu Gly His Arg Pro Gly
1 5 10 15

Gly Gly Gly Gly Phe
20

<210> 1047
<211> 21

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST

<400> 1047
Phe Gly Gly Gly Gly Gly Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro
1 5 10 15

Tyr Ala Leu Pro Leu
20

<210> 1048
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST

<400> 1048
Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu Gly
1 5 10 15

Gly Gly Gly Gly Phe
20

<210> 1049
<211> 25
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VEGF ANTAGONIST

<400> 1049
Phe Gly Gly Gly Gly Gly Val Glu Pro Asn Cys Asp Ile His Val Met
1 5 10 15

Trp Glu Trp Glu Cys Phe Glu Arg Leu
20 25

<210> 1050
<211> 25
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VEGF ANTAGONIST

<400> 1050
Val Glu Pro Asn Cys Asp Ile His Val Met Trp Glu Trp Glu Cys Phe
1 5 10 15

Glu Arg Leu Gly Gly Gly Gly Gly Phe
20 25

<210> 1051
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MMP INHIBITOR

<400> 1051
Phe Gly Gly Gly Gly Gly Cys Thr Thr His Trp Gly Phe Thr Leu Cys
1 5 10 15

<210> 1052
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MMP INHIBITOR

<400> 1052
Cys Thr Thr His Trp Gly Phe Thr Leu Cys Gly Gly Gly Gly Gly Phe
1 5 10 15

<210> 1053
<211> 10

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 1053
Arg Thr Asp Leu Asp Ser Leu Arg Thr Tyr
1 5 10

<210> 1054
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 1054
Arg Thr Asp Leu Asp Ser Leu Arg Thr
1 5

<210> 1055
<211> 757
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-TNF-ALPHA
INHIBITOR

<220>
<221> CDS
<222> (4)..(747)

<400> 1055
cat atg gac aaa act cac aca tgt cca cct tgt cca gct ccg gaa ctc 48
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu
1 5 10 15

ctg ggg gga ccg tca gtc ttc ctc ttc ccc cca aaa ccc aag gac acc 96
Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr

```
                    20                  25                  30

ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg gtg gtg gac gtg   144
Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
                35                  40                  45

agc cac gaa gac cct gag gtc aag ttc aac tgg tac gtg gac ggc gtg   192
Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
        50                  55                  60

gag gtg cat aat gcc aag aca aag ccg cgg gag gag cag tac aac agc   240
Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
    65                  70                  75

acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac cag gac tgg ctg   288
Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
80                  85                  90                  95

aat ggc aag gag tac aag tgc aag gtc tcc aac aaa gcc ctc cca gcc   336
Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
                100                 105                 110

ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag ccc cga gaa cca   384
Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
            115                 120                 125

cag gtg tac acc ctg ccc cca tcc cgg gat gag ctg acc aag aac cag   432
Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
        130                 135                 140

gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc agc gac atc gcc   480
Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
    145                 150                 155

gtg gag tgg gag agc aat ggg cag ccg gag aac aac tac aag acc acg   528
Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
160                 165                 170                 175

cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc tac agc aag ctc   576
Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
                180                 185                 190

acc gtg gac aag agc agg tgg cag cag ggg aac gtc ttc tca tgc tcc   624
Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
            195                 200                 205

gtg atg cat gag gct ctg cac aac cac tac acg cag aag agc ctc tcc   672
Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
```

210 215 220

ctg tct ccg ggt aaa ggt gga ggt ggt ggt gac ttc ctg ccg cac tac 720
Leu Ser Pro Gly Lys Gly Gly Gly Gly Gly Asp Phe Leu Pro His Tyr
225 230 235

aaa aac acc tct ctg ggt cac cgt ccg taatggatcc 757
Lys Asn Thr Ser Leu Gly His Arg Pro
240 245

<210> 1056
<211> 248
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:Fc-TNF-ALPHA INHIBITOR

<400> 1056
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu
1 5 10 15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
20 25 30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
35 40 45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
50 55 60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr
65 70 75 80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
85 90 95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro
100 105 110

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
115 120 125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val
130 135 140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
145 150 155 160

```
Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
                165                 170                 175

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
            180                 185                 190

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
        195                 200                 205

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
    210                 215                 220

Ser Pro Gly Lys Gly Gly Gly Gly Gly Asp Phe Leu Pro His Tyr Lys
225                 230                 235                 240

Asn Thr Ser Leu Gly His Arg Pro
                245
```

<210> 1057
<211> 761
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ALPH
INHIBITOR Fc

<220>
<221> CDS
<222> (4)..(747)

<400> 1057

```
cat atg gac ttc ctg ccg cac tac aaa aac acc tct ctg ggt cac cgt   48
    Met Asp Phe Leu Pro His Tyr Lys Asn Thr Ser Leu Gly His Arg
    1               5                  10                  15

ccg ggt gga ggc ggt ggg gac aaa act cac aca tgt cca cct tgc cca   96
Pro Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro
                20                  25                  30

gca cct gaa ctc ctg ggg gga ccg tca gtt ttc ctc ttc ccc cca aaa   144
Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys
            35                  40                  45

ccc aag gac acc ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg   192
```

396

```
Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
         50                  55                  60

gtg gtg gac gtg agc cac gaa gac cct gag gtc aag ttc aac tgg tac   240
Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
 65                  70                  75

gtg gac ggc gtg gag gtg cat aat gcc aag aca aag ccg cgg gag gag   288
Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
 80                  85                  90                  95

cag tac aac agc acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac   336
Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
                100                 105                 110

cag gac tgg ctg aat ggc aag gag tac aag tgc aag gtc tcc aac aaa   384
Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
            115                 120                 125

gcc ctc cca gcc ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag   432
Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
        130                 135                 140

ccc cga gaa cca cag gtg tac acc ctg ccc cca tcc cgg gat gag ctg   480
Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu
    145                 150                 155

acc aag aac cag gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc   528
Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
160                 165                 170                 175

agc gac atc gcc gtg gag tgg gag agc aat ggg cag ccg gag aac aac   576
Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
                180                 185                 190

tac aag acc acg cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc   624
Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
            195                 200                 205

tac agc aag ctc acc gtg gac aag agc agg tgg cag cag ggg aac gtc   672
Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
        210                 215                 220

ttc tca tgc tcc gtg atg cat gag gct ctg cac aac cac tac acg cag   720
Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
    225                 230                 235

aag agc ctc tcc ctg tct ccg ggt aaa taatggatcc gcgg               761
```

Lys Ser Leu Ser Leu Ser Pro Gly Lys
240 245

<210> 1058
<211> 248
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:TNF-ALPH
INHIBITOR Fc

<400> 1058
Met Asp Phe Leu Pro His Tyr Lys Asn Thr Ser Leu Gly His Arg Pro
1 5 10 15

Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala
20 25 30

Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro
35 40 45

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val
50 55 60

Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val
65 70 75 80

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
85 90 95

Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln
100 105 110

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala
115 120 125

Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
130 135 140

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr
145 150 155 160

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
165 170 175

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
180 185 190

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
195 200 205

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe
210 215 220

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
225 230 235 240

Ser Leu Ser Leu Ser Pro Gly Lys
245

<210> 1059
<211> 763
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc IL-1
ANTAGONIST

<220>
<221> CDS
<222> (4)..(747)

<400> 1059
cat atg gac aaa act cac aca tgt cca cct tgt cca gct ccg gaa ctc 48
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu
1 5 10 15

ctg ggg gga ccg tca gtc ttc ctc ttc ccc cca aaa ccc aag gac acc 96
Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
20 25 30

ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg gtg gtg gac gtg 144
Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
35 40 45

agc cac gaa gac cct gag gtc aag ttc aac tgg tac gtg gac ggc gtg 192
Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
50 55 60

gag gtg cat aat gcc aag aca aag ccg cgg gag gag cag tac aac agc 240
Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
65 70 75

```
acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac cag gac tgg ctg   288
Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
 80                  85                  90                  95

aat ggc aag gag tac aag tgc aag gtc tcc aac aaa gcc ctc cca gcc   336
Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
                100                 105                 110

ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag ccc cga gaa cca   384
Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
            115                 120                 125

cag gtg tac acc ctg ccc cca tcc cgg gat gag ctg acc aag aac cag   432
Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
        130                 135                 140

gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc agc gac atc gcc   480
Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
    145                 150                 155

gtg gag tgg gag agc aat ggg cag ccg gag aac aac tac aag acc acg   528
Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
160                 165                 170                 175

cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc tac agc aag ctc   576
Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
                180                 185                 190

acc gtg gac aag agc agg tgg cag cag ggg aac gtc ttc tca tgc tcc   624
Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
            195                 200                 205

gtg atg cat gag gct ctg cac aac cac tac acg cag aag agc ctc tcc   672
Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
        210                 215                 220

ctg tct ccg ggt aaa ggt gga ggt ggt ggt ttc gaa tgg acc ccg ggt   720
Leu Ser Pro Gly Lys Gly Gly Gly Gly Gly Phe Glu Trp Thr Pro Gly
    225                 230                 235

tac tgg cag ccg tac gct ctg ccg ctg taatggatcc ctcgag            763
Tyr Trp Gln Pro Tyr Ala Leu Pro Leu
240                 245
```

<210> 1060
<211> 248
<212> PRT

<213> Artificial Sequence
<223> Description of Artificial Sequence:Fc IL-1
ANTAGONIST

<400> 1060

```
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu
 1               5                  10                  15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
            20                  25                  30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
        35                  40                  45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
    50                  55                  60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr
65                  70                  75                  80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
                85                  90                  95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro
            100                 105                 110

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
        115                 120                 125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val
    130                 135                 140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
145                 150                 155                 160

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
                165                 170                 175

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
            180                 185                 190

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
        195                 200                 205

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
    210                 215                 220

Ser Pro Gly Lys Gly Gly Gly Gly Gly Phe Glu Trp Thr Pro Gly Tyr
```

225 230 235 240

Trp Gln Pro Tyr Ala Leu Pro Leu
245

<210> 1061
<211> 757
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:IL-1 ANTAGONIST Fc

<220>
<221> CDS
<222> (4)..(747)

<400> 1061

```
cat atg ttc gaa tgg acc ccg ggt tac tgg cag ccg tac gct ctg ccg   48
    Met Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro
      1               5                  10                  15

ctg ggt gga ggc ggt ggg gac aaa act cac aca tgt cca cct tgc cca   96
Leu Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro
                  20                  25                  30

gca cct gaa ctc ctg ggg gga ccg tca gtt ttc ctc ttc ccc cca aaa  144
Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys
              35                  40                  45

ccc aag gac acc ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg  192
Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val
          50                  55                  60

gtg gtg gac gtg agc cac gaa gac cct gag gtc aag ttc aac tgg tac  240
Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr
      65                  70                  75

gtg gac ggc gtg gag gtg cat aat gcc aag aca aag ccg cgg gag gag  288
Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu
  80                  85                  90                  95

cag tac aac agc acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac  336
Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His
                 100                 105                 110
```

```
cag gac tgg ctg aat ggc aag gag tac aag tgc aag gtc tcc aac aaa   384
Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys
            115                 120                 125

gcc ctc cca gcc ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag   432
Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln
        130                 135                 140

ccc cga gaa cca cag gtg tac acc ctg ccc cca tcc cgg gat gag ctg   480
Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu
    145                 150                 155

acc aag aac cag gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc   528
Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro
160                 165                 170                 175

agc gac atc gcc gtg gag tgg gag agc aat ggg cag ccg gag aac aac   576
Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn
                180                 185                 190

tac aag acc acg cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc   624
Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu
            195                 200                 205

tac agc aag ctc acc gtg gac aag agc agg tgg cag cag ggg aac gtc   672
Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val
        210                 215                 220

ttc tca tgc tcc gtg atg cat gag gct ctg cac aac cac tac acg cag   720
Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln
    225                 230                 235

aag agc ctc tcc ctg tct ccg ggt aaa taatggatcc                   757
Lys Ser Leu Ser Leu Ser Pro Gly Lys
240                 245
```

<210> 1062
<211> 248
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:IL-1 ANTAGONIST
Fc

<400> 1062
Met Phe Glu Trp Thr Pro Gly Tyr Trp Gln Pro Tyr Ala Leu Pro Leu
1 5 10 15

Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala
20 25 30

Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro
35 40 45

Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val
50 55 60

Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val
65 70 75 80

Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln
85 90 95

Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln
100 105 110

Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala
115 120 125

Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro
130 135 140

Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr
145 150 155 160

Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser
165 170 175

Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr
180 185 190

Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr
195 200 205

Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe
210 215 220

Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys
225 230 235 240

Ser Leu Ser Leu Ser Pro Gly Lys
245

<210> 1063
<211> 773
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-VEGF
ANTAGONIST

<220>
<221> CDS
<222> (4)..(759)

<400> 1063

```
cat atg gac aaa act cac aca tgt cca ccg tgc cca gca cct gaa ctc   48
    Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu
      1               5                  10                  15

ctg ggg gga ccg tca gtt ttc ctc ttc ccc cca aaa ccc aag gac acc   96
Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
                  20                  25                  30

ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg gtg gtg gac gtg   144
Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
              35                  40                  45

agc cac gaa gac cct gag gtc aag ttc aac tgg tac gtg gac ggc gtg   192
Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
          50                  55                  60

gag gtg cat aat gcc aag aca aag ccg cgg gag gag cag tac aac agc   240
Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
      65                  70                  75

acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac cag gac tgg ctg   288
Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
  80                  85                  90                  95

aat ggc aag gag tac aag tgc aag gtc tcc aac aaa gcc ctc cca gcc   336
Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
                 100                 105                 110

ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag ccc cga gaa cca   384
Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
             115                 120                 125

cag gtg tac acc ctg ccc cca tcc cgg gat gag ctg acc aag aac cag   432
Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
```

```
        130                 135                 140

gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc agc gac atc gcc   480
Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
    145                 150                 155

gtg gag tgg gag agc aat ggg cag ccg gag aac aac tac aag acc acg   528
Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
160                 165                 170                 175

cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc tac agc aag ctc   576
Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
                180                 185                 190

acc gtg gac aag agc agg tgg cag cag ggg aac gtc ttc tca tgc tcc   624
Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
            195                 200                 205

gtg atg cat gag gct ctg cac aac cac tac acg cag aag agc ctc tcc   672
Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
        210                 215                 220

ctg tct ccg ggt aaa ggt ggt ggt ggt ggt gtt gaa ccg aac tgt gac   720
Leu Ser Pro Gly Lys Gly Gly Gly Gly Gly Val Glu Pro Asn Cys Asp
    225                 230                 235

atc cat gtt atg tgg gaa tgg gaa tgt ttt gaa cgt ctg taactcgagg   769
Ile His Val Met Trp Glu Trp Glu Cys Phe Glu Arg Leu
240                 245                 250

atcc                                                            773
```

<210> 1064
<211> 252
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:Fc-VEGF ANTAGONIST

<400> 1064

```
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu
  1               5                  10                  15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
            20                  25                  30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
```

35 40 45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
50 55 60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr
65 70 75 80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
85 90 95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro
100 105 110

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
115 120 125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val
130 135 140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
145 150 155 160

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
165 170 175

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
180 185 190

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
195 200 205

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
210 215 220

Ser Pro Gly Lys Gly Gly Gly Gly Gly Val Glu Pro Asn Cys Asp Ile
225 230 235 240

His Val Met Trp Glu Trp Glu Cys Phe Glu Arg Leu
245 250

<210> 1065
<211> 773
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VEGF ANTAGONIST
Fc

<220>
<221> CDS
<222> (4)..(759)

<400> 1065

```
cat atg gtt gaa ccg aac tgt gac atc cat gtt atg tgg gaa tgg gaa    48
   Met Val Glu Pro Asn Cys Asp Ile His Val Met Trp Glu Trp Glu
     1               5                  10                  15

tgt ttt gaa cgt ctg ggt ggt ggt ggt ggt gac aaa act cac aca tgt    96
Cys Phe Glu Arg Leu Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys
                20                  25                  30

cca ccg tgc cca gca cct gaa ctc ctg ggg gga ccg tca gtt ttc ctc   144
Pro Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu
            35                  40                  45

ttc ccc cca aaa ccc aag gac acc ctc atg atc tcc cgg acc cct gag   192
Phe Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu
        50                  55                  60

gtc aca tgc gtg gtg gtg gac gtg agc cac gaa gac cct gag gtc aag   240
Val Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys
    65                  70                  75

ttc aac tgg tac gtg gac ggc gtg gag gtg cat aat gcc aag aca aag   288
Phe Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys
80                  85                  90                  95

ccg cgg gag gag cag tac aac agc acg tac cgt gtg gtc agc gtc ctc   336
Pro Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu
                100                 105                 110

acc gtc ctg cac cag gac tgg ctg aat ggc aag gag tac aag tgc aag   384
Thr Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys
            115                 120                 125

gtc tcc aac aaa gcc ctc cca gcc ccc atc gag aaa acc atc tcc aaa   432
Val Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys
        130                 135                 140

gcc aaa ggg cag ccc cga gaa cca cag gtg tac acc ctg ccc cca tcc   480
Ala Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser
    145                 150                 155
```

```
cgg gat gag ctg acc aag aac cag gtc agc ctg acc tgc ctg gtc aaa   528
Arg Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys
160                 165                 170                 175

ggc ttc tat ccc agc gac atc gcc gtg gag tgg gag agc aat ggg cag   576
Gly Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln
                180                 185                 190

ccg gag aac aac tac aag acc acg cct ccc gtg ctg gac tcc gac ggc   624
Pro Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly
            195                 200                 205

tcc ttc ttc ctc tac agc aag ctc acc gtg gac aag agc agg tgg cag   672
Ser Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln
        210                 215                 220

cag ggg aac gtc ttc tca tgc tcc gtg atg cat gag gct ctg cac aac   720
Gln Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn
    225                 230                 235

cac tac acg cag aag agc ctc tcc ctg tct ccg ggt aaa taactcgagg   769
His Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
240                 245                 250

atcc                                                            773
```

<210> 1066
<211> 252
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:VEGF ANTAGONIST
Fc

<400> 1066

```
Met Val Glu Pro Asn Cys Asp Ile His Val Met Trp Glu Trp Glu Cys
 1               5                  10                  15

Phe Glu Arg Leu Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro
            20                  25                  30

Pro Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe
        35                  40                  45

Pro Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val
    50                  55                  60
```

Thr Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe
65 70 75 80

Asn Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro
85 90 95

Arg Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr
100 105 110

Val Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val
115 120 125

Ser Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala
130 135 140

Lys Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg
145 150 155 160

Asp Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly
165 170 175

Phe Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro
180 185 190

Glu Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser
195 200 205

Phe Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln
210 215 220

Gly Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His
225 230 235 240

Tyr Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
245 250

<210> 1067
<211> 748
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:Fc-MMP INHIBITOR

<220>

<221> CDS
<222> (4)..(732)

<400> 1067

```
cat atg gac aaa act cac aca tgt cca cct tgt cca gct ccg gaa ctc   48
    Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu
      1               5                  10                  15

ctg ggg gga ccg tca gtc ttc ctc ttc ccc cca aaa ccc aag gac acc   96
Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr
                  20                  25                  30

ctc atg atc tcc cgg acc cct gag gtc aca tgc gtg gtg gtg gac gtg   144
Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val
              35                  40                  45

agc cac gaa gac cct gag gtc aag ttc aac tgg tac gtg gac ggc gtg   192
Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val
          50                  55                  60

gag gtg cat aat gcc aag aca aag ccg cgg gag gag cag tac aac agc   240
Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser
      65                  70                  75

acg tac cgt gtg gtc agc gtc ctc acc gtc ctg cac cag gac tgg ctg   288
Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu
  80                  85                  90                  95

aat ggc aag gag tac aag tgc aag gtc tcc aac aaa gcc ctc cca gcc   336
Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala
                 100                 105                 110

ccc atc gag aaa acc atc tcc aaa gcc aaa ggg cag ccc cga gaa cca   384
Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro
             115                 120                 125

cag gtg tac acc ctg ccc cca tcc cgg gat gag ctg acc aag aac cag   432
Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln
         130                 135                 140

gtc agc ctg acc tgc ctg gtc aaa ggc ttc tat ccc agc gac atc gcc   480
Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala
     145                 150                 155

gtg gag tgg gag agc aat ggg cag ccg gag aac aac tac aag acc acg   528
Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr
 160                 165                 170                 175
```

```
cct ccc gtg ctg gac tcc gac ggc tcc ttc ttc ctc tac agc aag ctc   576
Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu
                180                 185                 190

acc gtg gac aag agc agg tgg cag cag ggg aac gtc ttc tca tgc tcc   624
Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser
            195                 200                 205

gtg atg cat gag gct ctg cac aac cac tac acg cag aag agc ctc tcc   672
Val Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser
        210                 215                 220

ctg tct ccg ggt aaa ggt gga ggt ggt ggt tgc acc acc cac tgg ggt   720
Leu Ser Pro Gly Lys Gly Gly Gly Gly Gly Cys Thr Thr His Trp Gly
    225                 230                 235

ttc acc ctg tgc taatggatcc ctcgag                                748
Phe Thr Leu Cys
240
```

<210> 1068
<211> 243
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:Fc-MMP INHIBITOR

<400> 1068

```
Met Asp Lys Thr His Thr Cys Pro Pro Cys Pro Ala Pro Glu Leu Leu
  1               5                  10                  15

Gly Gly Pro Ser Val Phe Leu Phe Pro Pro Lys Pro Lys Asp Thr Leu
            20                  25                  30

Met Ile Ser Arg Thr Pro Glu Val Thr Cys Val Val Val Asp Val Ser
        35                  40                  45

His Glu Asp Pro Glu Val Lys Phe Asn Trp Tyr Val Asp Gly Val Glu
    50                  55                  60

Val His Asn Ala Lys Thr Lys Pro Arg Glu Glu Gln Tyr Asn Ser Thr
65                  70                  75                  80

Tyr Arg Val Val Ser Val Leu Thr Val Leu His Gln Asp Trp Leu Asn
                85                  90                  95

Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn Lys Ala Leu Pro Ala Pro
```

100 105 110

Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly Gln Pro Arg Glu Pro Gln
115 120 125

Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu Leu Thr Lys Asn Gln Val
130 135 140

Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr Pro Ser Asp Ile Ala Val
145 150 155 160

Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn Asn Tyr Lys Thr Thr Pro
165 170 175

Pro Val Leu Asp Ser Asp Gly Ser Phe Phe Leu Tyr Ser Lys Leu Thr
180 185 190

Val Asp Lys Ser Arg Trp Gln Gln Gly Asn Val Phe Ser Cys Ser Val
195 200 205

Met His Glu Ala Leu His Asn His Tyr Thr Gln Lys Ser Leu Ser Leu
210 215 220

Ser Pro Gly Lys Gly Gly Gly Gly Gly Cys Thr Thr His Trp Gly Phe
225 230 235 240

Thr Leu Cys

<210> 1069
<211> 763
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MMP INHIBITOR
Fc

<220>
<221> CDS
<222> (4)..(753)

<400> 1069
cat atg tgc acc acc cac tgg ggt ttc acc ctg tgc ggt gga ggc ggt 48
Met Cys Thr Thr His Trp Gly Phe Thr Leu Cys Gly Gly Gly Gly
1 5 10 15

```
ggg gac aaa ggt gga ggc ggt ggg gac aaa act cac aca tgt cca cct    96
Gly Asp Lys Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro
                 20                  25                  30

tgc cca gca cct gaa ctc ctg ggg gga ccg tca gtt ttc ctc ttc ccc   144
Cys Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro
             35                  40                  45

cca aaa ccc aag gac acc ctc atg atc tcc cgg acc cct gag gtc aca   192
Pro Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr
         50                  55                  60

tgc gtg gtg gtg gac gtg agc cac gaa gac cct gag gtc aag ttc aac   240
Cys Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn
     65                  70                  75

tgg tac gtg gac ggc gtg gag gtg cat aat gcc aag aca aag ccg cgg   288
Trp Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg
 80                  85                  90                  95

gag gag cag tac aac agc acg tac cgt gtg gtc agc gtc ctc acc gtc   336
Glu Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val
                100                 105                 110

ctg cac cag gac tgg ctg aat ggc aag gag tac aag tgc aag gtc tcc   384
Leu His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser
            115                 120                 125

aac aaa gcc ctc cca gcc ccc atc gag aaa acc atc tcc aaa gcc aaa   432
Asn Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys
        130                 135                 140

ggg cag ccc cga gaa cca cag gtg tac acc ctg ccc cca tcc cgg gat   480
Gly Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp
    145                 150                 155

gag ctg acc aag aac cag gtc agc ctg acc tgc ctg gtc aaa ggc ttc   528
Glu Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe
160                 165                 170                 175

tat ccc agc gac atc gcc gtg gag tgg gag agc aat ggg cag ccg gag   576
Tyr Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu
                180                 185                 190

aac aac tac aag acc acg cct ccc gtg ctg gac tcc gac ggc tcc ttc   624
Asn Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe
            195                 200                 205
```

```
ttc ctc tac agc aag ctc acc gtg gac aag agc agg tgg cag cag ggg   672
Phe Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly
        210                 215                 220

aac gtc ttc tca tgc tcc gtg atg cat gag gct ctg cac aac cac tac   720
Asn Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr
    225                 230                 235

acg cag aag agc ctc tcc ctg tct ccg ggt aaa taatggatcc           763
Thr Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
240                 245                 250
```

<210> 1070
<211> 250
<212> PRT
<213> Artificial Sequence
<223> Description of Artificial Sequence:MMP INHIBITOR
Fc

<400> 1070

```
Met Cys Thr Thr His Trp Gly Phe Thr Leu Cys Gly Gly Gly Gly Gly
 1               5                  10                  15

Asp Lys Gly Gly Gly Gly Gly Asp Lys Thr His Thr Cys Pro Pro Cys
            20                  25                  30

Pro Ala Pro Glu Leu Leu Gly Gly Pro Ser Val Phe Leu Phe Pro Pro
        35                  40                  45

Lys Pro Lys Asp Thr Leu Met Ile Ser Arg Thr Pro Glu Val Thr Cys
    50                  55                  60

Val Val Val Asp Val Ser His Glu Asp Pro Glu Val Lys Phe Asn Trp
65                  70                  75                  80

Tyr Val Asp Gly Val Glu Val His Asn Ala Lys Thr Lys Pro Arg Glu
                85                  90                  95

Glu Gln Tyr Asn Ser Thr Tyr Arg Val Val Ser Val Leu Thr Val Leu
            100                 105                 110

His Gln Asp Trp Leu Asn Gly Lys Glu Tyr Lys Cys Lys Val Ser Asn
        115                 120                 125

Lys Ala Leu Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Ala Lys Gly
    130                 135                 140
```

Gln Pro Arg Glu Pro Gln Val Tyr Thr Leu Pro Pro Ser Arg Asp Glu
145 150 155 160

Leu Thr Lys Asn Gln Val Ser Leu Thr Cys Leu Val Lys Gly Phe Tyr
165 170 175

Pro Ser Asp Ile Ala Val Glu Trp Glu Ser Asn Gly Gln Pro Glu Asn
180 185 190

Asn Tyr Lys Thr Thr Pro Pro Val Leu Asp Ser Asp Gly Ser Phe Phe
195 200 205

Leu Tyr Ser Lys Leu Thr Val Asp Lys Ser Arg Trp Gln Gln Gly Asn
210 215 220

Val Phe Ser Cys Ser Val Met His Glu Ala Leu His Asn His Tyr Thr
225 230 235 240

Gln Lys Ser Leu Ser Leu Ser Pro Gly Lys
245 250

<210> 1071
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 1071
Cys Gly Arg Glu Cys Pro Arg Leu Cys Gln Ser Ser Cys
1 5 10

<210> 1072
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN
BINDING PEPTIDE

<400> 1072
Cys Asn Gly Arg Cys Val Ser Gly Cys Ala Gly Arg Cys
1 5 10

<210> 1073
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN BINDING PEPTIDE

<400> 1073
Cys Leu Ser Gly Ser Leu Ser Cys
1 5

<210> 1074
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN BINDING PEPTIDE

<400> 1074
Asn Gly Arg Ala His Ala
1 5

<210> 1075
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN BINDING PEPTIDE

<220>
<221> CDS
<222> (10)..(189)

<400> 1075
Cys Asn Gly Arg Cys
1 5

<210> 1076
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN BINDING PEPTIDE

<400> 1076
Cys Asp Cys Arg Gly Asp Cys Phe Cys
1 5

<210> 1077
<211> 7
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN BINDING PEPTIDE

<400> 1077
Cys Gly Ser Leu Val Arg Cys
1 5

<210> 1078
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN BINDING PEPTIDE

<400> 1078
Arg Thr Asp Leu Asp Ser Leu Arg

1 5

<210> 1079
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN BINDING PEPTIDE

<400> 1079
Gly Asp Leu Asp Leu Leu Lys Leu Arg Leu Thr Leu
1 5 10

<210> 1080
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 1080
Gly Asp Leu His Ser Leu Arg Gln Leu Leu Ser Arg
1 5 10

<210> 1081
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 1081
Arg Asp Asp Leu His Met Leu Arg Leu Gln Leu Trp
1 5 10

<210> 1082
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 1082
Ser Ser Asp Leu His Ala Leu Lys Lys Arg Tyr Gly
1 5 10

<210> 1083
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 1083
Arg Gly Asp Leu Lys Gln Leu Ser Glu Leu Thr Trp
1 5 10

<210> 1084
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:INTEGRIN-BINDING PEPTIDE

<400> 1084
Arg Gly Asp Leu Ala Ala Leu Ser Ala Pro Pro Val
1 5 10

<210> 1085
<211> 15

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:TNF-ANTAGONIST
PEPTIDE

<400> 1085
Asp Phe Leu Pro His Tyr Lys Asn Thr Ser Leu Gly His Arg Pro
1 5 10 15

<210> 1086
<211> 18
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VEGF ANTAGONIST
PEPTIDE

<400> 1086
Gly Glu Arg Trp Cys Phe Asp Gly Pro Leu Thr Trp Val Cys Gly Glu
1 5 10 15

Glu Ser

<210> 1087
<211> 20
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VEGF ANTAGONIST
PEPTIDE

<400> 1087
Arg Gly Trp Val Glu Ile Cys Val Ala Asp Asp Asn Gly Met Cys Val
1 5 10 15

Thr Glu Ala Gln
20

<210> 1088
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VEGF ANTAGONIST
PEPTIDE

<400> 1088
Gly Trp Asp Glu Cys Asp Val Ala Arg Met Trp Glu Trp Glu Cys Phe
1 5 10 15

Ala Gly Val

<210> 1089
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VEGF ANTAGONIST
PEPTIDE

<400> 1089
Arg Gly Trp Val Glu Ile Cys Glu Ser Asp Val Trp Gly Arg Cys Leu
1 5 10 15

<210> 1090
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VEGF ANTAGONIST
PEPTIDE

<400> 1090
Arg Gly Trp Val Glu Ile Cys Glu Ser Asp Val Trp Gly Arg Cys Leu
1 5 10 15

<210> 1091
<211> 19
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VEGF ANTAGONIST
PEPTIDE

<400> 1091
Gly Gly Asn Glu Cys Asp Ile Ala Arg Met Trp Glu Trp Glu Cys Phe
1 5 10 15

Glu Arg Leu

<210> 1092
<211> 16
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:VEGF ANTAGONIST
PEPTIDE

<400> 1092
Arg Gly Trp Val Glu Ile Cys Ala Ala Asp Asp Tyr Gly Arg Cys Leu
1 5 10 15

<210> 1093
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MMP INHIBITOR
PEPTIDE

<400> 1093
Cys Leu Arg Ser Gly Xaa Gly Cys
1 5

<210> 1094
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MMP INHIBITOR PEPTIDE

<400> 1094
Cys Xaa Xaa His Trp Gly Phe Xaa Xaa Cys
1 5 10

<210> 1095
<211> 5
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MMP INHIBITOR PEPTIDE

<400> 1095
Cys Xaa Pro Xaa Cys
1 5

<210> 1096
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MMP INHIBITOR PEPTIDE

<400> 1096
Cys Arg Arg His Trp Gly Phe Glu Phe Cys
1 5 10

<210> 1097
<211> 10

<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MMP INHIBITOR PEPTIDE

<400> 1097
Ser Thr Thr His Trp Gly Phe Thr Leu Ser
1 5 10

<210> 1098
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MMP INHIBITOR PEPTIDE

<400> 1098
Cys Ser Leu His Trp Gly Phe Trp Trp Cys
1 5 10

<210> 1099
<211> 15
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:CARBOHYDRATE (GD1 ALPHA) MIMETIC PEPTIDE

<400> 1099
Trp His Trp Arg His Arg Ile Pro Leu Gln Leu Ala Ala Gly Arg
1 5 10 15

<210> 1100
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:BETA-2 GP1AB
BINDING PEPTIDE

<400> 1100
Leu Lys Thr Pro Arg Val
1 5

<210> 1101
<211> 8
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:BETA-2 GP1AB
BINDING PEPTIDE

<400> 1101
Asn Thr Leu Lys Thr Pro Arg Val
1 5

<210> 1102
<211> 11
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:BETA-2 GP1AB
BINDING PROTEIN

<400> 1102
Asn Thr Leu Lys Thr Pro Arg Val Gly Gly Cys
1 5 10

<210> 1103
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:BETA-2 GP1AB
BINDING PROTEIN

<400> 1103
Lys Asp Lys Ala Thr Phe
1 5

<210> 1104
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:BETA-1 GP1AB BINDING PROTEIN

<400> 1104
Lys Asp Lys Ala Thr Phe Gly Cys His Asp
1 5 10

<210> 1105
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:BETA-2 GP1AB BINDING PEPTIDE

<400> 1105
Lys Asp Lys Ala Thr Phe Gly Cys His Asp Gly Cys
1 5 10

<210> 1106
<211> 6
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:BETA-2 GP1AB BINDING PROTEIN

<400> 1106
Thr Leu Arg Val Tyr Lys

1 5

<210> 1107
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:BETA-2 GP1AB BINDING PROTEIN

<400> 1107
Ala Thr Leu Arg Val Tyr Lys Gly Gly
1 5

<210> 1108
<211> 10
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:BETA-2 GP1AB BINDING PROTEIN

<400> 1108
Cys Ala Thr Leu Arg Val Tyr Lys Gly Gly
1 5 10

<210> 1109
<211> 14
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MEMBRANE TRANSPORTING PEPTIDE

<400> 1109
Ile Asn Leu Lys Ala Leu Ala Ala Leu Ala Lys Lys Ile Leu
1 5 10

<210> 1110
<211> 12
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MEMBRANE TRANSPORTING PEPTIDE

<400> 1110
Gly Trp Thr Leu Asn Ser Ala Gly Tyr Leu Leu Gly
1 5 10

<210> 1111
<211> 27
<212> PRT
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:MEMBRANE TRANSPORTING PEPTIDE

<400> 1111
Gly Trp Thr Leu Asn Ser Ala Gly Tyr Leu Leu Gly Lys Ile Asn Leu
1 5 10 15

Lys Ala Leu Ala Ala Leu Ala Lys Lys Ile Leu
20 25

<210> 1112
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence:FC PCR PRIMER

<400> 1112
aacataagta cctgtaggat cg 22

<210> 1113
<211> 81